

Friedman Memorial Airport Terminal Area Plan



Friedman Memorial Airport Terminal Area Plan

March, 2022 *Draft
Report*

**Mead
& Hunt**

1743 Wazee Street,
Suite 400
Denver, CO 80202
303-825-8844
www.meadhunt.com

Mead & Hunt
Denver, CO

Logplan LLC
Denver, CO

Ricondo & Associates
Seattle, WA

T-O Engineers
Meridian, ID

"The preparation of this document may have been supported, in part, with financial assistance from the Federal Aviation Administration through the Airport Improvement Program. The contents do not necessarily reflect the official views or policy of the FAA. Acceptance of these documents by the FAA does not in any way constitute a commitment on the part of the United States to participate in any development depicted herein nor does it indicate that the proposed development is environmentally acceptable in accordance with appropriate public law."



Table of Contents

Table of Contents.....	i
1. Inventory of Existing Conditions	
1.1. Introduction.....	1-1
1.2. Background.....	1-2
1.3. Terminal Area Existing Conditions: Inventory and Observations.....	1-5
1.4. Considerations for Terminal Planning.....	1-17
1.5. Terminal Inventory Summary	1-19
2. Terminal Capacity Analysis	
2.1. Introduction	2-1
2.2. Summary of Capacity Analysis Findings	2-1
2.3. Capacity Assessment: Vehicle Roadways, Curbside and Parking	2-4
2.4. Capacity Assessment: Terminal Building.....	2-14
2.5. Capacity Assessment: Snow Removal Equipment.....	2-30
2.6. Terminal Complex Capacity Summary	2-39
3. Terminal Building and Terminal Area Concepts	
3.1. Introduction	3-1
3.2. Assumptions and Goals.....	3-1
3.3. Goals for Development	3-2
3.4. Opportunities and Constraints.....	3-2
3.5. Preliminary Terminal Building Alternative Concepts	3-6
3.6. Refined Terminal Building Concept and Phasing.....	3-14
3.7. Terminal Area Alternatives	3-17
3.8. Conceptual Development Plan.....	3-22
4. Financial Implementation Analysis	
4.1. Introduction	4-1
4.2. Capital Improvement Program Projects and Funding	4-1
4.3. Financial Feasibility Analysis	4-7
4.4. Conclusions and Recommendations	4-16

List of Figures

<i>Figure 1-1: Sun Valley, Idaho, Location Map</i>	<i>1-2</i>
<i>Figure 1-2: SUN Airport</i>	<i>1-3</i>
<i>Figure 1-3: Master Plan Enplanement Forecast (2014-2024) Compared to Actual Enplanements.....</i>	<i>1-4</i>
<i>Figure 1-4: SUN passenger terminal central entry.....</i>	<i>1-4</i>
<i>Figure 1-5: SUN Commercial terminal complex</i>	<i>1-6</i>
<i>Figure 1-6: SUN porte-cochere</i>	<i>1-6</i>
<i>Figure 1-7: SUN terminal area parking.....</i>	<i>1-7</i>
<i>Figure 1-8: SUN curbside and central entry</i>	<i>1-8</i>
<i>Figure 1-9: SUN commercial apron and gate parking plan</i>	<i>1-9</i>
<i>Figure 1-10: SUN commercial aircraft apron</i>	<i>1-9</i>
<i>Figure 1-11: SUN baggage screening area.....</i>	<i>1-11</i>
<i>Figure 1-12: SUN SSCP.....</i>	<i>1-12</i>
<i>Figure 1-13: SUN departures lounge.....</i>	<i>1-13</i>
<i>Figure 1-14: SUN baggage claim area</i>	<i>1-16</i>
 <i>Figure 2-15: Terminal Area Plan Study Site Limits</i>	 <i>2-4</i>
<i>Figure 2-2: Early AM Departure, Delta Airlines Salt Lake City Flight from Overnight at Gate, 2 January 2021.....</i>	<i>2-10</i>
<i>Figure 2-3: Late Morning Departures, Delta, Alaska and United Airlines, 2 January 2021</i>	<i>2-11</i>
<i>Figure 2-4: Mid-Afternoon Departures Bank, Delta, and United Airlines, 2 January 2021.....</i>	<i>2-11</i>
<i>Figure 2-5: Late Afternoon Departures Bank, Delta and United Airlines, 2 January 2021</i>	<i>2-12</i>
<i>Figure 2-6: Early Evening Departure, Delta Airlines Salt Lake City, 2 January 2021</i>	<i>2-12</i>
<i>Figure 2-7: Final Arrival of the Day, Delta Airlines Salt Lake City Flight, 2 January 2021.....</i>	<i>2-13</i>
<i>Figure 2-8: Ticketing & Baggage Check-In, Security Screening Checkpoint, and Departures Lounge Demand-to-Capacity.....</i>	<i>2-15</i>
<i>Figure 2-9: Baggage Claim Demand to Capacity, Peak Winter Holiday Travel, 2 January 2021</i>	<i>2-27</i>
 <i>Figure 3-16: Terminal Building Opportunities and Constraints</i>	 <i>3-3</i>
<i>Figure 3-17: Terminal Area Opportunities and Constraints.....</i>	<i>3-4</i>
<i>Figure 3-3: Preliminary Terminal Building Alternative Concept 1</i>	<i>3-8</i>
<i>Figure 3-4: Preliminary Terminal Building Alternative Concept 2</i>	<i>3-10</i>
<i>Figure 3-18: Preliminary Terminal Building Alternative Concept 3</i>	<i>3-12</i>
<i>Figure 3-6: Refined Terminal Concept, Phase 1.....</i>	<i>3-15</i>
<i>Figure 3-7: Refined Terminal Concept, Phase 2.....</i>	<i>3-16</i>
<i>Figure 3-19: Terminal Area Alternative 1</i>	<i>3-18</i>
<i>Figure 3-20: Preliminary Terminal Area Alternative 2</i>	<i>3-20</i>
<i>Figure 3-21: Conceptual Development Plan.....</i>	<i>3-23</i>

List of Tables

<i>Table 1-1: Airline Leased Spaces in Departures Hall</i>	<i>1-11</i>
<i>Table 1-2: Aircraft Dimensions and Capacities</i>	<i>1-13</i>
<i>Table 1-3: Departures Lounge Seating & Boarding Corridor Areas By Gate.....</i>	<i>1-14</i>
<i>Table 1-4: SUN Restrooms.....</i>	<i>1-14</i>
<i>Table 1-5: SUN Terminal Facility Space Assessment</i>	<i>1-19</i>
<i>Table 2-5: Existing Terminal Component Capacity Level of Service Summary.....</i>	<i>2-2</i>
<i>Table 2-6: Terminal Area Public & Commercial Parking By Use, 2021</i>	<i>2-8</i>
<i>Table 2-7: Ticketing & Baggage Check-In Summary Ticket Counter Check-in Requirements</i>	<i>2-17</i>
<i>Table 2-8: Ticketing & Baggage Check-In Summary, Ticket Counter Check-in Requirements, Single Aircraft</i>	<i>2-18</i>
<i>Table 2-9: TSA Checked Baggage Security Screening Summary of Occurrences from 150 to 450 Bags Screened in a Period for Calendar Year 2019.....</i>	<i>2-19</i>
<i>Table 2-10: TSA Checked Baggage Level 1, 2 & 3 Screening Unit and Recommended Minimum Area Requirements.....</i>	<i>2-20</i>
<i>Table 2-11: TSA SSCP Performance and Level of Service with Two Lanes, 15-Minute LOS Goal.....</i>	<i>2-22</i>
<i>Table 2-12: Departures Lounge Restroom Fixtures Requirements</i>	<i>2-24</i>
<i>Table 2-9: Departures & Arrivals Halls Public Restroom Fixtures Requirements</i>	<i>2-25</i>
<i>Table 2-13: Baggage Claim Demand to Capacity, Two Flights, Peak Winter Holiday Travel, 2 January 2021.....</i>	<i>2-29</i>
<i>Table 2-14: Identification of Justifiable (AIP Eligible) Snow Removal Equipment.....</i>	<i>2-31</i>
<i>Table 2-15: SUN Snow Removal Equipment and Eligible Area – Vehicles.....</i>	<i>2-34</i>
<i>Table 2-16: SUN Snow Removal Equipment Attachments and Eligible Area</i>	<i>2-35</i>
<i>Table 2-17: SUN Snow Removal Equipment and Attachments: Modified Eligible Area for Single Drive-Through Lane</i>	<i>2-36</i>
<i>Table 2-18: SRE and Maintenance Facility Space Requirements</i>	<i>2-15</i>
<i>Table 3-1: Refined Terminal Building Development Program Comparison</i>	<i>3-5</i>
<i>Table 3-2: Preliminary Terminal Building Alternative Concepts Screening Matrix</i>	<i>3-13</i>
<i>Table 3-19: Terminal Area Alternative Concepts Screening Matrix.....</i>	<i>3-21</i>
<i>Table 4-20: Terminal Area Plan Schedule and Estimated Cost.....</i>	<i>4-1</i>
<i>Table 4-21: Five-Year Capital Improvement Program.....</i>	<i>4-2</i>
<i>Table 4-22: Capital Improvement Program Funding Summary</i>	<i>4-4</i>
<i>Table 4-23: Terminal Area Plan Funding Summary.....</i>	<i>4-4</i>
<i>Table 4-24: Airport Improvement Program Entitlement Grants.....</i>	<i>4-5</i>
<i>Table 4-25: Infrastructure Investment and Jobs Act Grants</i>	<i>4-6</i>
<i>Table 4-26: Coronavirus Aid, Relief, and Economic Security Act Grants</i>	<i>4-6</i>
<i>Table 4-8: Historical and Forecast Key Aviation Activity Statistics.....</i>	<i>4-7</i>
<i>Table 4-27: Historical and Forecast Key Aviation Activity Statistics.....</i>	<i>4-8</i>
<i>Table 4-28: Projection of Operating Expenses</i>	<i>4-9</i>
<i>Table 4-29: Projection of Operating Expenses</i>	<i>4-10</i>
<i>Table 4-30: Projected Airline Revenues and Rates and Charges</i>	<i>4-13</i>

Table 4-13: Projected Airline Revenues and Rates and Charges 4-14

Table 4-14: Net Revenue and Cash Flow..... 4-14

List of Appendices

Planning Activity Levels and Terminal Program A-1

Peak Day Bank Structure..... A-2

Chapter 1

Inventory of Existing Conditions

1.1. Introduction

This chapter is the first element in a Terminal Area Plan process that will identify terminal area functional components requiring renovation, expansion, and/or replacement to meet the needs of Friedman Memorial Airport (SUN or Airport) within the next ten years (2021-2030). The purpose of this chapter is to provide the Friedman Memorial Airport Authority (FMAA) with an inventory of existing terminal conditions and to quantify terminal spaces and types. Terminal area functional components included in this inventory are as follows:

- Vehicle Roadways and Parking
- Terminal Curbside
- Commercial Apron
- Departures Hall
- Ticketing / Check-in
- Checked Baggage Inspection System
- Airline Outbound Baggage
- Security Screening Checkpoint
- Aircraft Gates and Departures Lounge
- Restrooms and Passenger Services
- Circulation
- Baggage Claim and Arrivals Hall
- Car Rental
- Concessions
- Restrooms
- Building Support

The Airport has the following objectives in undertaking a new Terminal Area Plan:

1. Meet the immediate and near-term operational needs for the terminal area, while considering constraints on development at the present site.
2. Maintain the character of the passenger terminal that signifies its role as the community's "front door" for recreational and business travelers.
3. Establish a project budget for construction costs of the near-term improvements.
4. Plan for a phased expansion that will minimally impact operations at SUN.

This study will determine current capacity for each functional component, using industry standards for performance and level of service, and define triggers for expansion, which are the activity thresholds beyond which level of service breaks down. The need for terminal expansion is typically identified based on demand forecasts. However, this method will not be viable until stability returns to the industry following the COVID-19 pandemic. As a result, coordination with FAA concluded that this study would define development triggers, or thresholds, using quantifiable performance indicators above which specific terminal area functional components cease to perform adequately, resulting in an increase in passenger processing times, waiting, and queues, and requiring more terminal space. These triggers will be used to recommend the type, size, design, and timing of terminal area improvements in subsequent study elements.

Physical and operational deficiencies of the terminal building and its systems were identified during programming for the most recent expansion project, completed in 2015, and subsequent planning efforts. References for this chapter include airport and stakeholder meetings, examinations of plans, and a review of previous planning documents. A series of stakeholder and airport staff meetings were held in November and December of 2020. The stakeholders involved were airlines, rental car agencies, the parking company, advertising, concessionaires, and the TSA. See Appendix C: Interview Minutes.

1.2. Background

The Airport is located at the south end of the Sawtooth Range in the Rocky Mountains of south-central Idaho. Situated in the City of Hailey, the Airport serves Sun Valley, Ketchum, Bellevue, and other communities in and around the Wood River Valley. Hailey is 11 miles south of the resort towns of Sun Valley and Ketchum. Boise, the state capital, is approximately 100 miles due west, Idaho Falls is 115 miles due east, and Twin Falls is 65 miles due south. U.S. Highway 20 connects Boise and Idaho Falls from west to east, and the Airport is located approximately 14 miles north of U.S. Highway 20 along State Highway 75. State Highway 75 serves as the main street through the city, extending north to Ketchum and the Sawtooth National Recreation Area. Arriving and departing flights are sometimes diverted to Twin Falls during winter heavy weather events, in which case they are bused to and from the Wood River Valley. The primary local access to the SUN terminal complex and other Airport facilities is off State Highway 75 via Airport Way. Mountains to the immediate east and west have pushed the city's growth to the north and south of downtown, constraining the Airport's ability to expand to meet passenger and pilot demand.

Figure 1-1: Sun Valley, Idaho, Location Map



Source: Mead & Hunt, 2021.

Area attractions include outdoor activities such as skiing, mountain biking, snowmobiling, hiking, and fly fishing. While skiing is the main attraction in winter, Hailey is surrounded by the Sawtooth National Forest, which provides hikers and mountain bikers reasons to visit in summer as well.

Airport Layout

The Airport has a single runway that runs from north to south. State Highway 75 is located east of and parallel to the runway, and nearly all other Airport facilities are located west of the runway. The SUN terminal complex is situated centrally in the landside area of the Airport, in a narrow band of airport property between Taxiway B to the east and the airport property line to the west, and between two general aviation areas to the north and south. Airport administration, operations, maintenance, snow removal, and aircraft rescue and firefighting (ARFF) functions are consolidated in a suite of buildings just south of the terminal building. Future growth of the terminal complex is severely constrained by topography, by the flourishing community surrounding it, and by adjacent Airport facilities.

Figure 1-2: SUN Airport



Source: Mead & Hunt, 2020.

The terminal building has undergone several expansions since it was first built in 1976, as it grew to accommodate additional demand and respond to an evolving aviation industry. It was originally a simple structure designed to emulate the mountain chalet-style wood construction of the Sun Valley Resort. The first addition in 1985 lengthened the building along the commercial apron from north to south. In 1991, a secure departures lounge and security screening areas were added. In 2005, a third project expanded restrooms and added mechanical space.

The building was substantially expanded in 2015 with a secure hold room addition, passenger security screening checkpoint (SSCP), and renovated, expanded restrooms. This expansion was part of a larger runway safety program undertaken to increase the size of aircraft that could use the Airport. The building was (and is) outside the runway object free area (ROFA) for these larger aircraft; however, aircraft parking positions and maneuvering areas were within the ROFA and had to be relocated. While earlier expansions aligned the hold room parallel with the runway, the new expanded hold room was built perpendicular to the runway to accommodate relocation of aircraft parking and maneuvering to the north of the building. The former hold room became a non-secure bus lounge for passengers diverted to and from Twin Falls. The renovated and expanded terminal provides modern facilities built to accommodate larger groups traveling to and from the Airport and better meets customers' expectations of modern convenience and resort-oriented design.

The 2015 project essentially doubled the size of the terminal building. Today the building measures 32,905 square feet in overall interior area and 34,150 square feet in overall roof area. Three aircraft apron stands were built to serve the terminal as part of the runway safety program. As the Airport added destinations and frequencies over the last five years, a fourth gate stand was added and terminal area facilities have become more congested. Additional capacity was not built in 2015 due to costs associated with the work and competing demands for Airport capital improvement funds. The runway safety program set strict funding limits within which the FMAA sought to limit project scope to primarily address safety issues, with future expansion to be addressed in subsequent programs on an as-needed basis.


National & Local Industry Trends

The air transport industry has been hit with an unprecedented drop in passenger demand due to the worldwide COVID-19 pandemic and global recession. Prior to the pandemic, the Airport was dramatically outpacing the

enplanement forecasts from its previous Master Plan, as shown in **Figure 1-3**, and FMAA had begun to expand the ticketing area in the departures hall, which will serve as a starting point for terminal planning under this study. The current slowdown in air travel has provided some relief in reduced operations and passenger volumes, particularly during peak operating hours, when compared to recent years. Airlines and the traveling public will require time to return to the recent activity levels at SUN. Once this occurs, the airlines are expected to maintain high passenger load factors instead of adding flights early into the recovery. The industry may also reshape many of their business practices to reach profitability again, including reducing labor forces and aircraft fleets, the latter of which has already been achieved by American Airlines.¹

This reduction in flights and workforce will likely continue until passenger volumes have shown steady growth beyond seasonal increases. At this time, leisure travelers are filling a gap created by the loss of the business traveler throughout the industry. The airlines responded to the crisis by reducing flights and seat capacity into airports, except for some leisure destinations. Airlines have scheduled more flights into SUN than they have historically operated for the winter ski season. Aircraft serving SUN consist primarily of the Embraer 175 (E175) operated by Skywest Airlines (on behalf of Delta and United) and Bombardier DH4 Q400 (Q400) operated by Alaska Airlines. The E175 aircraft's seat capacity has been fitted out with 70 and 76 seats by United and Delta, respectively.

Figure 1-3: Master Plan Enplanement Forecast (2014-2024) Compared to Actual Enplanements



Source: Mead & Hunt, 2020.

Figure 1-4: SUN passenger terminal central entry



Source: Mead & Hunt, 2020.

¹ American Airlines to Cut 100,000 Flights from its Schedule, The Dallas Morning News, 2 November 2020.

Considering the present state of the terminal area in meeting future demand and, with time to improve terminal facilities before air carriers return to operating increased frequencies out of SUN, addressing terminal needs now is appropriate given potential recovery scenarios. Activity levels in recent years provide a glimpse into future scenarios that will cause congestion in the terminal building and its environs. Therefore, this terminal area plan process will identify, define, and quantify deficiencies in existing terminal area facilities. Plausible scenarios that will require additional equipment or space to meet demand will be defined as triggers for expansion or equipment upgrades. Upon nearing and/or reaching a threshold, the Airport will be able to move forward to meet this demand. This study evaluates all facilities in the terminal area, beginning with the existing condition of the terminal building itself.

1.3. Terminal Area Existing Conditions: Inventory and Observations

The process of determining facility requirements begins with assessing the existing conditions inside and surrounding the terminal building, identifying opportunities and constraints, and evaluating whether the facility can function adequately. The following sections describe existing conditions in and around the terminal.

Terminal Complex

The passenger terminal building and adjacent facilities are referred to collectively as the terminal complex. Generally, these facilities include landside roadway access and parking, the terminal building, aircraft access and parking, and Airport administration, operations, and maintenance facilities. The SUN terminal complex includes airport property west of Runway 13/31 as indicated in **Figure 1-5**.

Figure 1-5: SUN Commercial terminal complex



Site Constraints

As noted previously, the SUN terminal complex is constrained by topography, surrounding airport facilities, and building design. It is situated in a narrow band of airport property between Taxiway B and several off-Airport buildings, including the County Sheriff's Office and a hospital. Generally, the greatest constraint to expansion in the valley is topographic, as it is located between steep mountains to the east and west. The greatest limits to terminal expansion are defined by the ROFA on the east side of the building and the airport property line to the west.

Vehicle Roadways and Parking

An efficient and intuitive roadway arrival sequence is important in allowing both residents and visitors to navigate through the terminal complex smoothly. A fully developed

Figure 1-6: SUN porte-cochere



Source: Mead & Hunt, 2020.

arrival sequence gives drivers visual cues that assist them in navigating to their destinations, reducing confusion and stress. Views along the path of travel reveal landmarks such as the terminal front doors, parking areas, and pedestrian walkways.

Access to State Highway 75 north of the airport is generally straightforward; however, the local roadway sequence that connects the highway to the terminal complex includes several secondary roads that form a meandering path from Airport Way, to Aviation Drive, to Airport Creek Road, and finally to the Airport terminal entrance gate. Once through the gate, vehicles approach the passenger terminal building by entering the parking area and proceeding along a drive lane to the terminal curbside. A walkway crossing the roadway is covered by the original porte-cochere jutting out into the parking area.

Figure 1-7: SUN terminal area parking



Source: T.O. Engineers, 2020.

A change in topography splits the public parking lots into an upper (inner) lot and a lower (outer) lot. Lack of space to expand the lots results in frequent congestion, even when the Airport is not at its busiest. During peak periods the lots are often very full and vehicle circulation is very congested. Rental car ready stalls are parked in the upper lot as well as a small lot west of baggage claim that is also used by airport shuttles. Overflow rental car lots are located north and south of the terminal complex, with some of the rental cars parked off Airport property. Staff parking is in a small, separate lot near the Airport administration and maintenance buildings. Space near or between parking lots is set aside for piling plowed snow in the winter.

Terminal Curbside

The terminal curbside is the location on the terminal access road that passes along the front of the terminal building, where passengers and their baggage are loaded into and unloaded out of vehicles. The SUN curbside is approximately 400 feet long, the length of the terminal building for the purposes of this study.

Figure 1-8: SUN curbside and central entry




Source: Mead & Hunt, 2020.

Additional circulation lanes in front of airport terminals allow vehicles to stack along the curbside during busy times, allowing moving vehicles to pass by stopped vehicles. The width of the porte cochere at SUN limits traffic flow to two lanes, with the second traffic lane doubling as a vehicle pull-out and bypass lane. The porte cochere enters the terminal departures hall, which also contains mechanical spaces, a conference room, public restrooms, public seating, and TSA offices. Entry doors at the north end of the terminal lead to the arrivals hall and baggage claim.

Commercial Apron and Aircraft Operations

The commercial apron is used for parking, maneuvering, and taxiing aircraft, as well as the movement of ground service equipment. The apron pavement must be capable of supporting the aircraft weight and landing gear. A well-designed apron allows free movement and parking of all commercial aircraft expected to use the Airport during the peak period.

Figure 1-9: SUN commercial apron and gate parking plan



Source: T.O. Engineers, 2020.

During a typical departure operation, airlines will push aircraft back from the gate to the north and west. The air traffic control tower must coordinate push back operations when they occur at the same time due to off-schedule or delayed operations, sometimes causing a later departure. Adding flights to the schedule will likely exacerbate an already congested situation on the apron because flights at SUN tend to occur during the same time of day.

Figure 1-10: SUN commercial aircraft apron



Source: Mead & Hunt, 2020.

As passengers ground board the aircraft, their paths from the terminal gates to the aircraft must remain clear. For this reason, all ground service equipment must circulate around the tails of the aircraft. The airlines report that transition time for tugs pulling baggage carts to the inbound baggage area is long and not all of the tugs and baggage carts can easily offload baggage at the same time during peak events.

Airport Administration, Operations, and Maintenance Facilities

Airport administration and operations staff functions are consolidated in a multi-purpose facility located south of the terminal building. Constructed in 2015, the facility is approximately 14,000 square feet in size and has immediate access to the secured airside through an access gate near the building. Other functions of the facility include snow removal equipment (SRE) storage, Aircraft Rescue and Fire Fighting (ARFF) equipment storage, and equipment maintenance.

The SRE portion of the facility, approximately 7,200 square feet, contains four vehicle bays which are designed for equipment to pull or back into the facility. Additional SRE spaces includes a restroom, maintenance office, welding shop, combustible liquid storage, maintenance storage, and maintenance shop. This space is inadequate for SRE, as the existing facility is not large enough for the existing and planned equipment, and much of the Airport's equipment fleet must be stored in a separate cold storage building and several aircraft hangars not intended for this use. This study includes an SRE space analysis for SRE attachments, associated space, and related facilities to quantify the Airport's needs for existing and future equipment and to plan for future equipment storage improvements.

Terminal Building

The 2015 terminal building renovation and expansion project provided adequate functionality to meet requirements at that time and served as a transition to a more modern facility, within funding constraints of the overall runway safety program. Other studies have been completed since 2015 to evaluate areas that were not renovated or expanded by the 2015 project, which mainly include ticketing, baggage check-in, TSA checked baggage screening, airline outbound baggage make-up, and airline ticketing offices. Other areas of concern include the security screening checkpoint (SSCP), restrooms, departures lounge, baggage claim, and vehicle parking.

Departures Hall

The departures hall includes ticketing, baggage check-in, and ancillary support functions, including airline ticket offices, line cargo ground operations, and TSA checked baggage inspection system.

Ticketing / Check-In

Delta and United Airlines (operated by Skywest Airlines) occupy the first ticket office from left to right, facing the ticket counters, followed by Alaska/Horizon Air. The TSA baggage screening area and airline ticket offices (ATO) are located directly behind the airline ticket counters, with the ATOs at either end of the counters and baggage screening in between. The passenger queuing space in front of the counters is undersized, resulting in passenger queues blocking the corridor to SSCP to the north. While this is an economical use of space, it does not allow for efficient check-in and baggage screening functions, particularly because most resort visitors check multiple bags. A large vertical mechanical chase in the middle of the queuing and circulation area further constrains passenger movement through the area. As a result, all functional components in the departures hall are very crowded and congested during peak periods.

While self-service check-in and bag-tag positions are being implemented industry-wide, these services are oriented toward business travelers and leisure destinations will continue to require sufficient space in the departures hall

for traditional check-in functions. As a result, there is not a simple technology solution that will transform the current space into an efficient ticketing hall. In addition, many passengers who regularly use SUN prefer a full-service experience.

Airline leased areas include ticket counters, offices, and baggage make-up areas, segmented by airline as shown in **Table 1-1**.

Table 1-1: Airline Leased Spaces in Departures Hall

Airline	Leased Area (SF)
Alaska Airlines (Exclusive Use Ticket Counters, Offices, and Baggage Make-up)	1,466
Delta Airlines (Shared Exclusive Use Ticket Counters)	208
United Airlines (Shared Exclusive Use Ticket Counters)	208
Delta/United (Shared Exclusive Use Offices and Baggage Make-up)	1,281
Total Leased Space	3,163

Source: Mead & Hunt, 2020.

Checked Baggage Inspection System (CBIS)

The TSA operates a manual loading and unloading system with one CTX-80DR explosive detection (EDS) machine located directly behind the ticket counters. There is approximately 340 square feet of space available for baggage screening. Ticket agents check baggage, then set it on the floor next to the EDS machine and a TSA officer places the bag on the conveyor. This system currently processes approximately 200 bags per hour. At present, there are two secondary screening podiums to clear alarmed bags. Baggage check-in at SUN averages approximately 0.75 bags per passenger, about 25 percent higher than the industry standard for domestic airports. The TSA processes the most bags per day during the two-week winter peak period.

Figure 1-11: SUN baggage screening area



Source: Mead & Hunt, 2020; TSA, 2020.

The space shared by TSA baggage screening and airline ticketing is small, and there are no baggage takeaway conveyors from the counters. TSA officers must lift and load them onto the EDS machine. Once a bag has been cleared, a TSA officer places it onto a run-out belt into United and Delta's (Skywest) outbound baggage room or onto a slide into Alaska/Horizon's outbound baggage room. The limited space around the EDS machine causes delays due to bags stacking up adjacent to the machine. It also poses a risk to TSA staff lifting the bags, retrieving them from the cleared belt and delivering them to the outbound baggage area. Airline employees stage bags in the

screening area when backups occur, creating a trip hazard for TSA employees. The location and layout of the baggage screening operation should be considered temporary and relocated to its own space when the departures hall is expanded.

Airline Outbound Baggage Area

Airline outbound baggage make-up is a manual operation. There is not a common-use baggage make-up device. Instead, TSA officers place baggage on a conveyor (Skywest) or slide (Horizon) leading to the airlines' baggage makeup rooms. Several columns obstruct movement through the make-up rooms, which are too small for baggage tugs to drive through. Instead, baggage carts are pushed into and pulled out of the make-up areas to stage on the apron. In addition, the floor heights of the two make-up rooms are different, making it difficult to combine the rooms to improve circulation. The rooms also serve a storage function, including radio charging stations and heavy weather gear.

Security Screening Checkpoint

The TSA security screening checkpoint (SSCP) is located north of the departures hall and is comprised of one standard screening lane with an Advanced Imaging Technology (AIT) machine used to screen most passengers. Pre-Check authorized passengers use an adjacent magnetometer for screening. The TSA operates a "blended screening operation" in which both sets of passengers are processed through one lane. Pre-Check passengers typically have a shorter wait in queue, as they can keep belts and shoes on and their laptops in their carry-on bag.

The processing capacity of a standard screening lane is between 150 to 180 passengers per hour on average. Based on discussions with TSA, screening lane capacity at SUN is limited to about 130 passengers per hour. A larger than standard queueing area, approximately 600 square feet, allows passengers to wait in an area without obstructing adjacent circulation flow during a peak hour.

Figure 1-12: SUN SSCP



Source: Mead & Hunt, 2020.

The TSA processed an average of 275 passengers a day in 2019. This average does not reflect the broad range between peak and off-peak passenger levels throughout the year, but it is useful in setting minimum requirements for system design. TSA staff screened an average of 2.3 carry-on bags for each passenger over the course of the year. The months of January, March, July, and August were peak months, with July and August logging the most passengers and carry-ons for the year. December has an abridged peak, beginning December 17th, running through December 31st, 2020, and continuing into the first week of January 2021. Prior to the December peak, there are only three departures a day.

Gates and Departure Lounge

Aircraft gates are designated doors in the terminal building that passengers pass through when boarding or disembarking from the aircraft. There are four ground-boarding aircraft parking gate stands at SUN, located parallel to the departures lounge on the north side of the building. Currently, passengers walk across the apron

and use mobile ramps to board the aircraft. This was an acceptable level of service when fewer, smaller aircraft types were used at the Airport. The amount of activity currently experienced on the apron warrants the consideration of boarding bridges.

Figure 1-13: SUN departures lounge



Source: Mead & Hunt, 2020.

The types of aircraft operating from SUN are limited due to FAA restrictions on aircraft size, with a 100-foot wingspan set as the maximum wingspan that will have adequate runway to taxiway separation on the airfield.

Table 1-2 lists the types of commercial aircraft that can operate at SUN.

Table 1-2: Aircraft dimensions and capacities

Aircraft Type	Aircraft Length	Wingspan	Total # of PAX seats
Q400	107' 9"	93' 3"	76
ERJ175	104' 0"	85' 4"	76
CRJ900	118' 10"	81' 6"	76 to 90
CRJ700	106' 7"	76' 3"	66 to 78
CRJ200	87' 10"	68' 8"	50
ERJ145	98' 0"	65' 9"	50

Source: FAA Characteristics Database, 2020.

Arriving passengers enter the departures lounge through the gates and exit the secure area through a revolving exit door, which leads directly into the nonsecure area with the great room/arrival hall waiting area to the left and baggage claim to the right. The departures lounge is a single 3,910 square-foot open area with a circulation corridor and access to public restrooms and a small coffee concession. About 3,030 square feet of the departures

lounge is designated for seating and about 880 square feet is used for gate podiums. The secure area was built to support three gates; however, the lounge supports four aircraft parking positions today.

A breakdown of departures lounge space is included in **Table 1-3**.

Table 1-3: Departures Lounge Seating & Boarding Corridor Areas By Gate

Gate Number	Seating Area (SF)	Gate Ticket Lift & Boarding Corridor (SF)	Total Gate Area (SF)
Gate 1	1,010	285	1,295
Gate 2	1,010	285	1,295
Gate 3	1,010	310	1,320
Total	3,030	880	3,910

Source: Mead & Hunt, 2020.

Restrooms and Passenger Services

Public restrooms are required by building codes in all buildings that are open to the public. In airports and many other public buildings, a successful restroom program provides restroom modules, consisting of multiple user rooms with stalls and single-user restrooms, typically with drinking fountains and a janitor closet nearby. The modules in airports should be designed at convenient locations with the appropriate number of plumbing fixtures and amount of circulation space for the high-intensity usage typical of airport terminals.

Restrooms at SUN are located in both secure and non-secure areas of the terminal. There are two non-secure restroom modules. One is centrally located, between the arrivals hall and departures hall along the corridor from ticketing to the security checkpoint, with entrances from each area. A single-user restroom is also located within this restroom block with a separate entry door. Another, smaller, restroom module is located on the south end of the terminal near the bus lounge and TSA support areas. There is a small restroom module in the departures lounge, located near the concession area and security checkpoint exit. A single-user restroom and drinking fountains are also located within this module.

Table 1-4: SUN Restrooms

Restroom	Size (SF)
Non-Secure Restrooms: Central	810
Non-Secure Restrooms: South	395
Secure Restrooms	725
Total Restroom Area	1,940

Source: Mead & Hunt, 2020.

Most spaces in the terminal serve the public. Passenger services in public areas may include non-revenue producing services that are beneficial or necessary for specific segments of the population, such as mother's rooms, service animal relief areas, business areas, play areas, wheelchair spaces, baggage cart storage, and a sensory room or quiet space, which is provided for passengers with sensory processing disorders such as autism. The terminal building at SUN does not include spaces for any of these services.

Mother's rooms and service animal relief areas are now required in certain airports by federal legislation. Service animal relief areas can be located either inside the building, a choice for most larger terminals, or outside the building. Business areas, play areas, wheelchair spaces, and sensory rooms are not required by law but are industry

standard best practices. Baggage cart storage is not needed at SUN due to the short distance from the curbside to the departures hall and arrivals hall.

Circulation

Circulation space allows people to move through the building, providing access to and connection between terminal components. It includes building entries, corridors, and hallways. For small airports, component operations often intrude onto what is considered circulation space. Readily noticeable even at larger airports are the queues that form at the checkpoint, with passengers taking over the terminal corridor, a space intended for circulation. This is due to how spaces are connected in small terminals, typically with few transition spaces between the processing areas. Overflow from functional components into circulation space is generally tolerated because it usually occurs over a short period of time.

Circulation at the SUN departures hall suffers from the ticket queue being undersized, especially during peak times. This has worsened in recent years as aircraft in the commercial fleet have increased in size, increasing peak demand in this space. Aggravating the congestion, a large vertical mechanical chase in an otherwise open area intended for circulation constrains passenger movement between the departures hall and the SSCP, sometimes completely blocking the circulation flow to the north portion of the building. Furthermore, there is only a small space for transition between the main circulation corridor and the SSCP queue.

Arrivals hall circulation begins at the exit from the departures lounge. Passengers who are not claiming baggage can bypass baggage claim and head directly to the curb to meet their party or on to the parking areas. Passengers with checked baggage proceed directly to the baggage claim area, where an additional building exit accesses the curbside and parking areas. On the secure side of the checkpoint, the circulation area makes an efficient path from the checkpoint exit to the departures lounge exit, passing the restrooms and concessions area along the way. The total circulation space is less than the amount needed during peak times. As a result, circulation in the secure area can become congested as well.

Baggage Claim and Arrivals Hall

The arrivals hall is where passengers claim baggage and connect with meeter/greeters. It includes public areas such as baggage claim, waiting area seating, and queuing for car rental counters. It also includes non-public areas that support these public functions, such as the baggage offloading lanes. The 2015 expansion project included a large lobby area with a fireplace and art installations, referred to as the great room. The great room has proved to be underutilized as could be repurposed for other uses.

A slide baggage claim device runs along most of the north wall of the baggage claim area. Three overhead doors are opened for delivery of baggage onto the slide. The claim area includes passenger queueing area, rental car offices, and a small vending area.

Figure 1-14: SUN baggage claim area



Source: Mead & Hunt, 2020.

The inbound baggage drop-off zone, where tugs offload baggage in the secure operations area outside the building, is located under cover but is open to the elements. Airline crews raise one of three overhead doors to unload bags onto the slide for passengers to claim. Odd or oversized bags such as bikes or skis are carried into the claim area if they cannot be set onto the slide. There is limited space for tug maneuvering in this area of the apron and two tugs will sometimes stack when flights arrive during the same period.

Car Rental

Car rental operations occupy the south area of the baggage claim hall. Three car rental companies serve SUN, including Enterprise, Hertz, and National. The car rental offices and counter areas are 670 square feet in total area.

Concessions

There is one concession at the terminal, Freedom House Coffee, which occupies a 380 square foot space adjacent to the departures lounge on the secure side. Given that the Airport is less than ten minutes from downtown Hailey, a gift store or restaurant would have difficulty operating at the Airport without revenue from adjacent airport businesses. A vending area is located between the ticket counter area and great room/arrival hall. Sometimes, when a flight is diverted, the coffee shop will provide snacks and beverages near the 180 square foot vending alcove in the bus lounge.

Building Support Space

Building support spaces are the portions of the building that house essential services, including the mechanical, plumbing, electrical, and information systems. Several of these systems were improved as a part of the 2015 expansion project; however, there are some legacy portions of the systems that were not included in the project.

The building systems occupy approximately 2,795 square feet in total area in the SUN terminal, approximately 8.5 percent of the functional area of the terminal. While the amount of space needed for these functions varies between climates and often varies between buildings in the same climate, this amount is lower than average.

Other support space includes a location to remove trash and recycling from the building and bring deliveries in. Trash and recycling are brought out the south entry door to dumpsters located behind a screen wall south of the terminal. Trash and delivery trucks utilize the curbside roadway for access. Generally, it is recommended that the routes for these services are diverted from the public curbside.

1.4. Considerations for Terminal Planning

Based on discussion with FMAA staff and stakeholders, the following were noted as challenges for the airport along with requirements for expansion. A subsequent chapter will study these challenges in further depth and identify activity triggers for addressing them.

Curbside & Parking

1. The curbside can become easily congested due to having only two lanes: the curbside pick-up and drop-off lane and a pull-out and bypass lane. Airports typically have at least three lanes, allowing the middle lane to serve as the stacking (double-parking) and pull-out lane, with the outer lane serving as the bypass lane.
2. The terminal roadway and curbside is typically separate from parking, i.e. vehicles could access the curb only from the entrance south of the departures hall, and not through the parking lot, entering the curbside lanes at various points along the length of the lanes, as is the case in the existing lot. This is necessary to be able to plow snow from the parking lot and curb lanes.
3. Passengers dwelling in their cars on the curb awaiting their parties is an issue, which is why the parking ambassador program was begun, to assist passengers and to encourage them to move their cars away from the curb.
4. Rental cars staged in the parking lot take up much-needed passenger parking spaces. Car rental companies allow cars parked outside designated return spaces to sit overnight rather than removing them from the lot. The companies pay a fee for this, but they do not seem to be concerned about the cost.
5. Public parking is insufficient during peak seasons, with demand exceeding supply. Long-term parking is available but it too is short spaces during peak seasons. The Airport has considered building a long-term lot further to the south and providing a shuttle for passengers to the terminal.
6. A public parking deck built over the lower-level parking lot would provide some relief; however, the building's height may pose problems for the community because it would be the tallest facility in the area and lighting the deck would have to meet the City's dark sky ordinance. A second level deck would be acceptable as it would not exceed the height of other buildings and lighting the deck would be similar to lighting the upper parking lot. Finding sufficient parking to serve the operation while the deck is built would also be a challenge.
7. Plans have been designed for the existing gravel overflow parking area. While farther away than the lower lot, passengers would still be able to walk to the terminal from this lot.
8. Charter vehicles range in size from large SUVs to coaches and space for them away from the curb is preferred as it would reduce congestion at the curb.
9. A quick turnaround facility (QTA) for car rental agencies closer to the terminal, consisting of space for cleaning vehicle interiors and fueling facilities, would be preferred by agency staff.

Departures Hall

1. The departures hall is too small for the activity that occurs there. Every component and ancillary space occupies area that was built years ago when the Airport was operating smaller aircraft and served fewer passengers.
2. All areas in the departures hall are inadequately sized, including passenger waiting, circulation, and queueing areas, the number of counter positions, TSA checked baggage screening, airline ticket offices and support space, airline outbound baggage make-up, and sheltered and enclosed spaces for ramp equipment.
3. The Airport met with carriers and TSA headquarters regarding a new mini-inline checked baggage system. Alternate G is the preferred plan of all created by RLB.
4. A single SSCP lane serves both Pre-Check and standard passenger and carry-on screening. A second lane is required to meet increasing demand during peak travel seasons. Without expansion, other options, such as new technology or taking over the existing queue area for a second device, may be necessary.

Secure Hold Room

1. Four aircraft parking stands are supported by a departures lounge designed to support three flights. Expansion will have to occur to the west, moving baggage claim to provide additional area for the new lounge.
2. Larger restrooms and more fixtures are necessary to serve passengers in the lounge. A mother's room and service animal relief area should be included within this block.

Gate Hardstands

1. The airlines have been able to manage with four gates; however, the departures lounge is sized for three gates and additional gates will be necessary as the flight schedules mature over time. The master plan update shows ramp apron expansion to the north, removing an existing hangar, for additional hardstand. This could serve as staging for aircraft to pull up into an open gate stand next to the secure hold room, rather than serving as stands used to board and disembark passengers, unless the passengers were bused to these stands.
2. Passenger boarding bridges should be considered as an alternative to ground-boarding aircraft

Baggage Claim

1. The baggage claim hall is too small for multiple closely spaced arriving flights. A larger area is necessary to give passengers and accumulated bags room to gather, for passengers to claim bags when they arrive, and to make their way away from the claim device.
2. One or more recirculating baggage claim devices would modernize the operation and provide a higher level of service to passengers and a better airline delivery system.
3. The baggage claim hall is too small for the rental car counters to face the claim devices. New devices would require car rental counter and office space to function properly.
4. A new bank of restrooms within the claim hall would better serve this area, as passengers currently must walk to the restrooms at the center of the building.
5. An additional exit from the arrivals hall would provide another location on the curb for passengers who are being met by others.

1.5. Terminal Inventory Summary

A summary of the terminal area program is presented in **Table 1-5**.

Table 1-5: SUN Terminal Facility Space Assessment

SUN Terminal Facility	Existing
Concourse	
<i>Gates: Ground Boarding</i>	4
<i>Departures Lounge and Seating</i>	3,920 SF
<i>Circulation</i>	1,640 SF
<i>Restrooms</i>	725 SF
<i>Public Concessions and Vending</i>	380 SF
Concourse Total	6,665 SF
SSCP	
<i>Number of CP Lanes</i>	1
<i>Passenger Screening</i>	1,655 SF
<i>SSCP Queueing</i>	540 SF
<i>SSCP Exit</i>	275 SF
SSCP Total	2,470 SF
Terminal Public Spaces	
<i>Baggage Carousels</i>	1
<i>Circulation and Queuing</i>	8,235 SF
<i>Shuttle and Departures Seating</i>	2,275 SF
<i>Waiting and Bag Claim</i>	2,160 SF
<i>Public Restrooms</i>	1,215 SF
<i>Public Concessions and Vending</i>	180 SF
<i>Support Space</i>	0 SF
Subtotal Terminal Public Spaces	14,065 SF
Terminal Non-Public (NP) Screening and Conveyors	
<i>(NP) Baggage Screening and Conveyors</i>	340 SF
<i>(NP) Inbound/Outbound Baggage</i>	1,700 SF
<i>(NP) Airline Areas</i>	1,480 SF
<i>(NP) Car Rental Areas</i>	675 SF
<i>(NP) Leased Space</i>	1,490 SF
<i>(NP) Airport Offices and Support Areas</i>	1,225 SF
Subtotal Nonpublic	6,910 SF
Building Structure, Utilities and Chases	2,795 SF
Terminal Total	23,770 SF

Source: Mead & Hunt, 2020.

Chapter 2

Terminal Capacity Analysis

2.

2.1. Introduction

The objective of this capacity analysis is to measure existing component capacity against current peak demand, which is defined in this study as the peak hour on January 2, 2021. The future space program for all terminal components is included at the end of this report. This program is tied to specific Planning Activity Levels (PAL), which are summarized in **Appendix A**, and identify the amount of additional capacity needed to meet a potential range of future demand, with the current FAA Terminal Area Forecast (TAF) serving as a lower limit and more aggressive definitions of growth serving as upper limits.

The results of the first objective are quantified in this report, while those of the second objective are quantified in a terminal facility program tied to PALs of annual enplanements. The PALs will be used to plan ultimate build-out of the existing terminal complex within a phased development framework up to the limits of the current site.

For the purposes of this study, the following references are used in determining the above:

- 14 CFR Part 77: Safe, Efficient Use and Preservation of Navigable Airspace
- FAA Advisory Circular 150/5070-6B: Airport Master Plans
- FAA Advisory Circular 150/5360-13A, Airport Terminal Planning
- 10th and 11th Editions of the IATA Airport Development Reference Manual (ADRM)
- ACI Best Practice Guidelines: Airport Service Level Agreement Framework
- ACRP Report 25, Vols. 1 & 2, 2010
- ACRP Report 39, Guidebook for Evaluating Airport Parking Strategies
- ACRP Report 40, Airport Curbside and Terminal Area Roadway Operations, 2010
- Airport Development Reference Manual, 10th & 11th Editions, IATA
- TSA Checkpoint Requirements and Planning Guide, December 17, 2018
- TSA Planning Guidelines and Design Standards for Checked Baggage Inspection Systems, Version 6.0

2.2. Summary of Capacity Analysis Findings

The 2015 terminal expansion project was built to meet minimum requirements due to budget constraints. This TAP capacity analysis finds significant capacity deficiencies in component equipment and space allocation for curbside, parking, ticketing, baggage check-in, checked baggage screening, airline ground handling and passenger services support operations, security screening checkpoint operations and queueing, and baggage claim systems and handling operations. In addition, public circulation is insufficient in the departures hall and baggage claim areas. The aircraft apron parking area is sufficient for the current air carrier fleet operating at the Airport, but options will be considered in later planning elements for adding apron capacity in the event it is needed.

Terminal Area Plan Site & Building Capacity Assessment: Level of Service

This TAP site and building capacity assessment assigns level of service (LOS) categories to each component. LOS represents the performance of each component based upon quantifiable measures of component processes in time and area and serves as a guide for Airport management to meet passenger experience expectations by setting

goals that use specific terminal capacity measures. Airport managers rely on facility program and LOS assessments to justify terminal planning requirements to the FAA when seeking funding support for terminal projects.

This capacity assessment analyzes component capacity to determine capacity limits of and LOS provided by each existing terminal functional component, in most cases using the peak day of January 2, 2021, as a reference point for current demand. The flight schedule for the peak day is provided in **Appendix A**. This study also assesses whether the components function together adequately as a system to meet airline and passenger demand. Summary results of the first part of this assessment are provided in **Table 2-1**.

Table 2-1: Existing Terminal Component Capacity Level of Service Summary

Functional Component	Practical Capacity Components	Practical Capacity		
Terminal Curbside	Limited by two lanes, one for curbside, the second for pull-out and bypass; insufficient curb length.		Limited	
Public Parking	Parking demand exceeds capacity during both peak and off-peak seasons.	Over		
Terminal Aircraft Apron	Apron meets demand now. Will become an issue with additional flights in the early morning and midday banks.			Available
Aircraft Gates	Meets current demand. Aircraft gate capacity limited by runway modification of standard, apron, and departures lounge area.			Available
Ticketing & Check-In	Airline ticketing insufficient to meet demand for more than one flight. Bag Check-In requires CBIS system.	Over		
Ticketing & Check-In	Airline ticketing insufficient to meet demand for more than one flight. Bag Check-In requires CBIS system.	Over		
Checked Baggage Inspection System	Manual system requires five TSA officers to operate during daily peak periods. In-line system required.	Over		
Airline Outbound Baggage Area	Insufficient to meet airline needs. Wholly undersized to accommodate baggage, equipment, and supplies.	Over		
Security Screening Checkpoint	Operating above capacity, resulting in long queues. A second screening lane is required for the operation.	Over		
Departures Lounge	Larger aircraft filling out schedule at early morning and midday peaks require adding lounge area and seats.	Over		
Departures Lounge Restrooms	Restrooms are inadequate to meet demand. Additional space and fixtures required.	Over		
Arrivals & Departures Restrooms	Restrooms are at capacity. Additional flights and higher load factors will require additional fixtures.		Limited	
Baggage Claim	Claim device insufficient to meet demand above one flight. Dynamic device and additional space required.	Over		

Source: Mead & Hunt, 2021.

Notes: Level of Service: Green = A/B; Yellow = C; Red = D/F.

Table 1 shows most components operating at or above capacity necessary to efficiently process demand, resulting in longer passenger queues and wait times, resulting in a low LOS for passengers. Definitions for each LOS are as follows:

- LOS A: Excellent. Conditions of free flow, no delays, and an excellent level of comfort.
- LOS B: High. Conditions of stable flow, very few delays, and high levels of comfort.
- LOS C: Good. Conditions of stable flow, acceptable delays, and good levels of comfort.
- LOS D: Adequate. Conditions of unstable flow, acceptable delays for short periods of time, and adequate levels of comfort.
- LOS E: Inadequate. Conditions of unstable flow, unacceptable delays, and inadequate levels of comfort.
- LOS F: Unacceptable. Conditions of cross-flows, system breakdown and unacceptable delays, and unacceptable level of comfort.

Given the number of areas operating at an LOS of D or F, the collective terminal functional system is failing to provide a minimum acceptable LOS to passengers. Taken together, the terminal component processing system has a potential to cause flight delays.

Passenger demand at SUN is complex. Passengers arrive at the terminal for their departing flights within a smaller window prior to the flight than is typical at non-resort airports, which places a greater demand on terminal components. Airline and TSA staff must be very efficient in processing passengers with less time to do so and must add staff to generate more capacity for higher load events. This may seem to be a management issue, but it is an indication of insufficient hard asset capacity. Ticketing counters typically have more than two positions, as is currently the case for each airline at SUN, to allow for an increase in staffing levels when demand is high. Airlines may operate at a different LOS based on their staffing models. However, when demand consistently exceeds the capacity of available ticket counters, airlines are limited in their ability to increase capacity by adding more ticketing agents.


For the TSA, undersized assets also require a higher level of staffing to manage higher than normal demand driven by a passenger population which arrive at the Airport with little time to spare. TSA increases staffing to move baggage through the explosion detection system (EDS), or device, to the outbound baggage rooms so the carriers can meet departure times. TSA also increases staffing to assist passengers moving through the single-lane security screening checkpoint (SSCP), which blends Pre-Check passengers into the standard processing queue, moving them to the front of the queue but not impeding the process. TSA staff aid passengers in keeping bins close together in the screening queue, quickly taking bags away from the baggage screener to resolve issues off-line so the line can keep moving. This requires adding staff at the advanced imaging technology (AIT) machine to manage secondary passenger searches while a single officer remains at the AIT machine, then clearing bins from the roller conveyor as quickly as passengers release them.

Terminal Area Plan Site & Building Capacity Assessment: TAP Site Perimeter

The TAP study area is shown in context to the surrounding facilities, airfield movement and non-movement areas, and hangars to the north and south, in **Figure 2-1**. The red outline shows the limits of the TAP study area, which includes hangars just north of the terminal apron site, and undeveloped land to the northwest and southwest of the site. While long-term planning may recommend relocation of the terminal in the future, it is very likely the existing terminal will have to support air carrier operations at its current site for at least the next 10 years. It has been five years since the most recent terminal expansion project, which moved aircraft gates to the north side of the building as a part of the Runway Safety Area project.

For the purposes of this report, it is assumed that the point at which the TAP study area will be unable to accommodate demand is at least 10 years in the future. Once the site cannot function at an acceptable LOS¹ and/or cannot accommodate airline schedules, the terminal building and supporting facilities will have to be relocated. This level of activity will be defined during subsequent study components that evaluate development alternatives for the terminal area.

Figure 2-1: Terminal Area Plan Study Site Limits



Source: Mead & Hunt, 2021.

2.3. Capacity Assessment: Vehicle Roadways, Curbside and Parking

Vehicle Roadways

The Airport loop road was reconfigured in 2018 when a fourth aircraft parking position was built on the west side of the air carrier apron. The Airport entrance is currently off Airport Road at the northwest corner of the parking lots. After entering the gate, vehicles must circumnavigate the parking lot in a counter-clockwise fashion to access the terminal curbside. Once vehicles drop off or pick-up passengers at the curbside, they then head west and south along the lower roadway to the exit the terminal area at the southwest corner of the lots.

Vehicles circumnavigating the loop road must merge at several locations, foremost immediately after they enter the roadway at the entry gate where they must merge with vehicles leaving the terminal heading to the exit gate. This requires that entering vehicles change lanes to the left while exiting vehicles simultaneously change lanes to the right. With merging traffic, vehicles may have to enter the lower lot further to the south after allowing departing vehicles to clear the lane. There is also a series of merges along the loop road and curbside surrounding the upper parking lot.

¹ Defined in this document and elsewhere for the purposes of this study as a facility which is capable of processing passengers and baggage within a given time frame and space such that passengers are unimpeded in their journey through the terminal and the system does not cause airline flight delays. A higher LOS is mandated solely based upon facility investment return yielding sufficient capacity and time before another expansion is necessary, given normal airport activity and growth.

This configuration is unusual because terminal access roadways are typically separated from the parking lot, with one entrance, one exit, and internal perimeter lanes for access to parking spaces. At SUN, separating parking from the roadway would incur a loss of parking spaces, which would be detrimental because the lot is already undersized relative to demand. This configuration creates congestion, requiring a speed limit along the upper portion of the loop road. Vehicles wishing to access the terminal curbside may experience delays due to vehicles touring the lot for a space and thereby entering the loop road to gain access the next row of parking.

Employees and visitors to the administration and operations area must exit this area either by driving along the terminal curb or through the upper lot to merge into the loop road, then merge again at the lower-level roadway.

Separating the access roadway from parking would increase roadway capacity. There would then be specific points of entry into and exit out of the parking lot which would allow a free flow of traffic for vehicles accessing the curbside. Expanding parking immediately south of the lower lot may add pedestrians making their way to the terminal on the eastbound portion of the loop. Directing passengers from the south lot across the access roadway to a sidewalk running west along the length of the upper and lower lots would provide a safe route to the terminal. Providing separate entries and exits for all lots increases safety, and would be the preferred option for the two lower lots, assuming traffic moves faster at the lower than upper portion of the loop road.

A single-story parking deck above the lower lot would be accessible from the upper lot. A taller structure may require building into the hill between the two lots to provide ramps to upper levels. In this scenario, traffic exiting the deck should do so at the north side to avoid the terminal curbside. However, this would create additional congestion at peak flight arrivals periods by creating a high-volume merge location.

Terminal Curbside

The terminal curbside is located along the front of the terminal building where passengers and their baggage are picked up by and dropped off from vehicles at the curb. By splitting the curb at the first curve after the departures entrance, the departures curb and arrivals curb at SUN are both approximately 150 feet long. The building entrances effectively reduce curb length by an average of fifteen feet each to accommodate crosswalks from parking. This reduces both the departures curb and the arrivals curb to approximately 135 linear feet. The arrivals curb extends just beyond the building to the west, allowing passengers to exit the west doors to the curb. An additional 100 feet of curb and walkway extend to the west, parallel to rental car shuttle parking. This curb should be assigned to shuttles, transportation network company (TNC) vehicles (i.e., Uber and Lyft), and large buses, to allow curb adjacent to the building to serve private vehicles, taxis, and smaller four-to-six passenger shared ride services vehicles.

Additional circulation lanes at airport terminals allow parked vehicles to stack along the curb while moving vehicles flow around stacked vehicles during busy times. The existing curb capacity at SUN is limited to a single lane at the curb. The second lane serves as pull-out and bypass lanes in one, further adding to congestion during peak travel periods. Without a stacking lane and with drivers tending to double-park at the curb, or at least slow down to await an open space at the curb, a full traffic stop occurs when drivers double-park. This requires other drivers who have dropped off passengers at the departures curb to wait for the blockage to clear before they can proceed. The porte-cochère at the departures hall entrance can restrict traffic flow at times due to the crosswalk that bisects the departures curb.

To function properly, curbside capacity depends upon sufficient curb length, typically with a minimum of three lanes and low average curbside utilization times. Vehicles using the departures curb tend to require less time than vehicles using the arrivals curb. Cell phone lots, temporary parking lots at which drivers await a phone call from

their parties before picking them up, can reduce average arrival curb utilization times. Airport ambassadors at SUN keep vehicles moving, which may create more congestion as drivers recirculate the loop road back to the curb. If a cell phone lot were created, ambassadors would have another option for directing waiting drivers. This would help the ambassadors with managing curbside use and lessen traffic congestion during peak periods.

The curb would be more manageable if parallel parking spaces were striped. Drivers would tend to park in the spaces, spreading the vehicles out along the curb and reducing double-parking. Large shuttles and buses also use the curb but take up to twice the curb space of a private vehicle. A second curb allocation for these vehicles may be set within parking or moved to the end of the arrivals curb beyond the building's west arrivals hall entrance. These options will be evaluated during development of alternative concepts.

Coordination with shuttle and bus operators to schedule arrivals at the Airport and to allot maximum time and/or space at the curb or within shuttle parking spaces may improve efficiency during peak travel seasons. There are presently two large shuttle/bus positions and one smaller shuttle space in the small lot across from the terminal arrivals entrance.

Widening some of the crosswalks from the curb to the parking lot would also lower curbside congestion. These should be a minimum of ten feet wide, allowing drivers clear sightlines to passengers and visitors using the crosswalk.

Buses transporting diverted passengers to and from diverted Twin Falls Airport are picked up and dropped off from the public lounge between TSA offices and airline ticketing through the airside doors. These vehicles do not access the terminal curb.

Curbside Capacity Calculations

Twenty-five-foot-long striped parking positions for private vehicles would yield about five (5) spaces per curb. Assuming a standard vehicle dwell rate of three minutes at the departures curb, each space can theoretically accommodate approximately twenty (20) vehicles per hour, resulting in a total departures curb capacity of 100 vehicles per hour. Assuming a standard five-minute dwell time per vehicle at the arrivals curb² yields twelve vehicles per hour per space, for a total arrivals curb capacity of 60 vehicles per hour. With variations in vehicle arrival and dwell times, actual capacity is likely less than these theoretical maximums. Curb capacities are reduced if the spaces are all occupied and vehicles stack in the by-pass lane, blocking other vehicles from exiting a space.

The Airport may want to consider adding a third, outside lane to increase effective curb length. This will impact available parking. Adding drive-through pick-up and drop-off lanes would also increase curb length, with a commensurate reduction in the amount of parking capacity.

Temporary Parking Demand: Cell Phone Lot

The arrivals curb usually requires more length, double-parking, or dedicated parking due to a longer dwell time required to await passengers and load their baggage. The curb can become more congested if passengers are not awaiting pick-up at the curb when their party arrives. Creating a cell phone lot would increase capacity during peak seasonal travel periods by lowering the average vehicle dwell time at the arrivals curb. A cell phone lot is a temporary lot where vehicles may not be left unattended. Its primary purpose is to reduce demand and congestion at the

² A five-minute dwell time assumes time waiting for passengers to exit the building, assuming they may be waiting inside during inclement weather.

arrivals curb, and to reduce recirculating traffic volumes. Cell phone lots are typically located near the main access road but not within walking distance to the terminal to discourage their use as a no-cost, short-term lot. In addition, cell phone lots do not require the same number of spaces as other parking lots because vehicle do not park there for long periods of time. Industry standards for cell phone lots recommend a site that accommodates between thirty (30) and sixty (60) parking stalls³.

Because vehicles must take a ticket to enter the loop road, a cell phone lot would be best located within the loop road perimeter to accommodate drivers directed away from the curb to the cell phone lot by Airport ambassadors. However, this is not the best use of space within the loop road perimeter, given the limited area available for parking other vehicles. With free 30-minute parking for those who bypass an off-airport cell phone lot, drivers directed from the curb to the cell phone lot may choose to wait in the main parking lots. Therefore, free 30-minute parking may need to be eliminated to make a cell phone lot an effective strategy for reducing congestion at the curb while keeping as many parking spaces available as possible.

The increased utilization of TNCs requires additional consideration for vehicle staging. While TNCs do not necessarily require striped stalls, the co-location of TNC staging with the cell phone lot is current industry practice. Some airports also require traditional taxi service to stage in the cell phone lot.

Public Parking Capacity

Topography splits the loop road and parking lots into upper and lower levels. A lack of expansion space and sharing the lots with rental ready cars, public transport, private shuttles, and employee parking causes congestion and insufficient parking capacity even during off-peak airport activity. Rental ready car stalls are in both the upper and lower lots, as well as in the small lot immediately west of the baggage claim exit doors. This small lot is also used by Airport shuttles. Overflow rental car lots for each company are located north and south of the terminal complex, with some parked off Airport property. Airport staff parking is located near the airport administration, cold storage, and maintenance buildings.

Parking capacity is measured by the total number of stalls available for parking. Public parking requirements are typically calculated by factoring historical usage and duration of stay applied to forecast annual enplanements. However, this ratio is difficult to establish for SUN given that the parking lots are at capacity in most scenarios, making it hard to distinguish between peak and off-peak parking needs.

Parking occupancy is recorded by the Airport parking concessionaire, The Car Park, Inc., on a half-hour schedule in both percentage terms and actual spaces occupied. This represents all parking, including rental car, hotel and resort shuttles, and taxi spaces. To determine existing parking capacity, parking occupancy was taken as a whole, and a factor of 85 percent was used to determine when the lot was at capacity. Current parking capacity at SUN is summarized in **Table 2-2**.

The upper and lower parking lots serve stakeholders and visitors with a total of 377 parking spaces. 231 spaces are reserved for visitors and passengers, with specialty needs parking spaces included.

There are 110 commercial parking spaces serving airport buses and shuttles from the hotels and resorts in the area; taxicab spaces, and car rental ready and return as well as shuttle spaces.

³ National Academies of Sciences. "Guidebook for Evaluating Airport Parking Strategies and Supporting Technologies." National Academies Press: Open Book, 21 Jan. 2010.

Employee spaces are limited to 36 total with 10 at the upper-level lot adjacent to the cold storage shed and 26 spaces at the south end of the lower-level lot. Employee spaces are the first to give over to surges in passenger demand which require additional spaces, with employees parking at the lower south gravel lot.

There are 377 total spaces, including those rental car spaces reserved for customer loyalty program guests located at the west side of the terminal, adjacent to the rental car counters in the building.

Table 2-2: Terminal Area Public & Commercial Parking By Use (Public, Commercial, and Employee), 2021

Type	Spaces
ADA Accessible	8
Short-Term Pick-up/Drop-off	20
Short-Term – Upper Lot	138
Long Term – Lower Lot	65
Total Public	231
Shuttle	3
Taxi	10
Rental Car - Shuttle	6
Avis	36
Enterprise	19
Hertz	36
Total Commercial	110
Upper and Lower Lots	36
Total Employee	36
Total Public, Commercial, Employee	377

Source: Airport Records, C.A. Johnson, Inc., & The Car Park, Inc.

Best practices for managing parking supply and demand suggest that available parking should be considered full when it reaches 85 percent utilization. This is considered the effective parking supply and should be used to determine the parking surplus or deficit. The remaining 15 percent of inventory is the flow factor, providing enough spaces to accommodate peak period overlap of arrival and departure passengers. This limits the time vehicles spend cycling the lot in search of a parking space.⁴

The Airport's parking consultant noted that, prior to the COVID-19 pandemic, 76 percent of all access tickets were used for less than 30 minutes, which is free to visitors. This includes visitors using the curbside, other terminal area facilities, and short-term parking. This indicates that 24 percent of all Airport visitors park for more than 30 minutes.

Parking demand is a function of how many visitors enter and exit the parking lot each day, with the profile of passengers entering the Airport (roughly 3:1 ratio for passengers using the curbside rather than parking at SUN) determining daily parking demand. This ratio is variable but is a benchmark for the airport. Turnover of longer-term vehicle parking is indicated when more vehicles exit than enter the lots. Periods when fewer vehicles enter than exit indicate longer duration of stay and lower availability of parking.

The Airport began planning for additional parking in 2020. The plan should be incorporated into the TAP to increase public parking.⁵ Total demand exceeded capacity of the lots 17 times in 2019 and the parking

⁴ Mead & Hunt, 2020.

⁵ Terminal South Parking Lot Expansion Construction Plan, T-O Engineers, Boise, Idaho, 23 June 2020.

concessionaire had to work to locate spaces for visitors and passengers by relocating employee parking to the south gravel lot and parking at the end of rows in the upper and lower lots.

During the peak summer travel season, the lots fill early and remain full through mid-day and mid-afternoon. During these periods, public parking demand is at or above capacity, requiring additional parking spaces. This is estimated at 80 to 120 spaces over the next five to seven years, assuming moderate growth in passenger enplanements.

Air Carrier Apron and Aircraft Operations

Air Carrier Aircraft Apron

The air carrier aircraft apron was built to handle four aircraft with an apron taxiway serving all gate stands. Aircraft are maneuvered onto the apron taxiway from Taxiway B and proceed to their designated stand. The apron taxiway is dependent, relying on other aircraft to clear the taxiway before they can push back from the parking position. The aircraft are ground-boarded, with passengers boarding and disembarking through three gate doors. Aircraft operating from the airport are limited due to runway restrictions on aircraft size, with a 100-foot wingspan set as the maximum wingspan that will meet airfield requirements. This results in an effective capacity of fewer than 100 seats per flight.

Aircraft Apron Gate (Parking Position) Schedule Capacity

Airlines prefer to arrive and depart SUN during the late morning to late afternoon to meet their respective hub bank timing requirements, particularly during winter operations. Winter flight schedules at mountain resorts are typically limited to mid-day because winter weather can ground an aircraft, stranding passengers and removing the aircraft from schedule rotations. Working with the airlines, the Airport has maintained separation by limiting banks to two aircraft on-the-ground at a time such that flight operations do not overload the departures lounge, which can only comfortably accommodate two flights at a time. During the 2020-2021 winter peak season, there were two such simultaneous arrivals and departures banks. The first occurred in the late morning, as shown in **Figure 2-3**, and the second occurred in the early afternoon, as shown in **Figure 2-4**. The size of the departures lounge places limits on air carrier scheduling flexibility at SUN, as the Airport currently has more gate capacity than departures lounge space to support it.

Alaska typically operates from Parking Position 1, Delta typically operates from Position 2, United typically operates from Position 3, and Position 4 is used primarily as a spare gate. However, all parking positions are technically available on a first come first serve basis. On January 2, 2021, eleven flights operated out of the four parking positions at SUN. There are five distinct banks of flights at SUN. A review of ramp charts for the January 2 schedule provides a view of time-on-ground for the flights, beginning with **Figure 2-2**, Delta's early morning departure to Salt Lake City International Airport (SLC).

Figure 2-2: Early AM Departure, Delta Airlines Salt Lake City Flight from Overnight at Gate, 2 January 2021

GATE		06 00															07 00				
NUMBER		50	55	0	5	10	15	20	25	30	35	40	45	50	55	0	5	10	15		
TERMINAL																					
1	ALASKA																				
1 OR 2	UNITED																				
2	DELTA											SLC									
												DL									
												06 55									
		E75																			
3	UNITED																				
4	SPARE																				

Source: Mead & Hunt, 2021.

Delta is the only carrier that uses a position for a remain overnight operation (RON) during the winter, with the last flight arriving at 21:35 hours from SLC and returning to SLC the next morning at 06:55 hours. All other flights are scheduled to arrive and depart within the period from about 11:00 to 18:30 hours. Delta operates the most flights, at five, with United operating four and Alaska operating two flights.

The late morning arrivals and departures banks in **Figure 2-3** began with Alaska's arrival from Seattle-Tacoma International Airport (SEA) at 10:55 hours and departure at 11:35 hours; Delta's SLC flight in at 11:02 hours and out at 11:32 hours; and United's arrival from San Francisco International Airport (SFO) in at 11:38 hours and out at 12:08 hours. This is the first of two periods with stacked flights, representing peak demand on terminal facilities at SUN.

Figure 2-3: Late Morning Departures, Delta, Alaska and United Airlines, 2 January 2021

GATE		11 00															12 00														
NUMBER		45	50	55	0	5	10	15	20	25	30	35	40	45	50	55	0	5	10	15											
TERMINAL																															
1	ALASKA	10	55	AS										11	35																
		E75																													
1 OR 2	UNITED																														
		SLC																													
2	DELTA	11	02	DL										11	32																
		E75																													
3	UNITED											11	38	UA										12	08						
		E75																													
4	SPARE																														

Source: Mead & Hunt, 2021.

The early afternoon departures bank, shown in **Figure 2-4**, includes two Delta flights, including a third SLC flight and a flight to Los Angeles International Airport (LAX) operating between 12:42 and 14:20 hours. This bank also includes two United flights, one to Chicago-O'Hare International Airport (ORD) and one to Denver International Airport (DEN), operating between 13:18 and 14:20 hours. This is the second of two periods in which flights stack, with passengers on all four flights overlapping while waiting in the departures lounge. The two simultaneous arrivals at 13:50 hours represent peak demand for the baggage claim device and arrivals hall, which provide insufficient capacity to manage this demand. The two simultaneous departures at 14:20 also impact outbound terminal facilities including departures curb, ticketing and baggage check, security screening, departures lounge, restrooms, and concessions.

Figure 2-4: Mid-Afternoon Departures Bank, Delta, and United Airlines, 2 January 2021

GATE		13 00															14 00																	
NUMBER		30	35	40	45	50	55	0	5	10	15	20	25	30	35	40	45	50	55	0	5	10	15	20	25									
TERMINAL																																		
1	ALASKA									13	18			UA				13	54															
1 OR 2	UNITED																																	
2	DELTA					SLC					SLC																							
						12	42			DL			13	10																				
3	UNITED																																	
4	SPARE																																	

Source: Mead & Hunt, 2021.

A late-afternoon bank, shown in **Figure 2-5**, includes Delta's fourth flight to SLC and United first flight to LAX departing at 16:30 hours bound for Los Angeles.

Figure 2-5: Late Afternoon Departures Bank, Delta and United Airlines, 2 January 2021

GATE		15 00															16 00														
NUMBER		40	45	50	55	0	5	10	15	20	25	30	35	40	45	50	55	0	5	10	15	20	25	30	35						
TERMINAL																															
1	ALASKA																														
1 OR 2	UNITED																														
2	DELTA	<div><div>SLC</div><div>14 50</div><div>DL</div><div>15 20</div><div>SLC</div></div>																													
		<div>E75</div>																													
3	UNITED	<div><div>15 45</div><div>UA</div><div>16 30</div></div>																													
		<div>E75</div>																													
4	SPARE																														

Source: Mead & Hunt, 2021.

The last departure out of SUN is Alaska's second flight to SEA, departing at 18:15 hours, shown in **Figure 2-6**. This marks the close of the preferred winter operations window, framing the period from about 11:00 hours to 18:30 hours.

Figure 2-6: Early Evening Departure, Delta Airlines Salt Lake City, 2 January 2021

GATE		18 00																		19 00									
NUMBER		25	30	35	40	45	50	55	00	5	10	15	20	25	30	35	40	45	50	55	0	5							
TERMINAL																													
1	ALASKA	17	35	AS						18 15																			
		E75																											
1 OR 2	UNITED																												
2	DELTA																												
3	UNITED																												
4	SPARE																												

Source: Mead & Hunt, 2021.

The final operation of the day occurs with Delta's SLC arrival to RON at the gate, shown in **Figure 2-7**. Most terminal services have closed at this time, with the previous Alaska flight arriving three hours prior to this flight.

Figure 2-7: Final Arrival of the Day, Delta Airlines Salt Lake City Flight, 2 January 2021

GATE		21 00														22 00			
NUMBER		55	0	5	10	15	20	25	30	35	40	45	50	55	0	5	10	15	
TERMINAL																			
1	ALASKA																		
1 OR 2	UNITED																		
2	DELTA									SLC									
										21	35	DL							
3	UNITED																		
4	SPARE																		

Source: Mead & Hunt, 2021.

The gate ramp charts show available capacity throughout the operating day, with periods when additional flights could arrive and depart the gate stands. However, practical capacity is less than shown due to flight block times (the total time between a flight's pushback from its departure gate and arrival at its destination gate), distance between destinations, and location of the airlines' hubs. The direction of travel and time of day govern the ability to add capacity to current destinations, which must be timed to their corresponding hub flight schedules. New destinations may have more scheduling flexibility into and out of SUN; however, their block times would also be dependent on the new destination's flight banks and timing, affecting ground time at SUN. Finally, departures after 17:00 hours can only be conducted to western destinations while maintaining a reasonable arrival time. In determining a gate's practical capacity in turns per gate, Delta's flight schedule offers a view into how many flights a gate at SUN can manage, given these considerations.

A window is available at Position 2 for two additional flights between the periods from 07:30 to 10:30 hours, and one additional flight from 16:00 to 19:00 hours, with the destination limitations noted above. This would establish a theoretical maximum capacity of eight flights per gate. However, this may require Delta to add a third destination, as the current schedule may provide sufficient seat capacity to meet current demand into SLC and its flight into LAX, when combined with United's LAX flight, may also provide sufficient seat capacity to this destination. This limitation provides for a practical capacity of between six to seven flights per parking position or gate depending on flight block times, hub schedules, and available gates at the hub airport.

Delta's RON operation at SUN is the only one scheduled during the winter season.⁶ The airlines can add to summer flight schedules by expanding their preferred operating windows due to longer daylight hours. Summer schedules include more late-night arrival and RON operations scheduled for early morning departures. To limit

⁶ Winter 2020-2021 flight schedule.

their impact on the terminal building, the Airport and airlines have worked together to accommodate the flight schedule by increasing time between departures. Expanding the daily operating window also provides a better view into a potential practical capacity of the gates, noted above.

When airlines schedule multiple flights at the same time of day, or request to operate at a specific time of day but are limited by the building's capacity to handle this additional demand, further review of total gate capacity should be considered. As it stands today, the fourth gate stand provides a five-to-six flight buffer to grow the flight schedule. However, as with flights stacking shown in Figures 4 and 5, adding a flight to one of the two-flight departures banks would adversely impact departing passenger services, with passengers experiencing higher than normal congestion, wait times, and longer queues, and possibly missing their flights. Rebuilding and expanding existing components to accommodate today's schedules and potential additional flights is necessary to provide the LOS that the Airport wishes to maintain. While all terminal building components currently require more equipment or space, as described in subsequent sections of this report, the existing departures lounge ultimately limits schedule growth as the airlines primarily evaluate this space when considering additional flights.


2.4. Capacity Assessment: Terminal Building

Departing Passenger Services & Functions

Passengers departing SUN engage airline personnel at ticket counters, move on to the security screening checkpoint (SSCP), and arrive in the departures lounge. These constitute the three major terminal components from a departure standpoint. All of these components are relatively close together and moving from one to another requires only a short walk. However, processing through the first two components can be time-consuming. A chart showing passenger demand over the course of the day compared to component functional capacity is shown in **Figure 2-8**. Passengers arriving on January 2nd, 2021, are plotted in blue in time-series across the day, with peak periods showing the maximum number of passengers processed through a function or occupying a space, either in queues or seated in the departures lounge.⁷ The capacity of each functional component is shown as a fixed horizontal line representing the maximum hourly passenger processing capacity. Passenger demand extends beyond the capacity limits shown for each function, demonstrating that demand exceeds capacity for all three functional components. Discussion of capacity deficiencies and inherent inefficiencies in the component processes in subsequent sections are based upon this chart.

⁷ Plotted time-series represents passengers arriving at components with the departures lounge component as a basis with ticketing and security screening assumed to occur at intervals prior to arriving at the lounge area.

Figure 2-8: Ticketing & Baggage Check-In, Security Screening Checkpoint, and Departures Lounge Demand-to-Capacity



Source: Mead & Hunt, 2021.

Departures Hall

The departures hall includes airline ticketing and baggage check-in, TSA baggage screening, airline ticket offices, and line cargo ground operations. The departures hall does not provide adequate passenger and visitor gathering and waiting area just beyond the hall entrance. A gathering and waiting area provides an opportunity for departing passenger groups to assemble and orient themselves to the space before proceeding to the ticketing queue. The departures hall was built at a time when aircraft carried fewer passengers who tended to arrive at the Airport with time to spare.

The TSA baggage screening operation is located directly behind the ticket counters, and airline ticket offices are located on the north and south sides of the baggage screening area. The ticketing queues are short and narrow, resulting in passenger queues blocking access to adjacent queues and leaving passengers confused as to which queue they should enter. As shown in **Figure 2-8**, ticketing and baggage check-in functions have an approximate capacity of 135 passengers per hour based upon ticket counter positions and equipment for all carriers. The space provided is significantly less than is needed for these functions to operate efficiently, especially with leisure passengers checking multiple bags. A contributing factor to congestion is that passengers at SUN tend to prefer a full-service experience rather than self-check and bag-tagging. Exacerbating congestion, a large vertical mechanical chase in the middle of the circulation area constrains passenger movement, line of sight, and queueing. As a result, the

departures hall is very crowded during peak periods, with queues blocking circulation flow to the north of the hall, where the SSCP is located.

Ticketing / Check-In

SkyWest occupies the first ticket office from left to right, facing the counters from the passenger side, followed by Alaska/Horizon Air. SkyWest has two airline ticketing and baggage check-in counters with two computer terminals for each of its mainline partners, Delta and United, for a total of four counters.

At many airports, departing passengers typically arrive at an airport from an hour-and-a-half to two hours prior to their flights' departure. At SUN, the airlines report that passengers often arrive at the Airport 25 to 30 minutes prior to their flight's departure with many very large bags to check at the ticket counters.⁸ To calculate capacity, passengers arriving no more than 90 minutes prior to departure is used to determine demand on facilities. This compressed arrivals curve includes the 30 minute period prior to departure when passengers should already be at the Airport. This means approximately 80% of passengers arrive at the Airport within the hour prior to this final 30-minute period. This atypical behavior may be due to the ease of access to and close spacing of functions within the terminal.

Ticketing and baggage check-in capacity calculations were developed using worksheets to determine the number of passengers in the peak hour and the number of staffed ticket counter positions required to process this population.⁹ **Table 2-3** shows requirements for SkyWest, operating for Delta and United. The carrier requires an additional two counters to meet today's demand. The table also lists a required queue depth at 22 feet set five to eight feet back from the counters. This is necessary to provide an LOS C at 15 square feet per passenger.

⁸ From airline stakeholder interviews, November 2020.

⁹ ACRP Report 25, Vols. 1 & 2.

Table 2-3: Ticketing & Baggage Check-In Summary Ticket Counter Check-in Requirements

Passenger Ticketing & Baggage Check Peak Hour 10 Minute Service Level Existing Capacity	
Demand Profile	
Design Hour Departing Passengers	205
Percent of Passengers in Peak 30 Min. Period	47%
Percent of Passengers Using Ticketing	80%
Peak Hour Originating Passengers at Ticket Counter	148
Peak 30-Minute Originating Passengers	77
Processing Time Per Passenger (Rounded Average Minutes)	3
Service Level Maximum Wait Time (Minutes)	10
Required Number of Staffed Positions	6
Queue Results	
Number of Staffed Service Positions	6
Average Queue Wait Time (Minutes)	4.5
Maximum Queue Wait Time (Minutes)	8.3
Maximum Number of Passengers in Queue	19
Ticket Counter Requirements	
Number of Ticket Counter Positions Required	6
Average Width of Ticket Counter Position (LF)	4
Depth of Check-In Queue (LF)	22
Length of Check-In Counter (LF)	24
Existing Queue Area (SF)	288
Passenger Level of Service	
Passenger Space Required Level of Service (LOS, SF)	15
Required Queue Area Per LOS (SF)	375
Passenger Space (Average SF/Passenger)	15
Average Demand	
Design Hour Passengers Per Position	25

Source: Mead & Hunt, 2021.

Notes: Includes SkyWest/Delta & United Airlines, Three-Departures Check-in as Shown in Figure 2-4 (Delta-1 Flight & United-2 Flights).

A similar study was performed for Alaska/Horizon's ticket counter requirements for one departure, shown in **Table 2-4**.

Table 2-4: Ticketing & Baggage Check-In Summary, Ticket Counter Check-in Requirements, Single Aircraft

Passenger Ticketing & Baggage Check Peak Hour 10 Minute Service Level Existing Capacity	
Demand Profile	
Design Hour Departing Passengers	68
Percent of Passengers in Peak 30 Min. Period	47%
Percent of Passengers Using Ticketing	80%
Peak Hour Originating Passengers at Ticket Counter	54
Peak 30-Minute Originating Passengers	26
Processing Time Per Passenger (Rounded Average Minutes)	3
Service Level Maximum Wait Time (Minutes)	10
Required Number of Staffed Positions	2
Queue Results	
Number of Staffed Service Positions	2
Average Queue Wait Time (Minutes)	6.5
Maximum Queue Wait Time (Minutes)	11.6
Maximum Number of Passengers in Queue	8
Ticket Counter Requirements	
Number of Ticket Counter Positions Required	3
Average Width of Ticket Counter Position (LF)	4
Depth of Check-In Queue (LF)	18
Length of Check-In Counter (LF)	12
Existing Queue Area (SF)	96
Passenger Level of Service	
Passenger Space Required Level of Service (LOS, SF)	15
Required Queue Area Per LOS (SF)	146
Passenger Space (Average SF/Passenger)	12
Average Demand	
Design Hour Passengers Per Position	27

Source: Mead & Hunt, 2021.

Checked Baggage Inspection System (CBIS)

The 340-square-foot space allocated for checked baggage screening is located directly behind the ticket counters and consists primarily of one computed tomography CTX-80DR standalone explosive detection system (EDS machine), TSA staff areas, and stacks of bags awaiting screening. This is not a mini-inline system in which automated conveyors take baggage from the counters to the EDS machine. Ticket agents must stack bags on the floor next to the EDS infeed conveyor to make up for a lack of floor space and TSA must manually load and unload each bag on and off the conveyor. After passing through the EDS machine, TSA officers must then carry each bag to one of two transfers leading directly to SkyWest and Horizon's outbound baggage make-up rooms located behind the baggage screening area, or to a secondary area for manual screening. Airline employees stage bags in this area and backups often occur, creating a potential trip hazard for TSA employees. The make-up rooms have direct access to the aircraft apron east of the building.

The EDS machine is rated at approximately 200 to 220 bags per hour, but these rates are attainable only if the device is a part of an automated in-line checked-baggage inspection system. Local TSA staff indicate they can process a

maximum of approximately 100 average size bags plus 60 oversize bags per hour using the EDS machine.¹⁰ Passengers check significantly more oversize bags at SUN than at other airports, estimated at approximately 20 to 25 percent of the total checked baggage volume. TSA must increase the number of officers staffing the device during peak check-in periods to clear all bags before a flight's departure. TSA staff have reported up to five officers staffing the CBIS at one time. There are two secondary screening podiums behind the device used by TSA agents to clear alarmed bags. A summary of peak period baggage volumes is presented in **Table 5**.

Table 2-5: TSA Checked Baggage Security Screening Summary of Occurrences from 150 to 450 Bags Screened in a Period for Calendar Year 2019¹¹

Outbound Baggage Screening Summary						
Total Bags	151-200	201-250	251-300	301-350	351-400	401-450
Occurrences	98	37	17	7	4	2

Sources: TSA and Mead & Hunt, 2019.

Close coordination between TSA and airline staff has been instrumental in providing enough time for airline ground service personnel to sort and load the bags following TSA screening. The current operation is undersized, is labor-intensive to operate, and has inadequate floor space for baggage staging. For these reasons, the current operation poses potential safety risks to both TSA and airline personnel.

To handle the current peak volumes of bags that must be processed, a new, automated mini-inline CBIS should be installed. There is no redundancy in the current screening system, which is mandatory at larger airports.¹² A second machine is necessary and should be provided to avert downtime and to divide load during high volume periods. A second machine could also manage a larger input load, sorting higher numbers of bags independently between the carriers. This would also allow the addition of a new carrier, which cannot be done effectively when all four carriers depart during the same departures bank without two devices.

¹⁰ Based on TSA Statistics, Interviews and Correspondence.

¹¹ Typical half-day period beginning at 05:30 hours and ending at 12:00 hours; the afternoon shift is from 12:00 hours – 18:00 hours.

¹² TSA's redundancy initiative for system resiliency in required number of machines plus a back-up machine from their design guide. A new system will likely be comprised of necessary TSA operating space and provide two machines, each able to screen baggage volume from two carriers during a peak hour.

Table 2-6: TSA Checked Baggage Level 1, 2 & 3 Screening Unit and Recommended Minimum Area Requirements

Passenger Ticketing & Baggage Check Peak Hour 10 Minute Service Level Existing Capacity	
Demand Profile	
Design Hour Departing Passengers	205
Percent of Passengers Checking Bags	80%
Average Bags Per Passenger	1.2
Total Number of Bags to Process	197
Ten Minute Baggage Flow Rate	33
Percent Bags Odd or Over-Size (O.S.)	20%
Number of Odd & O.S. Bags Requiring Level 1 ETD	39
Number of Bags Screening in Level 1 CT-80DR EDS Unit	157
Demand Processing Results	
Level 1 CT-80DR EDS Screening Process Rate	150
Number of Level 1 CT-80DR Screening Units Required	2
Number of Level 2 Alarmed Bags	31
Number of Level 2 OSR Resolution Bags (Estimate)	10
Number of Level 3 ETD Resolution Bags	21
Total Number of Bags Requiring EDT Screening	31
Level Screening Unit Requirements	
Level 1 CT-80DR EDS Screening Units	2
Level 2 OSR Stations	1
Level 3 EDT Screening Units	2
Recommended Area Requirements	
Per Level 1 CT-80DR Screening Units (SF)	800
Per Level 2 OSR Stations (SF)	40
Per Level 3 ETD Stations (SF)	100
Total Area Requirement (SF)	1,840

Sources: TSA and Mead & Hunt, 2021.

Baggage check-in averages approximately 0.75 bags per passenger overall, including passengers who do not check bags, which is about 0.25 percent higher than the industry standard for domestic airports. The metric noted above is higher, in the range of 1.25 to 1.5, when passengers who check baggage are separated out as an independent group. The airlines report passengers often bringing three to four bags to check for their flight. This is because SUN is a mountain resort airport where passengers often check skis and other gear during the winter, and large backpacks and bicycles during the summer.

Airline Outbound Baggage Area

Airline outbound baggage make-up is also a manual operation and there is not a common-use baggage make-up device in a shared room from which to work. Instead, once cleared through the CBIS, TSA officers place baggage onto a conveyor into SkyWest's make-up room or onto a slide into Horizon's make-up room. The make-up rooms have several columns obstructing movement and are too small for baggage tugs to drive through. Instead, baggage carts must be pushed into and out of the rooms. Furthermore, the floor heights in these two rooms are different, making it difficult to combine them and improve circulation. The rooms are also used for employee radio charging stations and storing heavy weather gear, wheel chocks, signal wands, some maintenance tools, and limited replacement parts.

The outbound baggage room should be a separate, central area for the carriers to retrieve checked baggage. Storage space for ground handling operations equipment, including space to store tugs, baggage carts and loaders during the winter, should be provided in a separate location.

Security Screening Checkpoint

The TSA SSCP is located north of the departures hall. It consists of one standard screening lane with an Advanced Imaging Technology (AIT) machine used for most passenger screening and an adjacent magnetometer used for screening Pre-Check authorized passengers. The SSCP uses a blended screening operation in which both sets of passengers are processed through one lane. Pre-Check passengers typically have a shorter wait in queue, and can keep belts and shoes on and laptops in their carry-on bag. The TSA typically operates the SSCP between 05:00 a.m. and 06:00 p.m., but they have opened it as early as 04:30 a.m. and closed as late as 09:30 p.m. when necessary to accommodate seasonal demand. If there is a wide gap between flights, the SSCP will be closed. In these cases, TSA will typically re-open the SSCP 90 minutes prior to the next flight's departure.

Using rule-of-thumb measures for processing capacity, the standard screening lanes are rated, on average, between 150-to-180 passengers per hour. A blended screening operation may increase throughput due to lower processing times for Pre-Check passengers. The percentage of Pre-Check passengers at SUN is significant, above the national average, which aids in increasing passenger throughput. Difficulties occur when the process stalls, slowing the line down, due to the lack of redundant systems. This occurs when passengers take longer to divest their personal belongings or forget to divest items from their pockets, or when TSA officers require more time to interpret a scan and refer a carry-on bag to secondary screening. In addition, passengers carry-on over two bags on average at SUN. These factors all affect throughput, placing this system at the lower end of the range at 150 passengers per hour, dropping to as low as 130 passengers per hour during peak periods.¹³

¹³ TSA figure of 150 passengers per hour; Mead & Hunt estimated figure for 130 passengers per hour based on peak loading.

Table 2-7: TSA SSCP Performance and Level of Service with Two Lanes, 15-Minute LOS Goal

Passenger Security Screening Peak Hour 15-Minute Service Level Requirement	
Demand Profile	
Design Hour Departing Passengers	205
Peak 30-Minute Period Total Traffic Percentage	61%
Peak 30-Minute Period Total Passenger Traffic	125
Throughput Rate Passengers Per Hour Per Lane	150
Passengers Processed Per Minute Per Lane	2.5
Maximum Target Wait Time	15
Minimum Required Number of Screening Lanes	2
Queue Results	
Number of Screening Lanes	2
Maximum Queue Wait Times (Mins)	5.0
Maximum Number of Passengers in Queue	25
Recommended Space Requirements	
Security Queue (SF)	600
Security Screening Checkpoint Lanes & Reinvest (SF)	2,700
Total Checkpoint Area (SF)	3,300
Passenger Level of Service	
Per Passenger in Queue (SF)	15
Minimum Required Queue Area Per LOS (SF)	325
Passenger Space (Average Queue SF/Passenger)	24

Source: Mead & Hunt, 2021.

The months of January, March, July, and August 2019 were peak months for the TSA, with March logging the most passengers and carry-ons for the year.¹⁴ December has an abridged peak, beginning December 17 and running through December 31, 2020, continuing into the first week of January 2021. This period is included in the list due to very high historic passenger volumes associated with holiday travel demand.

The analysis in **Table 2-7** shows the need for a two-lane checkpoint for processing passengers in the peak hour. This is derived based on three closely spaced departures within an hour, with all three flights operating at a 90 percent passenger load factor. It is also based on achieving a maximum wait time in queue of fifteen minutes per passenger, requiring a higher performance standard than currently provided by the single lane. With most passengers presenting at the checkpoint during a single hour, the model projects up to 25 passengers in queue. This is only acceptable with a maximum wait time in queue of about 7.3 minutes, which cannot be accommodated with a single lane. As important, there must be sufficient queue space to manage this number of passengers, which the checkpoint at SUN does not currently have. If passengers see the line moving with adequate space for them in the queue, they are less likely to be concerned about their wait time in queue and whether they will be late for their flight. Oftentimes at SUN, the checkpoint queue stalls due to the slow throughput rate and spills out from the designated queueing area, creating frustration and a heightened awareness of the longer wait time.

If space is not available for a second lane, options for increasing throughput capacity depend on upgrading screening equipment. Though less of an impact than adding a second lane, upgrading equipment would also require additional space. Upgrading a standard security screening lane to an automated screening lane (ASL) would increase

¹⁴ Passenger figures from the Airport; carry-on ratio from TSA stakeholder discussions.

throughput by allowing passengers who can divest faster to place their belongings on the conveyor and move immediately to the passenger screening machines. Standard screening lanes queues are slowed when passengers take longer to divest their belongings. An ASL system provides multiple take-away stations for divesting belongings directly into the system, bypassing passengers who require more time to divest their belongings.

Adding SSCP capacity would be best achieved by adding lanes to an existing layout.¹⁵ This will also provide increased throughput per lane as other efficiencies are incorporated into the two-lane system. The SSCP is boxed-in to the north by the departures lounge, to the south by ticketing, and the west by checkpoint queueing. Therefore, adding a second lane at the checkpoint's current location can only be done by expanding to the east. The Airport should do all it can to create space for a second standard screening lane because the TSA will fund standard equipment but will not fund an ASL system. The cost of a new ASL system was estimated at \$300,000 in 2019.¹⁶

A complementary option is to add a CTX machine for carry-on baggage. Adding a CTX machine would increase capacity by reducing the number of scanned images that must be read by a TSA officer, increasing passenger throughput as fewer carry-on bags require secondary screening. A CTX machine creates a 3D image and uses algorithms to identify the contents of a carry-on bag, resolving more bags internally than a standard X-ray machine and reducing the number of bags that require secondary screening. However, TSA management at SUN indicates that CTX cannot currently perform well enough to speed up the screening process, but that a CTX option could be incorporated into either a standard or ASL screening lane in the future when they meet their promoted ratings.

A second standard SSCP lane should be added to the east under the former baggage claim drop-off area, as recommended by the latest Airport master plan. If this is not possible, the adjacent pre-queueing waiting area could be used for a second lane but may require queues to extend beyond the SSCP area into the arrivals hall corridor.

Gates (Parking Positions) and Departure Lounge

There are currently three boarding gates serving four aircraft parking positions at SUN, the latter located parallel to the departures lounge on the north side of the building. Passengers ground-board the aircraft, walking across the apron and up mobile ramps. This has been an acceptable LOS in the past, when fewer, smaller aircraft operated at SUN. The increased amount of scheduled flight activity by larger aircraft warrants consideration of boarding bridges. Alaska's Q400 requires more care in operating bridges close to the aircraft, which must park perpendicular to the building for the bridge to extend straight out to the aircraft. However, it is expected that Alaska will eventually replace the Q400 with an E-175 aircraft to make a jet bridge docking operation safe for their aircraft and customers.

The departures lounge was originally programmed to accommodate two 70-seat CRJ-700 and one 76-seat DHC8-Q400 aircraft, which were flown into SUN at the time of the building's expansion. The most recent Airport Master Plan indicates the lounge could accommodate future schedule demand of 192 departing passengers in master plan forecast year 2034 at an "acceptable level of service"¹⁷. The Airport notes that the lounge often fills to capacity during current peak periods and additional space should be provided to make it more comfortable. The master plan recommended long-term expansion of the departures lounge to the east and west. Expansion of the departures lounge area is necessary to comfortably accommodate current departing passenger demand, as well as to meet the 88-seat design aircraft forecasted by the Master Plan.¹⁸

¹⁵ *Follow-On Discussion with TSA, February 2021.*

¹⁶ *Cost for an ASL checkpoint system from consultant's work at another small hub airport where airport management was considering ASL due to space limitations. The estimated cost is for the equipment only; electrical and IT work is an additional cost.*

¹⁷ *An acceptable level of service was that of "C," a lower overall amount of area per passenger. A lower number of passengers in the lounge results in a higher level of service estimated at "B." With growth in the benchmark peak period, level of service will drop to level of service "D" for extended periods until a majority of passengers are boarded, clearing the lounge.*

¹⁸ *The Embraer E-190 aircraft has a wingspan of 94'-3", which is under the 100-foot wide wingspan runway restriction.*

Restrooms

Airport terminal restrooms should be sized to accommodate a peak surge in use immediately following flight arrivals when passengers disembark and enter the departures lounge. While not all will use the restrooms, this is the peak use scenario that requires sufficient fixtures to accommodate demand. However, the numbers of fixtures provided in new departures lounges are often lower than recommended due to the space the restrooms occupy and maintenance costs for fixtures.

Capacity of the restrooms is insufficient to accommodate anticipated use by arriving passengers, which is currently at 75 percent of estimated peak demand. This demand estimate is based on two flights arriving simultaneously in two separate arrivals banks over an operating day.

A departures lounge restroom capacity analysis for two arriving flights is shown in **Table 2-8**. The arriving passenger population is calculated using a 90 percent load factor, reflecting peak season travel. This population is factored again to determine the peak 20-minute demand, which, in this case, is 75% of the total arriving passenger population.¹⁹ A comparison to existing fixtures is used to show 25% fewer fixtures, in this case, one of each type, necessary to meet this demand.

Table 2-8: Departures Lounge Restroom Fixtures Requirements

Departures Lounge Area Restrooms	
Secure Public Area Restrooms	
Total Arriving Aircraft	2
Peak Hour Arriving Aircraft Seats	154
Peak Hour Design Load Factor	90%
Peak Hour Arriving Passengers	139
Peak Hour Arriving Passengers Plus Meeter/Greeter 1.05 Factor	146
Peak Hour Arriving Passengers Terminating	100%
Peak Hour Terminating Travel/Destination Passengers	146
Peak 20-Minute Passenger Demand Percentage	75%
Peak 20-Minute Passenger Demand	109
Design Factor (50%)	55
Men's Fixtures	4
Women's Fixtures	4
Departures Lounge Restroom Fixtures By Type	
Water Closets (M)	2
Water Closets (W)	4
Urinals (M)	2
Lavatories (M)	4
Lavatories (W)	4

Source: Mead & Hunt, 2021.

Two simultaneous departing flights were also used to evaluate the central arrivals hall restroom's capacity. A portion of arriving passengers are included to account for those who bypass the departures lounge restrooms and use the non-secure restrooms before leaving the Airport. This group is estimated at about 30 percent, or 45 arriving passengers, with departing passengers and well-wishers at 10 percent of the total population. Arrivals and

¹⁹ A case can be made to provide a higher level of service by using 100% of arriving passengers for small and non-hub airports.

departures non-secure area restroom capacity is sufficient to meet passenger and visitor demand with the number of existing fixtures, as shown in **Table 2-9**.

Table 2-9: Departures & Arrivals Halls Public Restroom Fixtures Requirements

Departures & Arrivals Public Area Restrooms	
Non-Secure Public Area Restrooms	
Total Arriving Aircraft	2
Total Departing Aircraft Seats	154
Flight Planning Load Factor	90%
Total Departing Passengers	139
Peak Hour Departing Passengers	111
Peak Hour Departing Passengers Plus Well-Wishers (1.1 Factor)	122
Arriving Passengers During the Departures Peak Hour Percentage	30%
Arriving Passengers During the Departures Peak Hour	42
Total Passengers in Public (Non-Secure) Areas	164
Peak Hour Fixtures Required	5
Men's Fixtures	5
Women's Fixtures	5
Departures Lounge Restroom Fixtures By Type	
Water Closets (M)	2
Water Closets (W)	5
Urinals (M)	3
Lavatories (M)	5
Lavatories (W)	5

Source: Mead & Hunt, 2021.

A fifth lavatory sink would improve LOS in each restroom by reducing waiting time. Given the above, the standard number of fixtures programmed for a restroom is no less than six fixtures per restroom.²⁰

Passenger Services

There are many non-revenue-producing amenities and services for certain segments of the passenger population that are beneficial and/or necessary for the Airport to provide the public, such as flight information display systems (FIDS). These can provide weather at destinations as well as flight status updates. Public address and paging systems with access beyond the departures lounge can also serve to keep passengers informed of Airport updates and assist in finding passengers when necessary.²¹

Two areas becoming more available at airports include mothers' lactation rooms, which are now required by federal legislation at medium and large airports, and service animal relief areas (SARA),²² which are required for airports serving more than 10,000 annual enplanements and receiving Federal AIP or PFC funding. A SARA can be located either inside or outside the building. Most larger terminals provide a SARA in the secure area when getting outside is time-consuming or impractical due to the weather.

²⁰ *Guidebook for Airport Terminal Restroom Planning and Design, Report 130, Airport Cooperative Research Program, Transportation Research Board, 2015.*

²¹ *This system should be in place at SUN airport, although the FIDS system may no longer be active.*

²² *SARA guidelines were added to the FAA Advisory Circular "Access to Airports by Individuals with Disabilities."*

Other potential amenities include small business lounges, concessions and retail shops, and art and human-interest exhibits. Community outreach ambassadors are volunteers who assist passengers and visitors. Ambassadors typically work from information desks or kiosks and serve as ombudsmen for the airport and community.

A relatively recent addition at larger airports is a sensory room, a quiet space for people with sensory processing disorders such as autism, but also for passengers who need a place to recharge. A small chapel can also serve passengers who seek a quiet place. For children, a children's play area can assist parents who need a place to play with their children while awaiting their departure. With cellphones becoming an accessory as well as a necessity, game rooms can be provided for children and parents when the machines are scale replicas of the games on their phones, such as a large format PlayStation 5 gaming station (with headphones).²³

A first-aid station or room provides a place for someone who becomes ill to await their family or an emergency medical team. This would be more appropriately located adjacent to an airline operations space such that it can serve passengers arriving at the airport who need assistance, the airline personnel likely to be the first people with whom they will come into contact. Passenger health emergencies during a flight are met on the apron by an emergency medical team (EMT).

Valet parking is a service for which passengers are willing to pay to make their travel easier. The Airport has a plan which it will implement when it is feasible to do so. It has an additional benefit in easing some public parking congestion and demand, although it may impact curb capacity, depending on how successful it becomes.

The Airport is distinct due to its on-going art exhibit in the central great room and throughout the terminal. In fact, the art is spread throughout the terminal due to our relationship and participation with the SUN Airport Arts Commission (SAAC). The main lobby was designed for passengers to gather and meet their parties upon arriving at the Airport, as well as a place to hold Airport functions. However, the space has not been utilized as the terminal design team had intended. The space will be reallocated to a higher and best use in this current terminal area planning.

Circulation

Passenger circulation space in the departures hall is undersized for most current demand scenarios. The departures hall was not expanded as part of the 2015 project and will be a focus for near-term expansion and/or upgrades.

Like the departures hall, baggage claim queuing and device length do not provide sufficient space for passengers claiming bags. The circulation area is quickly consumed, becoming a part of the claim waiting area. Given an appropriate size and a dynamic claim device such as a baggage carousel, circulation would become more efficient.

Beyond the checkpoint in the departures lounge, the circulation corridor cuts an efficient path from the checkpoint exit into the departures lounge and on to the secure area exit, passing restrooms and the concession along the way.

Future building expansion will require circulation area to be expanded to serve arriving and departing passengers, and to ensure passenger and visitor safety when exiting a building during an emergency.

Arrivals Hall and Baggage Claim

The arrivals hall is where passengers claim baggage, connect with their parties, and gather prior to boarding hotel/resort shuttles or picking up rental cars. It includes baggage claim, seating, car rental counters and queuing space, and restrooms. It also includes space for non-public functions that support these public functions, such as the airline baggage off-loading lane.

²³ Based upon the commercial venue "Gameway," at DFW Airport, this could just be a console which is available for use without charging a fee. The airport would have to pay for the game subscriptions, equipment and maintaining the machine.

The chart in **Figure 2-9** presents arriving banks of flights over the operating day on January 2, 2021, including their total arriving seats and factored by a load factor of 90 percent to obtain total arriving passengers, of which 80 percent typically check bags. Passengers queued at the device to claim the bags are derived using a factor of 1.5 to yield the number of passengers in parties, including those passengers who will claim bags at the device as well as those who will stand away from the device.

Figure 2-9: Baggage Claim Demand to Capacity, Peak Winter Holiday Travel, 2 January 2021



Source: Mead & Hunt, 2021.

The chart in **Figure 2-9** shows that there is one period at midday when total demand exceeds capacity, consisting of two simultaneous arriving flights. The claim process is complicated by the static claim device, which limits the number of bags that can be unloaded on to it. Airline personnel typically use only one door to deliver bags to the slide device, waiting for passengers to pull bags off the slide so more bags can be loaded onto it. This lag in delivery increases passenger wait times, which begin with a delay due to a short walk from the aircraft to the arrivals hall when compared to the time required to unload and deliver bags to the device.

This device and process cannot meet passenger expectations in claiming their luggage, delivering a low LOS. A dynamic device such as a flat-palette (plate) or sloped palette claim device is necessary to correct this deficiency. Either would provide a higher LOS, with the latter increasing device capacity per length of palette by a theoretical factor of 1.5 due to the device's ability to stack bags. However, a practical capacity factor of between 1.25 to 1.35 would be more appropriate to reflect actual use as passengers claim their bags as they are loaded onto the device.

The area available for passengers claiming bags is typically determined by an offset of 15 square feet from the device frontage, as passengers will use space up to approximately 11 feet away from the device. The first seven feet or so is occupied by passengers claiming and queueing to claim, while their parties will await in the eight feet beyond this, where bags can be staged while awaiting remaining bags to be claimed. This can be more fluid due to limited depth within which passengers can queue and wait for space at the device to be able to claim their luggage; however, a

queue also forms on the opposite side of the space in front of the car rental counters. If the airline uses only one opening to drop bags and skis, the claim area can quickly become congested, with bags on the device that passengers are blocked from retrieving by other passengers waiting for their bags to be loaded on the device. During peak periods, the baggage claim area becomes very crowded and incoming bags often accumulate, filling the slide. The airlines have also noted that a tug queue forms in the baggage drop-off lane, causing them to miss their required aircraft delivery-to-device metric.²⁴

The effective claim frontage is derived by subtracting from the total claim frontage the areas that do not correlate with overhead doors. The baggage claim critical lengths are as follows:

- Inbound Bag Drop-off Zone: 63 linear feet of drop off lane
- Public Claim Device Frontage: 53 linear feet
- Effective Display Frontage: 47 linear feet

Using a standard 13 square feet per passenger for passengers standing with luggage and a percentage of this space added for circulation through the claim area, the baggage claim space can support the following number of passengers in the hall:

- Baggage Claim Hall: 60 passengers
- Baggage Claim Device: 42 bags²⁵

The existing claim device and hall cannot meet the demands of two flights and provide a low LOS for passengers claiming baggage, as only 47 linear feet of effective claim device frontage is available but 126 linear feet is required for two simultaneous arriving flights. This existing device can only serve one flight at a time. Using a slide may serve well for skis, backpacks, and golf clubs due to their size, but not for personal baggage which stacks two to three bags high on the slide.

If a flat-plate claim device is used, additional device length is required for the baggage drop belt located outside on the ramp. This is approximately one-third the length of the claim area of the belt. With security a high priority, this same amount of device length is built inside the building to serve as a recirculation belt, which keeps bags within the building and away from re-entering the ramp area.

²⁴ Airline stakeholder interviews, November 2020.

²⁵ As noted, capacity is based upon an airline using only one overhead door to unload bags at the claim device.

Table 2-10: Baggage Claim Demand to Capacity, Two Flights, Peak Winter Holiday Travel, 2 January 2021

Passenger Baggage Demand & Capacity Requirement	
Passenger Demand	
Peak Hour Deplaning Passengers	137
Percent Deplaning in Peak 20 Minutes	100%
Percent Terminating Passengers	100%
Peak 20 Minutes Terminating Passengers	137
Percentage of Passengers Checking Bags	80%
Passengers Checking Bags	110
Average Traveling Party Size	1.5
Number of Parties (Groups)	73
Percent Additional Passengers at Claim	30%
Total People at Claim	84
Claim Device Requirements	
Claim Frontage Per Person (LF)	1.5
Total Claim Frontage Required	126

Source: Mead & Hunt, 2021.

A sloped palette carousel claim device obviates a need for a recirculating belt and provides more baggage capacity as bags can stack on the device. A sloped palette device provides full access along its perimeter, making it more efficient than the flat-plate device. The feed belt is located under the floor and device, delivering bags at two points along the length of the device, which allows more bags to be delivered. This becomes key to meeting demand from simultaneous arrivals, allowing airlines to meet their delivery metrics. With passengers arriving at the claim hall within ten to fifteen minutes of a flight's arrival, waiting on delivery to the device would be reduced with two bag drop belts.

Car Rental Offices & Parking

Car rental operations occupy the south area of the baggage claim hall. There are three car rental companies serving the airport: Enterprise, Hertz, and National. The car rental offices and counter areas are 670 SF in total area. Enterprise has noted that their office is too small to house three people and needs to be larger. Also, passengers gathering at the baggage claim device create congestion in front of the rental car counters, making it difficult for the companies to serve their customers.

At this time, it is not clear how well rental car companies will respond to the current travel crisis nor is it guaranteed that all will survive the prolonged downturn in aviation travel resulting from the COVID-19 pandemic. In setting priorities for passenger service, leisure travelers represent a majority of car rental companies' business, which would indicate the car rental market at SUN should recover sooner. The business travel market may return to its former strength or become a smaller segment of the business. With enplanements growth will come higher demand for rental cars during peak periods. For SUN, balancing public and car rental parking within the same lots will become a challenge over time if the car rental companies need additional parking spaces at the upper and lower parking lots.

A high LOS for car rental customers has been established at medium and large airports through provision of immediate access to vehicles, often without having to stop at a rental office and counter. At these airports, customers can walk directly to a car parked close to the terminal and drive it off the lot, stopping only at the security booth to check identification and to ensure their contract is in order. The rental car process at SUN is similar, with ready cars parked in the upper and lower lots.

With public parking requiring additional spaces, the removal of employee parking is an apparent first step in obtaining additional parking, with upwards of 36 spaces at both lots becoming public access. Creating a long-term or economy public parking lot could be provided south of the lower parking lot. When this lot's capacity becomes strained by demand, car rental may need to provide ready cars at the upper lot for preferred customers only, with all other customers bused to a common-use remote lot.

Building a parking structure at the lower lot is an option for rental cars and public parking. This would allow both to continue to operate from the upper and lower lots. Over time, parking will require remote lots. The Airport's plan to introduce valet parking provides an opportunity to offer a high level of service to passengers. To work for the airport and save space, vehicles would likely be parked in single file and the valet operator would stage vehicles based upon passengers' scheduled return dates and approximate times. Other longer-term options involve acquiring additional land or relocating hangars. The alternatives phase of this TAP study will help the Airport determine whether providing adequate parking, when combined with other triggers, may require relocation of the terminal complex to another site.

2.5. Capacity Assessment: Snow Removal Equipment

Snow removal equipment (SRE) at SUN is stored in a multi-purpose Operations Center facility located south of the terminal building. The facility, constructed in 2015, is approximately 14,000 square feet and has direct access to the AOA from the doors of the building, as do other functions of the Operations Center including Aircraft Rescue and Fire Fighting (ARFF), Airport administration and operations, equipment maintenance and cold weather storage buildings.

The portion of the Operations Center used for SRE storage and maintenance is approximately 7,000 square feet and contains four vehicle bays which are designed for equipment to pull or back into the facility. Additional SRE spaces include a restroom, maintenance office, welding shop, combustible liquid storage, maintenance storage, and maintenance shop.

The Operations Center is not large enough for the existing and planned equipment. This section provides a detailed analysis of the SRE, their attachments, associated space, and related facilities to determine the amount of space SUN requires for its existing and planned future equipment. Several spaces in the SRE facility are analyzed below to determine their sufficiency include:

- Vehicle Storage
- Vehicle Circulation
- Maintenance Shop and Wash Bay
- Sand and Chemical Storage
- Office and Personnel Support Space
- Additional Support Space
- Parts and Equipment Storage

Snow Removal Equipment (SRE) Eligibility

SRE at SUN are currently stored in the south end of the Operations Center building. As discussed previously, the facility has four vehicle bays reserved for SRE with secured airside access. SRE vehicles must maneuver around two large corporate hangars adjacent to Taxiway B to access the rest of the airfield.

The required response time to clear snow from an airport environment is based on the number of annual operations at the airport. Based on guidance in Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5200-30D, *Airport Field Condition Assessments and Winter Operations Safety*, because SUN has more than 10,000 operations

but fewer than 40,000 operations, it should have enough equipment to clear priority areas within one hour. While the existing SRE fleet at SUN exceeds the FAA's max justifiable quantity for airfield clearance times, due to the inherently complex nature of operating a high-elevation, mountainous airport with opposite direction aircraft operations (ODO), SUN faces snow-removal challenges that "standard" airports do not.

SUN's air carriers require field conditions to be maintained at a far higher standard than most airports. The only way that SUN can retain reliable commercial air service in the winter months is to exceed the FAA recommendations for justifiable SRE.

In addition to the high minimum standards required by Air Carriers, SUN's geographic constraints and resulting limited space, disallows standard snow removal techniques. In order for SUN to maintain compliance with FAA guidance on snow profiles and wingtip clearances, SUN requires additional equipment for snow relocation and hauling.

The SRE fleet, as it exists now, is the minimum quantity required to maintain reliable air service during winter months, and as such, a greater building-footprint is needed to house and protect this investment.

FAA Order 5100.38D, *Airport Improvement Program (AIP) Handbook*, allows for acquisition of SRE for Part 139 certified airports. According to the AIP Handbook, "any equipment required for clearing snow and ice from the runways, principal taxiways, aprons, and emergency access roads is eligible." An FAA Snow Removal Calculation spreadsheet is used to calculate the AIP-eligible SRE and associated vehicle storage area. Eligibility is determined based on calculations for primary runway, taxiways, and critical apron area. According to the AIP Handbook, FAA funding for SRE facilities is limited to space in the facility that is necessary for eligible SRE as well as storing abrasive or chemicals used in the treatment of paved areas. All other areas and equipment recommended in AC 150/5220-18A, *Buildings for Storage and Maintenance of Airport Snow and Ice Control Equipment and Materials*, must be paid for by the sponsor. AIP-eligible equipment for SUN, according to the FAA Snow Removal Calculation spreadsheet are shown in **Table 2-11**.

Table 2-11: Identification of Justifiable (AIP Eligible) Snow Removal Equipment¹

Eligible Items ²	Max Justifiable Quantity ³	SUN Existing Quantity	SUN Needs
Snow Blower	1	2	0
Plow	2	3	0
Sweeper	3	3	0
Hopper Spreader	3	2	1
Front End Loader	0	4	0
Total Quantities	9	14 ⁴	1

Source: Mead & Hunt, 2021.

Notes:

¹ Justifiable equipment means that the equipment is AIP-eligible.

² Equipment eligibility is based on guidance found in the AIP Handbook.

³ Inputs used to determine the max justifiable quantity include average annual snow fall, airport level of service, annual operations, Priority 1 snow removal square footage, critical snow removal square footage, and AC 150/5220-20A, Figure 2-6.

⁴ Two SRE vehicles serve multiple purposes such as a sweeper/plow or a hopper-spreader/plow, which accounts for the difference between the existing quantity in Table 11 and the number of vehicles used for eligible area calculations in subsequent tables.

Vehicle Storage

SRE are costly pieces of complex and technologically advanced equipment for the control of snow, slush, and ice. To protect and service this expensive investment, the FAA recommend specifically designed maintenance buildings with adequate storage areas. These buildings would provide a protected environment to prolong the useful life of the investment. Storing vehicles outside or in cold storage facilities degrades the vehicles and attachments and can shorten the useful life.

The existing vehicle storage and circulation area is approximately 5,800 square feet, of which 4,680 square feet is for vehicle storage and 1,120 square feet is for vehicle circulation. The facility has a back-in design with four equipment stalls. According to AC 150/5220-18A, a back-in aisle design is an efficient building design for airports with small equipment fleets; however, the existing layout is not conducive to efficient circulation and vehicle storage for two reasons: 1) facility doors are too narrow and too short, and 2) there is not enough space to store existing eligible equipment.

The Airport has indicated that many pieces of equipment must be stored elsewhere due to the small size of the existing vehicle bays. Out of the four vehicle bays, three bays can accommodate one vehicle per bay which are currently used for two sweepers and a combination sweeper plow. The fourth bay accommodates operations vehicles as well as deicing equipment. The remainder of the SRE fleet is stored in two hangars elsewhere on Airport. One hangar is located directly east of the ARFF/SRE facility, and another hangar is located north of the terminal apron. The hangar closest to the existing ARFF/SRE facility is 6,700 square feet while the hangar to the north is 3,600 square feet. In general, all vehicles and attachments are stored inside except for certain attachments that only require a short amount of time to mount, specifically smaller plow blades and front loader buckets. According to Airport staff, these aircraft hangars can generate substantial revenue for the Airport totaling approximately \$84,000 per year. Not utilizing these aircraft hangars for their intended purpose negatively affects Airport revenue.

AC 150/5220-18A stipulates that storage of the vehicles and equipment is determined by calculating the eligible area needed to house each vehicle including the Equipment Safety Zone (ESZ) required on each side of the vehicle. According to AC 150/5220-13A, Table 3-2, equipment parallel to other equipment requires an ESZ of 10 feet, or 5 feet per side. According to AC 150/5220-18A, Table 3-1, the ESZ for parked equipment is calculated without attachments. During the winter months, SRE vehicles have their equipment attached to allow Airport staff to respond quickly to winter events. It is unreasonable to have to retrieve equipment from multiple locations and attach equipment each time a winter event occurs. Single or dual drive-through lanes require a larger ESZ than the current design. To accommodate single or dual drive-through lanes for existing SRE at SUN, the eligible square footage would be greater than the existing footprint of the vehicle storage and circulation area. Based on AC 150/5220-18A, Table 3-1, single drive-through lanes require an ESZ of 15 feet, while the ESZ of dual drive-through lanes depends on the size of plow and sweeper attachments. SUN currently parks vehicles parallel to other vehicles which requires an ESZ of 10 feet.

The existing equipment stalls are approximately 45 feet long and 26 feet wide. The four stalls in the existing facility provide approximately 1,170 square feet per vehicle. To park just one of the Airport's combination plow/sweeper, the dimensions of the vehicle, plow, and sweeper attachment must be taken into consideration along with an ESZ of 10 feet. To accommodate an ESZ of 10 feet, approximately, 2,109 square feet of storage area is required, which is approximately 939 square feet more than the existing equipment stalls provide. The size of the combination plow/sweeper and the required ESZ contribute significantly to the overall inefficiency of the existing vehicle storage area. The smallest SRE vehicle that SUN owns is a Ford L9000 which measures 26 feet long and 9 feet wide. With the required ESZ, the space needed for the vehicle is 684 square feet; however, as discussed previously, the Airport often

leaves plows and buckets outside of the storage facilities as the three separate facilities combined cannot accommodate the vehicles and their attachments.

SUN's existing SRE and maintenance equipment includes: three snow blowers, seven plows, four sweepers, four hopper spreaders, and four front end loaders (**Table 2-11**). An ESZ of 10 feet, or five feet per side, was used to calculate SRE eligible area. **Table 2-12** and **Table 2-13** presents SRE vehicles by vehicle make/model and their primary vehicle function, the dimensions of each vehicle, their attachments, the dimensions including the ESZ, and the total estimated eligible area required. **Table 2-12** and **Table 2-13** also include SRE vehicles and attachments that the Airport intends to purchase in the next five years (2021-2025) according to the Capital Improvement Plan (CIP). According to the AIP Handbook, Table O-3, at the time an SRE facility is programmed for construction, expansion, modification, improvements, or rehabilitation, the eligible equipment must be owned, on order, or budgeted by the airport within the next five years to be considered in the eligible area for AIP funding.

Due to the size of SRE, their attachments, and the required ESZ, the space needed to effectively store equipment is larger than the existing space in the vehicle storage area. To demonstrate the space needed to store all existing and future SRE vehicles with their equipment attached, **Table 2-14** is included to show the length and width of each vehicle and its equipment attached including an ESZ of 15 feet, or 7½ feet per side, from parked equipment that includes a safe walk around zone in front of at least three feet. **Table 2-14** also depicts the modified eligible area needed to house all SRE vehicles with their equipment attached.

Table 2-13 indicates that existing parking stalls are long enough for several SRE vehicles; however, SUN has several pieces of equipment that are too long to fit into the stall when considering the required ESZ. While there may be enough room in existing stalls to store the vehicles there is not enough room to store vehicles with their equipment attached. Furthermore, Airport staff have indicated that three of the vehicle stalls only accommodate one vehicle per stall. As shown in **Table 2-14**, parking vehicles with their equipment attached requires a significant increase to the size of the equipment stalls. Several pieces of equipment and their attachments would also be too wide for the existing stalls when parked parallel to other equipment. Additionally, the Airport staff has indicated that the vehicle doors are too short for some of the larger pieces of equipment; three pieces of equipment are at least 22 feet tall. As SUN cannot feasibly accommodate all pieces of existing SRE and their attached equipment due to the size and number of the equipment stalls, in addition to the short bay doors, it is recommended SUN consider expanding the facility to accommodate more vehicles that are sized appropriately to house vehicles with their equipment attached.

Table 2-12: SUN Snow Removal Equipment and Eligible Area – Vehicles

Year	Equipment Type	Make	Model		Dimensions (feet, h x l x w)	Dimensions and ESZ (feet, l ¹ x w ¹)	Eligible Area (square feet)
Existing Vehicles							
1985	Dump Truck	Ford	L9000		12x26x9	36x19	684
1996	Plow	Oshkosh	Sweepster		12x 37x24	47x34	1,598
1996	Snow Blower	Ford/New Holland	Tiger Tractor		11x15x9	25x19	475
2001	Plow	Case	921C		12x 2x10	38x20	760
2002	Snow Blower	Kodiak	3500 TPH		12x12x12	22x22	484
2004	Hopper/Spreader	Batts	1100 Gallon		22x9x9	19x19	361
2006	Front End Loader	Case	621 D		11x23x8	32x18	594
2009	Hopper/Spreader	Suzuki	Carry Super Stalker		4x22x4	32x14	448
2010	Sweeper	Wausau	Everest MTE		25x39x12	49x22	1,078
2010	Snow Blower	Oshkosh	5000 TPH		9x35x12	45x22	990
2012	Front End Loader	Case	921F		11x28x10	38x20	760
2015	Sweeper	Wausau	SnowDozer		25x39x12	49x22	1,078
2017	Snow Blower	Kodiak	5252		7x12x11	22x21	462
2018	Tractor	New Holland	Tractor		6x13x6	23x16	368
2019	Sweeper	Oshkosh	H-Series XF		12x40x25	50x35	1,750
2020	Sweeper/Plow ²	M-B Companies	MB-5 MTE		12x47x27	57x37	2,109
2018	Front End Loader	-	972M		13x27x10	37x20	740
2020	Front End Loader	-	972M		13x27x10	37x20	740
2018	Skid steer loader	-	279D		7x12x7	22x17	374
Total Existing Estimated Eligible Area: Vehicles							15,853
Future Vehicles							
2022	Sweeper/Plow ²	M-B Companies	MB-5		14x72x24	82x34	2,788
2024	MTE ³	-	-		14x72x24	82x34	2,788
Total Future Estimated Eligible Area: Vehicles							5,576
Total Existing and Future Area: Vehicles							21,429

Source: SUN Snow and Ice Control Plan; Mead & Hunt, 2021.

Notes:

¹ The Eligible Area includes the ESZ of 10 feet, or 5 feet per side, found in AC 150/5220-18A, Buildings for Storage and Maintenance of Airport Snow and Ice Control Equipment and Materials, Table 3-1.

² According to the AIP Handbook, an MTE counts as two pieces of equipment for eligibility purposes.

³ This piece of equipment will replace an existing sweeper and plow to be determined in the future.

ESZ = Equipment Safety Zone

MTE = Multi-Tasking Equipment

SRE = Snow Removal Equipment

Table 2-13: SUN Snow Removal Equipment Attachments and Eligible Area

Year	Equipment Type	Make	Model	Dimensions (feet, h x l x w)	Dimensions and ESZ (feet, l ¹ x w ¹)	Eligible Area (SF)
Existing Attachments						
1996	Plow	-	-	22x8	27x13	351
2001	Plow	-	-	22x8	27x13	351
2001	Plow	-	-	20x8	25x13	325
2001	Plow	-	-	20x8	25x13	325
2001	Plow	-	-	30x8	35x13	455
2006	Plow	-	-	5x24x8	29x13	377
2010	Sweeper	-	-	20x8	25x13	325
2010	Plow	-	-	22x8	27x13	351
2012	Plow	-	-	22x8	27x13	351
2012	Plow	-	-	20x8	25x13	325
2012	Plow	-	-	30x8	35x13	455
2018	Front End Loader	-	-	5x24x8	29x13	377
2012	Front End Loader	-	-	5x24x8	29x13	377
Total Existing Estimated Eligible Area: Attachments						4,745

Source: SUN Snow and Ice Control Plan; Mead & Hunt, 2021.

Notes:

¹ The Eligible Area includes the ESZ of 5 feet, or 2 ½ feet per side, found in AC 150/5220-18A, Buildings for Storage and Maintenance of Airport Snow and Ice Control Equipment and Materials, Table 3-1. ESZ = Equipment Safety Zone

SF = Square Feet

Terminal Capacity Analysis

Table 2-14: SUN Snow Removal Equipment and Attachments: Modified Eligible Area for Single Drive-Through Lane

Year	Equipment Type	Make	Model	Dimension (feet, l x w)	Attachment	Dimensions (feet, l x w)	Dimensions and ESZ ¹ (Feet, l x w)	Total Eligible Area (SF)
Existing Vehicles and Attachments								
1985	Plow	Ford	L9000	26x9	-	-	41x24	984
1996	Plow	Oshkosh	Sweepster	37x24	Plow	22x8	74x47	3,478
1996	Snow Blower	Ford/New Holland	Tiger Tractor	15x9	-	-	30x24	720
2001	Plow	Case	921C	28x10	Plow ²	30x8	73x33	2,409
2002	Plow	Kodiak	3500 TPH	12x12	-	-	27x27	729
2004	Hopper/Spreader	Batts	1100 Gallon	9x9	-	-	24x24	576
2006	Front End Loader	Case	621D	23x8	Plow	24x8	47x31	1,457
2009	Hopper/Spreader	Suzuki	Carry Super Stalker	22x4			37x19	703
2010	Sweeper/Plow	Wausau	Everest ³	39x12	Plow ²	22x8	76x35	2,660
2010	Snow Blower	Oshkosh	5000 TPH	35x12	-	-	50x27	1,350
2012	Front End Loader	Case	921F	28x10	Plow ²	30x8	73x33	2,409
2015	Sweeper	Wausua	SnowDozer	39x12	-	-	54x27	1,458
2017	Plow	Kodiak	5252	12x11	-	-	27x26	702
2018	Front End Loader	New Holland	Tractor	13x6	Front End Loader	24x8	56x29	1,624
2019	Sweeper	Oshkosh	H-Series XF	40x25	-	-	55x40	2,200
2020	Sweeper/Plow ³	M-B Companies	MB-5	47x27	-	-	62x42	2,604
2018	Caterpillar	-	972M	27x10	-	-	42x25	1,050
2020	Caterpillar	-	972M	27x10	-	-	42x25	1,050
2018	Caterpillar	-	279D	12x7	-	-	27x22	594
Total Existing Estimated Eligible Area: Vehicles + Attachments								28,757
Future Vehicles and Attachments								
2021	Sweeper/Plow	M-B Companies	MTE	47x27	-	-	62x42	2,604
2021	Hopper/Spreader/Plow	-	-	47x27	-	-	62x42	2,604
Total Future Estimated Eligible Area: Vehicles + Attachments								5,208
Total Estimated Existing and Future Eligible Area: Vehicles + Attachments								33,965

Source: Airport Staff; Mead & Hunt, 2021.

Notes:

¹ The combined dimensions and ESA are indicative of each vehicle with its corresponding equipment attached plus the ESZ of 15 feet, or 7½ per side, for parked equipment from other parked equipment that includes a safe walk around zone in front of at least three feet according to guidance in AC 150/5220-18A, Buildings for Storage and Maintenance of Airport Snow and Ice Control Equipment and Materials, Table 3-1.

² These pieces of equipment have two or more attachments. Dimensions for the attachment represent the largest attachment for these pieces of equipment.

³ According to the AIP handbook, an MTE counts as two pieces of equipment for eligible purposes.

ESZ = Equipment Safety Zone

SRE = Snow Removal Equipment

Vehicle Circulation

Due to the undersized vehicle storage area and the back-in equipment stall design, the vehicle circulation in the existing facility is inefficient and too small for existing and future SRE at SUN. According to AC 150/5220-18A, the back-in design is an efficient building design for airports with small equipment fleets, usually consisting of one to three equipment bays.

As discussed previously, three of four bays in the SRE facility accommodate one vehicle in each bay, while the fourth bay holds a variety of de-icing equipment. The three pieces of equipment that are stored in the existing facility include two sweepers and the Multi-Tasking Equipment (MTE) vehicle. According to AC 150/5220-18A, Chapter 3, Section 3-2, “the design goal of the configuration is to facilitate the duties of personnel, expedite the movement of equipment, and provide ready access to materials and supplies.” The current facility design does not meet this goal. SUN has an equipment replacement program in place to phase out equipment that has reached the end of its useful life and replace it with modern SRE designed to better meet the Airport’s needs. Modern SRE is often larger than older equipment, and often MTE is preferred over single function equipment. MTE maximize staff efficiency by increasing the equipment’s functions with multiple attachments to each vehicle. The existing vehicle circulation is insufficient to accommodate an increased vehicle size corresponding to modern SRE such as MTE. If SUN continues to replace aging equipment with modern MTE, the existing vehicle circulation will significantly impede the ability of SUN to respond quickly to snow events and it is likely more SRE will have to be stored in locations spread out across Airport property.

While modification of the existing SRE facility would aid in reducing the existing storage and circulation issues, it is unlikely that modification to the existing facility will be sufficient for the Airport long-term. Any modern equipment the Airport acquires long-term are likely to be larger than existing equipment to fulfill multiple functions; for this reason, the existing vehicle storage area will continue to be constrained unless it is expanded.

Maintenance Shop and Wash Bays

The existing SRE facility includes 572-square-foot maintenance shop on the southwestern side of the facility behind existing vehicle bays. While there is no separate vehicle wash bay, the Airport owns a portable pressure washer that can be moved throughout the facility to wash vehicles. The existing vehicle bays have overhead air lines, electricity, and fluid dispensers that meet the needs for maintenance.

AC 150/5220-18A, Chapter 1, Section 1-2 classifies airport size by their “total paved runway as identified by the airport operator’s winter storm management plan that will be clear of snow, ice, and/or slush.” SUN has over 1,000,000 square feet of total paved runway which means that SUN is classified as a very large airport. According to AC 150/5220-18A, Table 3-3, very large size airports should have two maintenance bays that are 1,000 square feet per bay. Wash bays for large and very large-sized airports should measure 1,000 square feet as well.

Maintenance shops and wash bays are eligible under guidance found in the AIP handbook, although the Handbook only allows for one maintenance bay sized for safety or security equipment (i.e., ARFF equipment). According to Airport staff, the maintenance area is sufficiently sized for the needs of the Airport; however, the Airport desires an overhead hoist/crane system, which is also AIP-eligible.

Parts and Equipment Storage

There is minimal storage in the main SRE and maintenance facilities for additional equipment and vehicle attachments. The existing 117-square-foot storage room located in the mezzanine level of the SRE facility is used to

store small parts for SRE and maintenance equipment and at capacity. Cores for sweeper equipment are stored in hangars on the Airport discussed previously. Additional spare parts for SRE vehicles are stored in a variety of buildings around the Airport. As discussed previously, bucket and plow attachments are stored outside to accommodate vehicles in storage facilities. The Airport desires new storage areas to replace the multiple facilities being used to house parts and equipment, which would ideally be heated and properly insulated to protect and extend the useful life of equipment.

According to AC 150/5220-18A, it is ideal to designate storage areas in one location for parts and equipment collocated with SRE and maintenance facilities. While there is room dedicated to parts storage in the SRE and maintenance facilities, it is undersized and is only large enough for small equipment parts. According to AC 150/5220-18A, Table 3-3, very large airports have a typical space allocation for a parts area associated with snow removal operations of 1,000 square feet. Additionally, parts areas associated directly with snow vehicles should be at least 400 square feet. While AC 150/5220-18A provides typical space allocations, the final floor allocations for SRE parts and equipment should be determined by the airport operator.

Based on AC 150/5220-18A, the Airport's needs, and the existing parts storage, SUN requires an additional 1,000 square feet to accommodate existing SRE parts and attachments. Based on guidance in the AIP Handbook, parts and equipment storage is not AIP-eligible. Should the Airport add additional parts and equipment storage space, the Airport will be required to fund it themselves or through other avenues, such as state funding.

Sand and Chemical Storage

AC 150/5220-18A and current AIP eligibility requirements allow for funding of indoor sand and chemical storage areas. Heated sand storage areas prevent moisture in the sand from freezing, which requires more effort to load and may hamper response times during snow events. According to AC 150/5220-18A, sand and chemical storage should be sized to reduce restriction or difficulty of loading solid materials onto spreader trucks and ensure that solid material does not spill outside the limits of the storage floor area during delivery. AC 150/5220-18A stipulates that space allocation for solid de/anti-icers and sand should be determined by the Airport's operational requirements and historical usage amounts. Additionally, FAA guidance stipulates that caution should be taken when determining floor areas to consider the approach that the Airport uses to combat the type of winter storms that occur at the Airport. The difficulty in receiving new material deliveries and replenishing them during storms also needs to be considered. At SUN, there is no existing sand storage because there is no space available for sand and the Airport does currently not use sand.

SUN staff require storage for liquid chemicals. SUN requires the following space allocations for chemicals:

- One 6,500-gallon tank of liquid deice chemicals
- Two 3,000-gallon tanks of liquid deice chemicals

Based on these factors, approximately 400 square feet of chemical storage is required by the Airport and is AIP-eligible under current FAA guidance.

Office and Personnel Support Space

Although office and personnel support spaces are not eligible for FAA funding under current AIP guidelines, they are important to consider when determining facility needs. AC 150/5220-18A recommends that the building configuration include areas for administrative and operational functions such as training rooms. The existing personnel area in the SRE facility is approximately 178 square feet which includes an SRE/maintenance office and a

unisex restroom. This does not include administration offices located in the north end of the building. The Airport does not require additional office and personnel support space to meet the existing and future needs of the Airport.

Additional Support Space

Lastly, the existing SRE facility contains approximately 278 square feet of space reserved for miscellaneous support functions including combustible liquid storage and a welding shop. While these spaces are not eligible for FAA funding under current AIP guidelines, they are important to consider when determining facility needs. Airport staff has indicated that the additional support space is sufficient for the existing and future needs of the Airport.

SRE Capacity Assessment Summary

SRE and maintenance space requirements are summarized in **Table 2-15**. The existing facility does not have adequate vehicle storage and the vehicle storage layout is inadequate to store all of the Airport's AIP-eligible SRE and attachments. Development of alternatives for SRE and maintenance space will seek to satisfy these requirements. Subsequent sections evaluate alternatives that provide additional space in the areas identified and more efficient vehicle storage and circulation.

Table 2-15: SRE and Maintenance Facility Space Requirements

Functional Area	Existing SF	Additional Required SF	Total Required SF	AIP Eligible
Vehicle Storage	4,680	29,285	33,965	Partially ¹
Vehicle Circulation	1,120	2,500	1,380	Yes ¹
Maintenance Shop and Wash Bay	572	0	572	Yes
Parts and Equipment Storage	117	1,000	1,117	No
Sand and Chemical Storage	0	400	400	Yes
Office and Personnel Support Space	178	0	178	No
Additional Support Space	278	0	278	No
Total	6,945	33,185	36,510	-

Source: Airport Staff; Mead & Hunt, 2021.

Notes:

¹ Eligibility of specific vehicle storage and circulation spaces would be dependent on the building design and space may not be eligible for storing large vehicles with attachments on the vehicle.

SF = Square Feet

2.6. Terminal Complex Capacity Summary

This capacity analysis has determined that nearly all functional components in the terminal building and surrounding area are not operating at an acceptable LOS. Achieving a highly functioning facility that adequately meets passenger demand will require renovation and expansion of the terminal. The Airport's immediate priorities for expansion are the ticket counters and airline ticket office space, baggage screening and outbound baggage make-up, passenger security screening checkpoint, and departures lounge. This near-term focus is appropriate, given how these areas affect four major departures processes. Airline and TSA staff must work within very limited spaces and delays in any one process has potential to cause flight delays.

With new instrument approach procedures reducing flight diversions, repurposing the bus lounge and adjacent spaces to other uses would allow the Airport to expand three departures processing components and raise LOS in the terminal. Addressing the departures lounge and baggage claim capacity constraints will also improve passenger

LOS and allow expansion of the flight schedule. Adding aircraft gates is a challenge and expanding vehicle parking expansion are challenges of greater magnitude and may require relocating hangars and other Airport structures and functions.

Alternatives for expanding SRE storage capacity may include construction of a new building near the existing Operations Center. Impacts to the adjacent upper-level terminal parking lot should be carefully considered before the size and location of this facility is finalized. Terminal building, parking, and SRE storage alternatives should also consider the need to relocate the air traffic control tower to the west side of the runway, several options for which were studied as part of the recent master plan update. Expansion of the terminal curb should also be considered, either directly along the present curb or by creating drive-through pickup and drop-off spaces in the parking lot.

Upgrading aircraft boarding operations by installing passenger boarding bridges would provide another LOS and safety improvement. Boarding bridges would affect existing ground service operations on the apron. Providing a covered walkway along the north face of the building may provide a near-term option until this project becomes viable.

Completing the departures process component projects will provide a better passenger experience, as will the building's updated interior design. The Airport will then be able to move forward with addressing other issues, particularly those that involve growing the Airport and its ability to bring more visitors to the Valley while maintaining a high LOS and value to its local population.

Chapter 3

Terminal Building and Terminal Area Concepts

3.1. Introduction

The conceptual planning process is designed to evaluate the information gathered during the inventory, and capacity analysis stages of the planning process and use this information to develop preliminary concept alternatives that meet the goals and objectives of the Terminal Area Plan (TAP) for Friedman Memorial Airport (SUN or Airport). The terminal building alternatives and terminal area alternatives presented in this chapter are the result of collaboration between the Consultant Team, Airport Staff, and terminal building tenants including the airlines, the car rental companies and the Transportation Security Administration (TSA).

This chapter outlines the planning assumptions that informed the development of the terminal building and terminal area concepts as well as the goals the alternatives are designed to achieve. Terminal building opportunities and constraints are also presented. Lastly, a screening matrix is utilized to compare the terminal building and terminal area alternative concepts.

3.2. Assumptions and Goals

A series of fundamental reasoning assumptions and development goals drive the planning process and influence the recommendation of the long-term development program for the Airport. The following assumptions and goals guide the development and analysis of a range of alternatives designed to accommodate current and future needs of the Airport:

Assumption One: Improvements must comply with local, state, and federal regulations. The Airport will be developed and operated in a manner that is consistent with local ordinances and codes, federate and state statutes, federal grant assurances, and Federal Aviation Administration (FAA) regulations.

Assumption Two: The role of the Airport will remain the same and terminal improvements are needed today. The Airport will continue to serve as a facility that accommodates commercial passenger service activity and general aviation activity. Improvements to the terminal and the terminal area are needed to accommodate existing activity levels as well as projected future growth.

Assumption Three: The Airport will continue to provide a safe and reliable operating environment. This requires that various terminal areas be segregated as much as possible and given an appropriate amount of space.

Assumption Four: Future terminal area development must accommodate vehicle parking and access. Impacts to the terminal curb, terminal loop roads and parking network must be considered so that convenient access for passengers, rental car companies, and other transportation stakeholders in continuously provided.

Assumption Five: The area available for development is constrained. Therefore, the plan for future terminal development should strive to make the most efficient use of the very limited space available.

3.3. Goals for Development

Complimenting these assumptions are several goals, which have been established for the purposes of directing the planning and establishing continuity for future terminal building and terminal area development. These goals consider the Airport's short-term and long-term needs and include capacity, flexibility, financial, feasibility, construction phasing, passenger service, placemaking, security, safety, and support function considerations. The goals for terminal building and terminal area development at SUN are:

- Improve passenger level of service
- Address terminal space and code deficiencies
- Provide for future facilities that are flexible, cost effective and financially feasible
- Recommend development that can be phased
- Reflect the character of Sun Valley and the existing airport environs
- Provide a flexible response to varying security requirements in a reasonable, safe, and efficient manner
- Accommodate Snow Removal Equipment (SRE)/maintenance and other airport support facilities

3.4. Opportunities and Constraints

The passenger terminal development area is defined by the commercial aircraft parking apron to the north, the parallel taxiway to the east, the SRE building to the south and the parking lots and vehicle access to the west. The potential area for terminal expansion in this location is very limited. **Figure 3-1** illustrates the primary opportunities (green) and constraints (red) for any potential expansion of the terminal building:

- Expansion to the north is limited by aircraft parking but needed to address departure lounge building code exceedances.
- Expansion to the east is limited by the proximity to the taxiway; however, expansion in the Security Screening Check Point (SSCP) area is necessary to the east.
- The structural and mechanical areas of the terminal limit interior renovation options.
- The Porte Cochere structure limits terminal and roadway/curb expansion to the west.
- There is underutilized space in the terminal Great Room that could potentially be converted into future departure lounge space to address building code issues.
- There is an overhang north of the baggage claim that could provide additional terminal space and there is area to the west of baggage claim that could be available for terminal expansion.


Figure 3-2 illustrates the primary opportunities (green) and constraints (red) for the terminal area:

- Terminal area facilities expansion is constrained by aircraft storage hangars both north and south of the terminal.
- The location of airport administrative offices and Snow Removal Equipment (SRE) storage is also constraining.
- The potential future Airport Traffic Control Tower (ATCT) sites are constraints.
- The area immediately south of the lower-level parking lot is an opportunity for parking expansion.
- The three areas off airport property to the west are opportunities for future parking expansion but would require land acquisition.



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-1 Terminal Building Opportunities and Constraints



NOTE: This illustration is intended for study purposes only and is not intended for implementation.



-  Terminal Area Expansion Opportunities
-  Terminal Area Expansion Constraints

FIGURE 3-2 Terminal Area Opportunities and Constraints

Terminal Building and Terminal Area Alternative Concepts

Terminal Building Recommended Development Program

The refined Terminal Building Development Program is intended to meet the Short- to Medium Term growth at Planning Activity Level (PAL) 3 at SUN and accommodate up to 130,000 annual passengers and up to 273 peak hour passengers. The PAL 3 program recommendations are included in the second column in **Table 3-1**.

Table 3-1: Refined Terminal Building Development Program Comparison

SUN Terminal Facility Space Assessment August 2021		
<i>Note: Aviation demand is indicated by Planning Activity Levels (PALs)</i>	Existing Facility	PAL 3 MP
Annual Enplaned Passengers		130,000
Peak Hour Enplaned Passengers		273
	GSF	Recommended Gross Square Footage
Concourse		
Gates: Ground Boarding	0	4
Departures Lounge and Gate Area	3,920	6,996
Circulation	1,640	5,222
Restrooms	725	2,254
Concessions, Vending, Seating	380	1,365
Concourse Total	6,665	15,837
Security Checkpoint		
Number of CP Lanes	1	2
Passenger Screening	1,655	2,600
Checkpoint Queueing	540	800
Checkpoint Exit	275	400
Checkpoint Total	2,470	3,800
Terminal		
Baggage Carousels	1	2
Circulation and Queuing	8,235	10,216
Public Seating	2,275	1,119
Bag Claim and Seating	2,160	6,238
Public Restrooms	1,215	2,610
Concessions and Vending	180	234
Public Area Subtotal	14,065	20,416
(NP) Baggage Screening and Conveyors	340	1,500
(NP) Inbound/Outbound Baggage	1,700	3,000
(NP) Airline Areas	1,480	2,921
(NP) Car Rental Areas	675	660
(NP) Leased Space	1,490	1,335
(NP) Airport Offices and Support Areas	1,225	1,464
Nonpublic Area Subtotal	6,910	10,880
Building Utilities, Structure and Chases	2,795	5,984
Terminal Total	23,770	37,280
Terminal Facility Total	32,905	56,917

Source: FAA Advisory Circulars, Airports Cooperative Research Program and Mead & Hunt.

Note: GSF = Gross Square Feet

3.5. Preliminary Terminal Building Alternative Concepts

A series of initial terminal building alternative concepts were developed and are presented on the following pages that delineate potential terminal footprint and configuration options for a future expanded and renovated terminal building. The purpose of these initial concepts is to explore alternative terminal layouts and configurations that can be developed in a phased manner and address the major capacity deficiencies, flow issues, and lack of space challenges in the existing terminal. Each terminal building alternative concept address the same level of forecast activity and the primary constraints and opportunities relative to the terminal area. The terminal program presented in Chapter 2 indicates that approximately 56,000 square feet of terminal space is needed by 2030; however, there are efficiencies in the space configuration of the concepts presented in this chapter, which result in a reduction of the estimated space considered necessary. Each of the three alternative concepts provides approximately 50,000 square feet of total space. It is also important to note the components of these concepts could be mixed and matched and combined in a hybrid concept to be carried forward as opposed to just selecting one single alternative.

Assumptions for All Preliminary Alternative Concepts

The following alternatives concepts have different features, layouts and configurations to accommodate current and projected passenger activity at SUN. However, there are a number of assumptions/considerations that are necessary and included in ALL the following alternative Concepts. Those assumptions/considerations include:

- Additional baggage screening space is needed for both capacity and safety purposes.
- Terminal baggage screening expansion can only go east.
- Additional space is needed for security screening, and it can only go east.
- Additional departure lounge space is needed.
- Additional baggage claim space is needed.
- Additional vehicle parking is needed, and any parking lost due to terminal expansion must be at a minimum, replaced.
- The porte cochere structure needs to be removed.

Preliminary Terminal Building Alternative Concept 1

Preliminary Terminal Building Concept 1 is illustrated in **Figure 3-3** on the following page and described below.

Preliminary Terminal Building Alternative Concept 1 Features:

- Eastward expansion of outbound baggage makeup area and installation of two checked baggage inspection lanes, including explosive trace detection equipment.
- Westward expansion of ticketing hall and reconfiguration of entrance hall, ticketing, and airline areas.
- Relocation of TSA offices.
- Eastward expansion of TSA security checkpoint under the existing overhang to accommodate second screening lane.
- Eastward expansion of departures lounge in area where baggage claim currently exists.
- Addition of automated exit device doors to restrict movement between sterile and unsterile areas.
- Expansion of departure lounge to address building code issues through conversion of existing pre-security lounge area to post-security space featuring three new restrooms and a new mothers' room.
- Westward expansion of baggage claim area and installation of a large, sloped plate device with space for passengers to surround the device on all sides.
- Southward expansion of baggage claim hall and relocation of rental car offices and counters.
- Addition of restrooms through conversion of existing rental car space.


Terminal Building and Terminal Area Alternative Concepts

Potential Advantages of Preliminary Terminal Building Alternative Concept 1:

- Outbound baggage makeup area accommodates additional activity, addresses existing safety concerns, and improves the process for oversize bags.
- Ticketing hall accommodates additional passengers.
- Ticketing hall renovations fulfill needs that were identified during 2015 Runway Safety Area Program efforts but were never addressed and implemented.
- Airline areas have adequate space.
- TSA offices are relocated to better placement adjacent to passenger screening while maintaining access to baggage screening.
- TSA security checkpoint accommodates additional passengers and queuing.
- Departures lounge area gains recomposure area, additional restrooms, and is sized to accommodate additional passengers and flights and address building code issues.
- Automated exit device doors protect sterile area and provide access to arrivals hall/baggage claim.
- Arrivals hall accommodates additional passengers and gains additional restrooms.
- Baggage claim area accommodates additional passengers and baggage.
- Rental car area accommodates additional passengers.
- Allows for phased construction.

Potential Disadvantages of Preliminary Terminal Building Alternative Concept 1:

- TSA would prefer to combine the outbound belts in partially integrated system.
- Airlines would prefer more capacity in outbound baggage makeup to assist in meeting turnaround targets.
- The terminal expansion to the west requires reconfiguration and remarking of terminal loop road lanes.
- The expansion to the west would also require replacement or relocation of the Porte Cochere structure.



LEGEND

- STRUCTURAL ELEMENT
- MECHANICAL ELEMENT
- BUILDING MODIFICATION
- BUILDING ADDITION



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-3 Preliminary Terminal Building Alternative Concept 1

Preliminary Terminal Building Alternative Concept 2

Preliminary Terminal Building Alternative Concept 2 is illustrated in **Figure 3-4** and described below.

Preliminary Terminal Building Alternative Concept 2 Features:


- Eastward expansion of outbound baggage makeup area and installation of two checked baggage inspection lanes, including explosive trace detection equipment (similar as Alternative 1).
- No west expansion of terminal and vehicle lanes/curb remain the same.
- Relocation of TSA offices (smaller space than Alternative 1).
- Eastward expansion of TSA security checkpoint to accommodate second screening lane (same as Alternative 1).
- Eastward expansion of departures lounge, creating recomposure area (same as Alternative 1).
- Addition of automated exit device doors to restrict movement between sterile and unsterile areas (same as Alternative 1).
- Expansion of departure lounge to address building code issues through conversion of existing pre-security lounge area to post-security space featuring three new restrooms and a new mothers' room (same as Alternative 1).
- Westward expansion of baggage claim area and installation of single flat plate device.
- Addition of restrooms in arrival hall/baggage claim area.

Potential Advantages of Preliminary Terminal Building Alternative Concept 2:

- Outbound baggage makeup area accommodates additional activity, including streamlining process for oversize bags.
- TSA offices are relocated to better placement adjacent to passenger screening while maintaining access to baggage screening.
- TSA security checkpoint accommodates additional passengers (same as Alternative 1).
- Departures lounge area gains recomposure area and is sized to accommodate additional passengers and flights and to address building code issues (no additional restrooms).
- Automated exit device doors protect sterile area and provide access to arrivals hall/baggage claim.
- Arrivals hall gains additional restrooms.
- Baggage claim area accommodates additional passengers and baggage.
- Allows for phased construction.
- Smaller total footprint expansion total than Alternative 1.

Potential Disadvantages of Preliminary Terminal Building Alternative Concept 2:

- The ticketing hall remain relatively the same and offers less space to ticketing hall/queuing, ticket counter, ATO, outbound baggage makeup, and checked bag inspection than Alternative 1.
- Smaller airlines office space than Alternative 1.
- Does not provide an additional entrance to ticketing hall.
- Smaller allocation of space for TSA offices.
- Less additional space overall in departures lounge.
- Arrivals hall and rental car area cannot accommodate additional passengers.



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-4 Preliminary Terminal Building Alternative Concept 2

Preliminary Terminal Building Alternative Concept 3

Preliminary Terminal Building Alternative Concept 3 is illustrated in **Figure 3-5** and described below.

Preliminary Terminal Building Alternative Concept 3 Features:


- Eastward and southward expansion of outbound baggage makeup area, installation of integrated checked inspection system, including explosive trace detection equipment.
- Reconfiguration of entrance hall, ticketing, and airline areas (smaller spaces than Alternatives 1 and 2).
- Additional entrance to ticketing hall.
- Relocation of TSA offices (same as Alternative 1).
- Eastward expansion of TSA security checkpoint to accommodate second screening lane (same as Alternatives 1 and 2).
- Eastward expansion of departures lounge, creating recomposure area (same as Alternatives 1 and 2).
- Addition of automated exit device doors to restrict movement between sterile and unsterile areas (same as Alternatives 1 and 2).
- Expansion of departure lounge to address building code issues through conversion of existing pre-security lounge area to post-security space featuring three new restrooms and a new mothers' room (same as Alternatives 1 and 2).
- Northward expansion of arrivals hall and addition of restrooms in this area.
- Westward and northward expansion of baggage claim area and installation of dual flat plate devices.

Potential Advantages of Preliminary Terminal Building Alternative Concept 3:

- Outbound baggage makeup accommodates additional activity.
- Ticketing hall renovations fulfill needs identified during 2015 Runway Safety Area Program efforts.
- Airline areas have adequate space.
- TSA offices are relocated to better placement adjacent to passenger screening while maintaining access to baggage screening.
- TSA security checkpoint accommodates additional passengers.
- Departures lounge area gains recomposure area, additional restrooms, and is sized to accommodate additional passengers and flights and to address building code issues.
- Automated exit device doors protect sterile area and provide access to arrivals hall/baggage claim.
- Baggage claim area accommodates additional passengers and baggage and has full redundancy due to two devices.

Potential Disadvantages of Preliminary Terminal Building Alternative Concept 3:

- Ticketing hall cannot accommodate additional passengers.
- Rental car area cannot accommodate additional passengers.
- Smaller airlines office space than Alternative 1.
- Smaller allocation of space for TSA offices.
- Less additional space overall in departures lounge.



LEGEND

	STRUCTURAL ELEMENT
	MECHANICAL ELEMENT
	BUILDING MODIFICATION
	BUILDING ADDITION



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-5 Terminal Building Alternative Concept 3

Terminal Building and Terminal Area Alternative Concepts

Preliminary Terminal Building Alternative Concepts Evaluation and Summary

To evaluate the preliminary terminal building alternative concepts individually and against all concepts, a set of evaluation criteria was established based on three broad screening elements:

- Passenger Experience
- Safety and Operational Efficiency
- Sustainability and Environment

Specific screening criteria was developed for these elements and used to evaluate the alternative concepts in **Table 3-2**. This screening matrix illustrates a comparison of the strengths and weaknesses of each terminal building alternative concept previously described.

Table 3-2: Preliminary Terminal Building Alternative Concepts Screening Matrix

Screening Criteria	Preliminary Concept 1	Preliminary Concept 2	Preliminary Concept 3
Passenger Experience			
Provides Additional SSCP Queuing Space	✓	✓	✓
Increases Departure Lounge Space	✓	■	■
Improves Baggage Claim Facilities	✓	✓	■
Adds Adequate Concessions Space	■	■	■
Safety and Operational Efficiency			
Enhances safety in TSA Baggage Screening	✓	■	✓
Supports Improved TSA Baggage Screening	✓	■	✓
Provides standard, three lane curb front roadway	✓	✗	✗
Sustainability and Environment			
Reuses Existing Facilities to the Extent Practical	■	✓	✓
Minimizes Potential for Environmental Impacts	✓	✓	✓
Substantial enough renovation to incorporate sustainable building features	✓	✓	✓

Source: Mead & Hunt, 2021.

Note:
 ✓ Strength of the Concept.
 ■ Neither a Strength nor a Weakness of the Concept.
 ✗ Weakness of the Concept.

Based on a review of the terminal building alternatives, and confirmation through the screening analysis for each concept, the Airport Authority Board selected Terminal Building Concept 1 as the most favorable medium-term development concept for the SUN terminal building. This concept best lends itself to the most improvements to passenger experience, safety and operational efficiency, and sustainability and environment considerations. Additionally, the Airport Authority Board strongly favored the reconfiguration of the terminal loop roadway and curb to better meet industry standards and reduce congestion as approximately 75 percent of the vehicles who pass through the ticket machines at SUN do not park and are accessing the curb in some way. Based on this feedback, Terminal Building Alternative Concept 1 is incorporated into the conceptual development plan that illustrates the overall terminal area concept at the end of this chapter.

3.6. Refined Terminal Building Concept and Phasing

Following selection by the Airport Authority Board of Terminal Alternative Concept 1, the concept was refined and additional detail added. To address both the highest needs (baggage makeup, ATO and SSCP reconfirmation) the refined concept was separated into two distinct phases, Phases 1 and 2.


The proposed two phase terminal and additional refined detail are illustrated in **Figure 3-6** and **Figure 3-7** with the red dashed line delineating the differences between the two alternatives.

Refined Terminal Concept Phase 1. In Phase 1, the terminal is expanded both east and west to accommodate reconfigured outbound baggage, airline ticket offices and counters and ticket counter queuing. The TSA offices are also reconfigured and additional space is provided between TSA offices and the checkpoint to accommodate passenger queuing.

A second securing screening lane is added and adequate passenger recomposure space is provided. In the departures lounge area, additional space is added by converting existing space in the center of the terminal. Family restrooms, a mother's room and a maintenance room are also added in this area. The reconfigured and expanded Phase 1 terminal plan would significantly increase space, passenger comfort and convenience.


Refined Terminal Concept Phase 2. In Phase 2 the terminal is primarily expanded to the west and the existing baggage claim area is relocated west and this space is converted into new departure lounge. The primary refinements were the relocation of the rental car offices and counters and a conversion of existing rental car space into future concessions.

Phase 2 recommends a large, sloped plate or inclined baggage devise with an overhead feed from the inbound belt to the center of the device. This allows for passenger to surround the entire baggage carousel and increases capacity and passenger convenience. Restrooms are also provided in between the car rental area and the concessions area.



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-6 Refined Terminal Concept, Phase 1



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-7 Refined Terminal Concept, Phase 2

3.7. Terminal Area Alternatives

Following the decisions on the preferred terminal building concept (Concept 1), additional airport and terminal support facilities within the terminal area were assessed and concepts developed for expansion or replacement of facilities including a new Snow Removal Equipment (SRE) facility, expanded vehicle parking, an Airport Traffic Control Tower (ATCT), and a rental car quick turn area (QTA). Two concepts were developed and are presented in the following sections.

Terminal Area Alternative 1

Terminal Area Concept 1 is illustrated in **Figure 3-8** on the following page and described below.

Terminal Area Alternative Concept 1 Features:


- A three-lane vehicle curbside roadway is provided and the upper parking lot is reconfigured.
- A Proposed South Parking Lot is included south of the existing lower lot resulting in 394 total vehicle parking spaces.
- A cell phone/short term parking lot is provided south of the upper lot.
- A 150' x 100' SRE building is recommended with space for SRE equipment to pull through and make a 180 degree turn as illustrated.
- Space is reserved for a future ATCT south of the future SRE building. Grading and fill are required, and the fuel farm is relocated to create space for the ATCT and parking.
- Space for a future rental car QCT facility is provided just off airport property to the west of the terminal area. Land acquisition would be required for this QTA facility.

Potential Advantages of Terminal Building Alternative Concept 1:

- Accommodates proposed terminal expansion footprint.
- Provides for an industry standard, three-lane curbside road that will reduce curbside congestion.
- Adds additional south parking to replace parking lost by reconfiguration of the upper lot.
- Provides adequate SRE building to accommodate future SRE equipment.
- Provides for short terminal parking lot for terminal passengers being picked up.
- Sites future ATCT away from the terminal building.
- Provides space for future rental car QTA facility.

Potential Disadvantages of Terminal Building Alternative Concept 1:

- The proposed reconfiguration of the terminal curb roadway and upper parking lot results in a loss of parking spaces.
- The proposed south parking lot only provides spaces for replacement of the spaces lost on the upper lot meaning the alternative DOES NOT provide additional vehicle parking.
- The ATCT site would require relocation of the fuel farm.
- The ATCT site would require significant grading work to level the site.
- The rental car QTA facility would require land acquisition.
- The SRE building would require relocation of existing fuel pumps.



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-8 Terminal Area Alternative 1

Terminal Area Alternative 2

Preliminary Terminal Area Concept 2 is illustrated in **Figure 3-8** on the following page and described below.

Terminal Area Alternative Concept 2 Features:


- A three-lane vehicle curbside roadway is provided, and the upper parking lot is reconfigured.
- A Proposed South Parking Lot is included with approximately 27 additional spaces over that provided in Alternative Concept 1 (421 total vehicle parking spaces). These additional spaces do require reconfiguration of the primary vehicle exit.
- A cell phone/short term parking lot is provided south of the upper lot.
- A 150' x 80' SRE building is recommended with space for SRE equipment to pull through and make a 180 degree turn as illustrated.
- Space is reserved for a future ATCT south of the upper parking lot with additional space for ATCT vehicle parking.
- Space for a future rental car QCT facility on airport property to the south of the south lower lot.

Potential Advantages of Terminal Building Alternative Concept 2:

- Accommodates proposed terminal expansion footprint.
- Provides for an industry standard, three-lane curbside road that will reduce curbside congestion.
- Adds additional south parking to replace parking lost by reconfiguration of the upper lot and adds approximately 27 spaces over Alternative 1.
- Provides for short terminal parking lot for terminal passengers being picked up.
- Provides space for future rental car QTA facility.

Potential Disadvantages of Terminal Building Alternative Concept 2:

- DOES NOT provide adequate SRE equipment storage space.
- Th ATCT site is in close proximity to the terminal building, further constraining the terminal area.
- The SRE building would require relocation of existing fuel pumps.



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-9 Terminal Area Alternative 2

Terminal Building and Terminal Area Alternative Concepts

Preliminary Terminal Area Alternative Concepts Evaluation and Summary

To evaluate the preliminary terminal area alternative concepts individually and against each other, a set of evaluation criteria was established based on four broad screening elements:

- Passenger Experience
- Safety and Operational Efficiency
- Sustainability and Environment
- Implementation, Phasing, and Feasibility

Specific screening criteria was developed for these elements and used to evaluate the alternative concepts in **Table 3-3**. This screening matrix illustrates a comparison of the strengths and weaknesses of each terminal building alternative concept previously described.

Table 3-3: Terminal Area Alternative Concepts Screening Matrix

Screening Criteria	Alternative 1	Alternative 2
Passenger Experience		
Maximizes Vehicle Parking	✗	✓
Accommodates and Improves Vehicle Access	■	■
Improves Passenger Level-of-Service	✓	✓
Safety and Operational Efficiency		
Optimal ATCT Location	✗	✓
Accommodates SRE/Maintenance and Other Airport Support Facilities	✗	✓
Sustainability and Environment		
Reuses Existing Facilities to the Extent Practical	✓	■
Minimizes Potential for Environmental Impacts	✓	✓
Implementation, Phasing, and Feasibility		
Allows for Phased Development	✓	✓
Provides for Future Facilities that are Flexible, Cost Effective, and Financially Feasible	✓	✓


Source: Mead & Hunt.

Note: ✓ Strength of the Concept.
■ Neither a Strength nor a Weakness of the Concept.
✗ Weakness of the Concept.

Based on this analysis, the Airport identified Concept 1 Alternative 2 as the Preferred Concept to be incorporated into the Conceptual Development Plan.

3.8. Conceptual Development Plan

Based on a review of the terminal building and terminal area alternative concepts, confirmation through the screening analysis for each, and the refinement process described in this chapter, a Conceptual Development Plan (CDP) was developed and is illustrated in **Figure 3-10**. The CDP primarily reflects the refined versions of Terminal Building Alternative Concept 1 and Terminal Area Alternative 2. This combination was determined to provide the most favorable short- and medium-term development concept for the Airport.



NOTE: This illustration is intended for study purposes only and is not intended for implementation.

FIGURE 3-10 Terminal Area Conceptual Development Plan (CDP)

Chapter 4

Financial Implementation Analysis

4.1. Introduction

This chapter presents a financial implementation analysis for the Terminal Area Plan (TAP). The analysis is generally composed of two elements: establishment of an achievable funding plan and a financial feasibility analysis. The financial feasibility analysis assesses the estimated financial impact of the project(s) and funding plan on airline rates and charges, airport operating costs, and overall net cash flow for the Airport. The financial analysis was conducted on a fiscal year basis (fiscal years ending September 30), with financial projections through FY 2026.

The financial analysis for the TAP was conducted as follows:

- The TAP project was included in the Airport's five-year Capital Improvement Program (CIP), which includes estimated costs and implementation years.
- Potential funding sources were identified and the potential availability of funding from those sources was analyzed, as applicable.
- Projections of operating expenses and nonairline revenues were developed.
- Airline revenues and rates and charges were projected to enable an assessment of the effect of the potential funding plan on key financial results, such as airline rates and charges, cost per enplaned passenger (CPE), and cash flow.

4.2. Capital Improvement Program Projects and Funding

Table 4-1 presents the estimated cost of the TAP project components along with anticipated implementation years. The TAP consists of a design element, followed by construction of the project. Terminal design is assumed to begin in FY 2022. As described in previous chapters of this study, the TAP has been planned in two phases, with space requirements based on forecast passenger activity levels. It is anticipated that the full space requirements through Phase 2 of the project would be needed by FY 2025. Therefore, for purposes of this financial analysis, it was assumed that both phases would be constructed in FY 2024, with FY 2025 representing the date of beneficial occupancy of the renovated/expanded terminal (first full fiscal year following construction completion).

Table 4-1: Terminal Area Plan Schedule and Estimated Cost

Project	Implementation Year	Estimated Cost
Terminal Design and Soft Costs	FY 2022	\$3,830,883
Construct Terminal Expansion Phase 1 and 2	FY 2024	17,500,000
Total Terminal Area Plan		\$21,330,883

Notes:

Fiscal Year (FY) ending September 30.

1 Soft Costs for the terminal project include inspecting/testing, insurance, bonding, and owner's contingency.

Source: Mead & Hunt, 2021.

Separate from the TAP, the Authority plans to undertake several additional Airport projects over the next five years, as defined in its CIP. Determination of an appropriate funding plan for the TAP requires evaluating the TAP

Financial Implementation Analysis

in the context of the Airport's overall CIP. **Table 4-2** presents the Airport's CIP for FY 2022 through FY 2026, including TAP elements in FY 2022 and FY 2024.

Table 4-2: Five-Year Capital Improvement Program

Projects by Year	Estimated Cost	Estimated Funding Sources				
		AIP Entitlement Grants	AIP Discretionary Grants	Infrastructure Act Grants ¹	Reimbursable Local Funds ²	Local Funds
FY 2022						
Other Projects TBD	\$0	\$0	\$0	\$0	\$0	\$0
Rehabilitate Runway (Mill and Overlay)	7,202,000	1,248,000	5,503,875	0	0	450,125
Parking Lot Expansion - South Lot	800,000	0	0	0	800,000	0
Parking Lot Rehabilitation	550,000	0	0	0	550,000	0
Terminal Design and Soft Costs ³	3,830,883	0	0	0	3,830,883	0
Acquire SRE Equipment (MTE MB5)	684,213	0	0	0	684,213	0
Acquire SRE Equipment (High Speed Blower)	770,000	0	0	0	770,000	0
AWOS Required Upgrade	100,000	0	0	0	100,000	0
General Aviation Pilot Lounge	150,000	0	0	0	150,000	0
Admin Projects	38,000	0	0	0	38,000	0
Security Projects	20,000	0	0	0	20,000	0
Operational Projects	210,000	0	0	0	210,000	0
Total FY 2022	\$14,355,096	\$1,248,000	\$5,503,875	\$0	\$7,153,096	\$450,125
FY 2023						
Other Projects TBD	\$0	\$0	\$0	\$0	\$0	\$0
Control Tower/Airspace/Siting Analysis	75,000	0	0	70,313	0	4,687
Control Tower Design & Permitting	350,000	0	0	328,125	0	21,875
Construct SRE Storage Building	2,144,180	0	0	849,562	1,294,618	0
Design/Construct Short Term Parking	207,472	0	0	0	207,472	0
Total FY 2023	\$2,776,652	\$0	\$0	\$1,248,000	\$1,502,090	\$26,562
FY 2024						
Construct Control Tower, Site Prep, Parking	\$6,500,000	\$1,792,875	\$0	\$1,248,000	\$0	\$3,459,125
Airport Master Plan Update	750,000	703,125	0	0	0	46,875
Construct Terminal Expansion Phase 1 and 2	17,500,000	0	16,406,250	0	0	1,093,750
Total FY 2024	\$24,750,000	\$2,496,000	\$16,406,250	\$1,248,000	\$0	\$4,599,750
FY 2025						
New General Aviation Hangar Area	\$1,400,000	\$64,500	\$0	\$1,248,000	\$0	\$87,500

Financial Implementation Analysis

Projects by Year	Estimated Cost	Estimated Funding Sources				
		AIP Entitlement Grants	AIP Discretionary Grants	Infrastructure Act Grants ¹	Reimbursable Local Funds ²	Local Funds
Design/Construct South Parking Lot/Exit Road	751,500	704,531	0	0	0	46,969
Total FY 2025	\$2,151,500	\$769,031	\$0	\$1,248,000	\$0	\$134,469
FY 2026						
Acquire SRE Equipment	\$750,000	\$0	\$0	\$703,125	\$0	\$46,875
Airfield Pavement Maintenance	500,000	0	0	468,750	0	31,250
Design/Construct Rental Car QTA Facility	2,840,989	0	0	0	0	2,840,989
	\$4,090,989	\$0	\$0	\$1,171,875	\$0	\$2,919,114
Total Capital Improvement Program	\$48,124,237	\$4,513,031	\$21,910,125	\$4,915,875	\$8,655,186	\$8,130,020

Notes:

Fiscal Year (FY) ending September 30.

AIP – Airport Improvement Program; AWOS – Automated Weather Observing System; SRE – Snow Removal Equipment; QTA – Quick Turnaround.

1 Infrastructure Investment and Jobs Act of 2021.

2 Certain local funding is reimbursable through COVID-19 federal relief funding.

3 Soft Costs for the terminal project include inspecting/testing, insurance, bonding, and owner's contingency.

Sources: Friedman Memorial Airport Authority and Mead & Hunt, 2022.

As presented, the CIP serves as a critical planning tool for the Federal Aviation Administration (FAA) in establishing priorities and budgeting expenditures at the Airport when compared with the needs of other airports. From the local perspectives of the City of Hailey, Blaine County, and the Airport Authority Board, the CIP identifies improvement needs and allows budgeting/financial decisions to be made with a comprehensive understanding of financial implications. The CIP presented herein represents a five-year plan for projects, costs, and funding at the time this report was published. The CIP is regularly reviewed and revised as necessary, so CIP information presented in this report is subject to change.

The overall funding strategy is to maximize opportunities to receive federal funds, within the context of and in recognition of the amount of local funds available to support capital needs. While the FAA uses the CIP for programming purposes, neither the federal government, the City of Hailey nor Blaine County are financially obligated to provide funding for the CIP. **If federal matching funds are unavailable for a project, it is unlikely that local funding will cover its cost and the project will be deferred until non-local funding becomes available.**

Capital Improvement Program Funding Sources

Airport development is often funded by a combination of public and private sources. The funding plan presented herein does not represent a final plan of finance. Additional actions would need to be undertaken prior to the use of some of these funding sources for specific projects. It is assumed that costs of the combined CIP will ultimately be financed from sources including federal Airport Improvement Program (AIP) and Infrastructure Act grants, and local (Airport/Authority) funds. **Table 4-3** summarizes the estimated CIP funding sources by year. **Table 4-4** summarizes anticipated funding sources for the TAP.

Table 4-3: Capital Improvement Program Funding Summary

Funding Source	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026	Total
AIP Entitlement Grants	\$1,248,000	\$0	\$2,496,000	\$769,031	\$0	\$4,513,031
AIP Discretionary Grants	5,503,875	0	16,406,250	0	0	21,910,125
Infrastructure Act Grants ¹	0	1,248,000	1,248,000	1,248,000	1,171,875	4,915,875
Reimbursable Local Funds ²	7,153,096	1,502,090	0	0	0	8,655,186
Local Funds	450,125	26,562	4,599,750	134,469	2,919,114	8,130,020
Total	\$14,355,096	\$2,776,652	\$24,750,000	\$2,151,500	\$4,090,989	\$48,124,237

Notes:

Fiscal Year (FY) ending September 30.

AIP – Airport Improvement Program.

1 Infrastructure Investment and Jobs Act of 2021.

2 Certain local funding is reimbursable through COVID-19 federal relief funding.

Sources: Friedman Memorial Airport Authority and Mead & Hunt, 2022.

Table 4-4: Terminal Area Plan Funding Summary

Project	Estimated Cost	Estimated Funding Sources				
		AIP Entitlement Grants	AIP Discretionary Grants	Infrastructure Act Grants ¹	Reimbursable Local Funds ²	Local Funds
Terminal Design and Soft Costs ³	\$3,830,883	\$0	\$0	\$0	\$3,830,883	\$0
Construct Terminal Expansion Phase 1 and 2	\$17,500,000	\$0	\$16,406,250	\$0	\$0	\$1,093,750
Total Terminal Area Plan	\$21,330,883	\$0	\$16,406,250	\$0	\$3,830,883	\$1,093,750

Notes:

Fiscal Year (FY) ending September 30.

AIP – Airport Improvement Program.

1 Infrastructure Investment and Jobs Act of 2021.

2 Certain local funding is reimbursable through COVID-19 federal relief funding.

3 Soft Costs for the terminal project include inspecting/testing, insurance, bonding, and owner's contingency.

Sources: Friedman Memorial Airport Authority and Mead & Hunt, 2022.

The following subsections describe the nature and availability of funding sources anticipated to be used for the overall Airport CIP, including the TAP.

Federal Airport Improvement Program Grants

The Airport and Airway Improvement Act of 1982 authorizes federal funding for the AIP from the Airport and Airway Trust Fund for airport development, airport planning, and noise compatibility planning and programs. The Airport and Airway Trust Fund is funded through user taxes on airfares, air freight, and aviation fuel.

The FAA distributes AIP funds in the form of grants to airport sponsors to finance eligible costs of certain airport improvements. AIP grants include passenger entitlement grants and discretionary grants. AIP grants may be used to fund eligible land acquisition, noise mitigation, airfield improvements, airport roadways, planning studies, and safety and security systems and equipment. All AIP grants are subject to a prescribed local match requirement. For

most nonhub airports (such as SUN), the FAA share of eligible costs is up to 90.0 percent, with local matching funds contributing at least 10.0 percent. However, Idaho is one of the states with certain nontaxable and public land areas whereby an upward adjustment in the percentage of federal shares of eligible project costs has been listed in FAA Order 5100.38D, *Airport Improvement Program Handbook* (AIP Handbook). According to Appendix Y of the AIP Handbook, the federal share for AIP grants at nonhub airports in Idaho (including SUN) is 93.75 percent, with a sponsor match requirement of 6.25 percent.

AIP passenger entitlement grants are allocated to airports using a formula set forth in the FAA AIP Handbook, which is based on the number of enplaned passengers served at an airport on an annual basis. In FY 2019, entitlement grants available to the Airport totaled \$1.248 million. In accordance with the AIP entitlement formula, the Airport could expect to receive higher levels of entitlement grant funds as enplaned passengers increase each year. However, for purposes of this analysis, it was conservatively assumed that the Airport would receive \$1.248 million in entitlement grants each year through FY 2026. **Table 4-5** presents the estimated availability and use of AIP entitlement grants assumed in this analysis.

Table 4-5: Airport Improvement Program Entitlement Grants

	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026
Carryover	\$0	\$0	\$1,248,000	\$0	\$478,969
Annual Entitlement	1,248,000	1,248,000	1,248,000	1,248,000	1,248,000
Used for Capital Funding	(1,248,000)	0	(2,496,000)	(769,031)	0
Remaining	\$0	\$1,248,000	\$0	\$478,969	\$1,726,969

Note: Fiscal Year (FY) ending September 30.

Sources: Friedman Memorial Airport Authority and Mead & Hunt, 2021.

Unlike entitlement grants that are allocated by a prescribed formula, AIP discretionary grants are distributed for individual projects based on funding availability and the priority of projects at airports nationwide. The CIP funding plan presented in Table 4-2 includes approximately \$21.9 million in discretionary funding through the planning period, including approximately \$16.4 million for the TAP. Based on an eligibility analysis conducted for Phases 1 and 2 of the TAP, approximately 77 percent of the total project cost is eligible for AIP grant funding. 93.75 percent of the eligible project cost was assumed as AIP discretionary grant funding since all available AIP entitlement grants have been allocated to other projects in FY 2024.

These funding estimates assume the Airport will continue to receive discretionary funding through FY 2026 for higher priority eligible projects. However, the future availability of AIP discretionary grants is not certain until an actual grant is awarded. Therefore, CIP projects for which discretionary funding is anticipated to be used may have to be delayed or postponed until such funds become available, unless other funding sources are identified.

Infrastructure Investment and Jobs Act Grants

The Infrastructure Investment and Jobs Act (IIJA) was signed into law on November 15, 2021. The IIJA is a \$1.2 trillion infrastructure bill that is positive for airports, particularly with the inclusion of \$20 billion for airport funding over the next five years (through FY 2026). It also includes approximately \$5 billion for FAA air traffic facilities and equipment. Additional benefits of the IIJA include its expansion of the Transportation Infrastructure Finance and Innovation Act (TIFIA) Loan program to airport projects and includes funding that may help specific airport projects, such as surface transportation access or energy-related initiatives.

Airport grants from the IJA are not AIP grants but are allocated to airports based on the AIP entitlement formula published in the FAA AIP Handbook. As such, the annual allotment of IJA grant funds is expected to be essentially equal to annual AIP entitlement grant funds for SUN. Consistent with the AIP entitlement grant assumptions noted previously, annual IJA grant funds were assumed to total \$1.248 million per year. Similar to AIP entitlement grants, IJA grant funds available to the Airport would increase each year based on growth in enplaned passengers but were assumed to remain fixed through FY 2026 for a conservative analysis. **Table 4-6** presents the estimated availability and use of IJA grants assumed in this analysis.

Table 4-6: Infrastructure Investment and Jobs Act Grants

	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026
Carryover	\$0	\$1,248,000	\$1,248,000	\$1,248,000	\$1,248,000
Annual Allotment	1,248,000	1,248,000	1,248,000	1,248,000	1,248,000
Capital Funding	0	(1,248,000)	(1,248,000)	(1,248,000)	(1,171,875)
Remaining	\$1,248,000	\$1,248,000	\$1,248,000	\$1,248,000	\$1,324,125

Note: Fiscal Year (FY) ending September 30.

Sources: Friedman Memorial Airport Authority and Mead & Hunt, 2021.

Local Funds

Local funding (i.e., Airport funds or cash) is assumed to be used to fund projects or portions of projects that are not funded through the other funding sources described in this section. Based on the CIP funding plan presented herein, required local funding totals approximately \$16.8 million through FY 2026 (\$8.1 million local funds and \$8.7 million reimbursable local funds).

Certain local funding requirements may be reimbursed through federal aid to airports in response to COVID-19 (federal relief funding), including the Coronavirus Aid, Relief, and Economic Security (CARES) Act, signed into law in March 2020. The CARES Act allocates \$10 billion in grants for airports with an anticipated \$7.4 billion allocated as direct payments to commercial service airports based on a prescribed formula. An additional \$2 billion is allocated to airports based on the AIP entitlement formula. The grants are 100 percent federal share, requiring no local match. CARES Act grant funds may be used for any activity for which airports can lawfully use airport revenues, such as eligible operating and local funding expenses. Based on the prescribed allocation formulas in the CARES Act, the Authority may receive up to \$18.4 million in CARES Act grants, to be expended through FY 2024.

Table 4-7 presents the availability and anticipated use of CARES Act grants assumed in this analysis. With anticipated COVID-19 federal relief reimbursement funding of approximately \$8.7 million, approximately \$8.1 million of local funds in the form of Airport cash would be required to fund remaining CIP costs through FY 2026.

Table 4-7: Coronavirus Aid, Relief, and Economic Security Act Grants

	FY20/FY21	FY 2022	FY 2023	FY 2024
Available	\$18,400,000	\$16,140,172	\$6,987,076	\$2,484,986
Operational Reimbursement	(2,259,828)	(2,000,000)	(3,000,000)	(2,484,986)
Local Funds Reimbursement	0	(7,153,096)	(1,502,090)	0
Remaining	\$16,140,172	\$6,987,076	\$2,484,986	\$0

Note: Fiscal Year (FY) ending September 30.

Sources: Friedman Memorial Airport Authority and Mead & Hunt, 2021.

4.3. Financial Feasibility Analysis

A financial feasibility analysis was conducted to estimate the financial impact of the TAP and overall CIP funding plan on airline rates and charges, airline costs,¹ and net cash flow for the Airport.

Aviation Activity Forecasts

Forecasts of enplaned passengers and aircraft landed weight were developed to support the feasibility analysis and are presented in **Table 4-8**. The enplaned passenger forecast for FY 2022 includes year-to-date passenger records through December 2021 and generally reflects a return to FY 2019 levels, followed by continued moderate growth in FY 2023. Forecast enplaned passenger growth from FY 2024-FY 2026 reflects historical average growth at the Airport from 1996 to 2019. The enplaned passenger forecast used for purposes of this financial analysis is conservative compared to the planning activity levels used to support the TAP space requirements.

Aircraft landed weight projections from FY 2022 to FY 2026 assume annual growth of 2.5 percent for airline landed weight, 1.5 percent for general aviation and air taxi landed weight, and no growth for military landed weight. Total Airport landed weight is projected to increase approximately 2.0 percent annually through the period.

Table 4-8: Historical and Forecast Key Aviation Activity Statistics

Activity	Actual			Forecast				
	FY 2019	FY 2020	FY 2021	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026
Enplaned Passengers								
Alaska	14,362	10,691	13,935	16,554	17,230	17,568	17,923	18,277
Delta	53,702	29,309	49,506	58,811	61,212	62,412	63,672	64,933
United	23,454	15,943	19,053	22,634	23,558	24,020	24,505	24,990
Total Airport	91,518	55,943	82,494	98,000	102,000	104,000	106,100	108,200
<i>Annual Change</i>		-38.9%	47.5%	18.8%	4.1%	2.0%	2.0%	2.0%
Landed Weight¹								
Airline	119,420	97,939	148,478	152,190	155,995	159,895	163,892	167,989
General Aviation	172,570	161,048	192,386	195,272	198,201	201,174	204,192	207,255
Air Taxi	46,153	47,525	61,597	62,521	63,458	64,410	65,376	66,357
Military	4,149	2,732	1,316	1,316	1,316	1,316	1,316	1,316
Total Airport	342,292	309,244	403,776	411,298	418,970	426,794	434,776	442,916
<i>Annual Change</i>		-9.7%	30.6%	1.9%	1.9%	1.9%	1.9%	1.9%

Notes:

Fiscal Year (FY) ending September 30.

¹ Landed weight by aircraft category in thousands of pounds.

Sources: Friedman Memorial Airport Authority, 2021 and Ricondo & Associates, Inc., 2021.

¹ When airlines pay the required Airport rates and charges, it is a cost to the airline and revenue for the Airport.

Terminal Space

The TAP involves renovation and expansion of the existing terminal. Changes in terminal space impact some operational expenses, as well as terminal rental rates and associated airline revenue. **Table 4-9** presents the existing terminal space and anticipated total terminal space upon completion of the TAP in FY 2024.

Table 4-9: Historical and Forecast Key Aviation Activity Statistics

Terminal Space	Existing Area (sq. ft.)	Space Changes (sq. ft.) ¹	Future Area (sq. ft.) ²
Usable Space			
Baggage Claim	2,773	6,107	8,880
Departure Lounge	5,313	819	6,132
Public Restrooms	1,624	763	2,387
Public Waiting/Queuing	9,962	1,920	11,882
Rental Car	585	395	980
Security	1,807	785	2,592
Support/Administration	1,043	(867)	176
Ticketing/Outbound Baggage	4,103	7,100	11,203
TSA	1,035	131	1,166
Total Space	28,245	17,153	45,398
Unusable Space (Support/Admin)	(1,043)	867	(176)
Usable Space³	27,202	18,020	45,222
<i>Increase in Total Space from Existing</i>			61%
<i>Increase in Usable Space from Existing</i>			66%
Airline Rentable Space			
Preferential Space			
Airline Offices	905	3,279	4,184
Baggage Makeup	1,587	1,598	3,185
Ticketing (Counters/Queuing)	671	1,749	2,420
Common Use Space			
Secured Holdroom	4,947	2,365	7,312
Baggage Claim	2,773	4,927	7,700
Total Airline Rentable Space	10,883	13,918	24,801
<i>Increase in Airline Rentable Space from Existing</i>			128%

Notes:

1 Net change in space due to completion of the Terminal Area Plan.

2 Future space beginning in FY 2025 upon completion of the Terminal Area Plan.

3 Usable space excludes support and administration space and is included for purposes of calculating the terminal rental rate per the Airline Agreement.

Sources: Friedman Memorial Airport Authority (existing space); Mead & Hunt, 2022 (future space).

Projected Operating Expenses

Table 4-10 presents projected operating expenses based on the Airport's FY 2022 budget.

Table 4-10: Projection of Operating Expenses

Expenses by Cost Center and Categories	Actual		Preliminary	Budget	Projected			
	FY 2019	FY 2020	FY 2021	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026
Expenses By Cost Center								
Airfield	\$1,182,069	\$883,779	\$1,388,304	\$1,820,228	\$2,015,005	\$2,096,402	\$2,077,088	\$2,159,844
Terminal	907,201	1,068,043	1,204,433	1,036,121	1,153,199	1,206,134	1,533,967	1,603,567
Ground Transportation	1,087,335	1,158,772	908,486	924,869	660,256	672,543	647,879	659,658
General Aviation	339,087	269,712	310,175	375,962	398,511	410,446	412,958	425,434
Other	98,261	108,175	80,270	84,620	89,267	93,152	95,486	99,629
Total Expenses	\$3,613,953	\$3,488,481	\$3,891,668	\$4,241,799	\$4,316,238	\$4,478,677	\$4,767,377	\$4,948,132
						CAGR (FY 2022 – FY 2026):		3.9%
Expenses by Category								
Employee Wages/Benefits	\$1,667,980	\$1,712,551	\$1,633,382	\$1,989,564	\$2,089,043	\$2,193,495	\$2,303,169	\$2,418,328
Supplies	144,720	165,669	191,986	199,000	204,970	211,119	217,453	223,976
Utilities	146,061	149,289	143,079	152,750	158,860	165,214	215,595	224,219
Services and Contracts	880,670	881,306	978,415	1,169,965	1,095,227	1,119,399	1,144,297	1,169,942
Repairs and Maintenance	449,698	362,009	471,057	508,350	540,866	557,058	649,232	668,674
Insurance	50,692	53,257	53,124	55,920	57,598	59,326	61,105	62,938
Other Operating Expenses	142,840	164,400	420,624	166,250	169,675	173,067	176,526	180,054
Misc. Capital Expenditures	131,292	0	0	0	0	0	0	0
Total Expenses	\$3,613,953	\$3,488,481	\$3,891,668	\$4,241,799	\$4,316,238	\$4,478,677	\$4,767,377	\$4,948,132

Notes:

Fiscal Year (FY) ending September 30.

CAGR – Compound Annual Growth Rate.

Sources: Friedman Memorial Airport Authority, 2021 (actual/budget) and Ricondo & Associates, Inc., 2022 (projected).

Assumptions regarding the projection of operating expenses through FY 2026 are noted below. Stated growth rates are from Budget FY 2022. Certain terminal-related expenses were assumed to increase in FY 2025 due to an increase in total terminal space of approximately 38 percent associated with completion of the TAP.

- Employee wages/benefits – Annual growth of 5 percent.
- Supplies – Annual growth of 3 percent.
- Utilities – Annual growth of 4 percent; increase of 61 percent for terminal-related utilities in FY 2025.
- Services and contracts – Fixed annual allowance and/or annual growth of 3 percent per year.
- Repairs and Maintenance – Fixed annual allowance and/or annual growth of 2 percent per year; increase of 61 percent for terminal-related repairs and maintenance in FY 2025 due to increase in terminal space.
- Insurance – Annual growth of 3 percent.
- Other operating expenses – Annual growth of 2 percent.

Line-item expenses are classified as either direct or indirect and are allocated to cost centers for purposes of calculating airline rates and charges pursuant to the Airline Operating Agreement and Terminal Building Lease (Airline Agreement). The cost centers shown on Table 4-9 are direct cost centers. Indirect cost centers include administration, maintenance, firefighting, security, and operations. Expenses charged to indirect cost centers are reallocated to direct cost centers based on certain allocation methodologies.

Projected Nonairline Revenue

Nonairline revenue includes all revenue other than revenue from airlines, such as vehicle parking, rental car revenue, terminal concessions, and general aviation revenue. **Table 4-11** presents projected nonairline revenue based on the Airport's FY 2022 budget.

Table 4-11: Projection of Operating Expenses

Revenue Category	Actual		Preliminary	Budget	Projected			
	FY 2019	FY 2020	FY 2021	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026
Automobile Rental	\$500,053	\$295,361	\$407,517	\$475,000	\$489,250	\$503,928	\$519,045	\$534,617
Auto Parking	717,833	591,692	799,547	663,000	750,000	772,500	795,675	819,545
Terminal Concession	66,792	46,366	66,275	47,900	50,295	52,810	55,450	58,223
FBO Revenue	972,501	1,046,548	609,551	567,500	620,000	629,300	638,740	648,321
Fuel Flowage Fees	363,004	315,203	430,541	375,000	440,000	446,600	453,299	460,098
Transient Landing Fees	219	112,498	653,799	650,000	669,500	689,585	710,273	731,581
Hangars	653,601	682,899	805,589	705,060	715,636	726,370	737,266	748,325
Tiedown Permit Fees	12,370	19,964	33,243	31,000	31,465	31,937	32,416	32,902
Postal Carrier	13,849	13,343	5,472	0	0	0	0	0
Ground Transportation Permits	27,600	22,680	22,530	29,000	29,000	29,000	29,000	29,000
TSA	76,475	70,195	75,450	75,450	75,450	75,450	75,450	75,450
Miscellaneous/Other Revenue	22,818	53,351	16,896	5,000	5,000	5,000	5,000	5,000
Non-Airline Operating Revenue	\$3,427,115	\$3,270,100	\$3,926,410	\$3,623,910	\$3,875,596	\$3,962,480	\$4,051,614	\$4,143,062
Add: Interest Income	44,499	32,930	11,719	15,000	20,000	20,000	20,000	20,000
Total Nonairline Revenue	\$3,471,615	\$3,303,030	\$3,938,128	\$3,638,910	\$3,895,596	\$3,982,480	\$4,071,614	\$4,163,062
						CAGR (FY 2022 – FY 2026):		3.4%

Notes:

Fiscal Year (FY) ending September 30.

FBO – Fixed Base Operator; TSA – Transportation Security Administration.

Sources: Friedman Memorial Airport Authority, 2021 (actual/budget) and Ricondo & Associates, Inc., 2022 (projected).

Assumptions regarding the projection of nonairline revenue through FY 2026 are noted below. Stated growth rates are from Budget FY 2022. In some cases, revenues for FY 2023 have been “reset” due to significant anticipated changes compared to the FY 2022 budget.

- Automobile rental – FY 2023 “reset”; annual increase of 3 percent thereafter.
- Auto parking – Annual growth of 3 percent.
- Terminal concession – Annual growth of 5 percent.
- FBO revenue – FY 2023 “reset”; annual growth of 1.5 percent thereafter.
- Fuel flowage revenue – FY 2023 “reset”; annual growth of 1.5 percent thereafter.
- Transient landing fees – Annual growth of 3 percent.
- Hangars – Annual growth of 1.5 percent.
- Tiedown permit fees – Annual growth of 1.5 percent.
- Ground transportation permits – Fixed annual allowance.
- TSA – Fixed annual allowance.
- Miscellaneous/other revenue – Fixed annual allowance.

Airline Revenue

Airline revenues include landing fees and terminal rentals paid in accordance with the Airline Agreement. For purposes of this analysis, it is assumed that any future airline agreement will have provisions similar to those in the current Airline Agreement through FY 2026. **Table 4-12** presents projected airline rates and charges and associated airline revenue through FY 2026.

The annual terminal building per square foot rental rate is calculated by dividing operating expenses allocated to the Terminal cost center (less any discretionary revenue credit)² by total terminal usable space. Airline terminal rental revenue is calculated by multiplying the resulting terminal rental rate by total airline rented space. As shown in Table 4-12, the terminal rental rate is projected to increase through FY 2024 commensurate with annual increases in Terminal cost center expenses. For purposes of this analysis, no discretionary revenue credit is assumed to offset the terminal requirement. As presented in Table 4-9, usable space in the terminal building will be expanded by 66 percent when construction activity associated with the TAP is completed. Airline rentable space is anticipated to increase by 128 percent. The expansion of the terminal building, along with increases in operating expense requirements, are expected to result in additional airline revenues associated with the use and occupancy of the terminal beginning in FY 2025. Increased usable space reduces the terminal rental rate, however, the overall airline revenue requirement increases due to applying the rate to increased airline rented space.

The airline landing fee per thousand pounds of landed weight is calculated by dividing operating expenses allocated to the Airfield cost center (less any airline revenue share credit) by total Airport landed weight (see Table 4-8). Airline landing fee (airfield) revenue is calculated by multiplying the resulting landing fee rate by total airline landed weight. For purposes of this analysis, the airline landing fee rate is assumed to remain at the current level of \$1.75 per thousand pounds of landed weight through FY 2026. A discretionary revenue credit is shown to be applied to the airfield requirement in order to achieve this rate. Without the revenue credit, airline landing fee rates would be higher and would increase commensurate with annual increases in the Airfield cost center requirement.

Projected terminal rental and landing fee rates presented in Table 4-12 are not intended to indicate a formal schedule of future rates and charges to be assessed to the airlines. Airport management calculates appropriate airline rates and charges annually in consultation with the airlines. Projected rates and charges in this analysis are estimated for purposes of determining if the order of magnitude of the rates and charge seems reasonable given

² In accordance with the Airline Agreement, the Authority may provide a discretionary revenue credit to partially offset the terminal and/or airfield requirement. Such revenue credit is offered solely at the discretion of the Authority for an amount to be determined by the Authority.

the described assumptions. In this context, the estimated order of magnitude of the rates and charges presented in Table 4-12 appear reasonable.

Total airline revenue is the sum of terminal rental revenue and landing fee (airfield) revenue. Total airline revenue divided by enplaned passengers represents the average airline cost per enplaned passenger (CPE) for a given year. CPE is a common financial metric used in the airport and airline industry as a measure of cost for an airline to enplane a passenger at an airport. CPE is commonly reported as an average for the airport since different airlines may incur different costs and enplane different levels of passengers at the airport.

As presented on Table 4-12, CPE is projected to increase moderately through FY 2024, with a more significant increase in FY 2025 due to higher terminal rental revenue resulting from opening of the expanded terminal. A CPE above \$10.00 is high based on historical airline costs at the Airport but is reasonable given the large increase in airline rented space occurring as the result of the terminal expansion project recommended by the TAP.

Table 4-12: Projected Airline Revenues and Rates and Charges

Airline Rates and Charges and Revenues		Budget	Projected			
		FY 2022	FY 2023	FY 2024	FY 2025	FY 2026
Terminal Rental Revenue						
Operating Expenses		\$1,026,064	\$1,153,199	\$1,206,134	\$1,533,967	\$1,603,567
Total Requirement	[A]	\$1,026,064	\$1,153,199	\$1,206,134	\$1,533,967	\$1,603,567
Less: Airline Revenue Share Credit	[B]	\$0	\$0	\$0	\$0	\$0
Net Requirement	[C]=[A]-[B]	\$1,026,064	\$1,153,199	\$1,206,134	\$1,533,967	\$1,603,567
Usable Space	[D]	27,202	27,202	27,202	45,222	45,222
Terminal Rental Rate	[E]=[C]/[D]	\$37.72	\$42.39	\$44.34	\$33.92	\$35.46
Airline Rented Space	[F]	10,883	10,883	10,883	24,801	24,801
Airline Terminal Rental Revenue¹	[G]=[E]x[F]	\$262,500	\$461,373	\$482,551	\$841,270	\$879,440
Airfield Revenue						
Operating Expenses		\$1,876,064	\$2,015,005	\$2,096,402	\$2,077,088	\$2,159,844
Total Requirement	[H]	\$1,876,064	\$2,015,005	\$2,096,402	\$2,077,088	\$2,159,844
Less: Airline Revenue Share Credit	[I]	\$1,156,292	\$1,281,808	\$1,349,512	\$1,316,230	\$1,384,741
Net Requirement	[J]=[H]-[I]	\$719,771	\$733,197	\$746,890	\$760,857	\$775,104
Total Airport Landed Weight (000-lbs)	[K]	411,298	418,970	426,794	434,776	442,916
Landing Fee Rate (per 1,000 lbs)	[L]=[J]/[K]	\$1.75	\$1.75	\$1.75	\$1.75	\$1.75
Total Airline Landed Weight (000-lbs)	[M]	134,286	155,995	159,895	163,892	167,989
Airline Revenue	[N]=[L]x[M]	\$235,000	\$272,991	\$279,815	\$286,811	\$293,981
Total Airline Revenue	[O]=[G]+[N]	\$497,500	\$734,364	\$762,367	\$1,128,081	\$1,173,422
Total Enplanements	[P]	98,000	102,000	104,000	106,100	108,200
Average Airline Cost Per Enplanement (CPE)	[O]/[P]	\$5.08	\$7.20	\$7.33	\$10.63	\$10.84

Notes:

Fiscal Year (FY) ending September 30.

¹ Budget FY 2022 airline terminal rental revenue assume 25-percent rate reduction, including one month of no charge.

Sources: Friedman Memorial Airport Authority, 2021 and Ricondo & Associates, Inc., 2022.

Passenger Facility Charge Revenue

Since 1991, the collection of a PFC has been authorized under 14 CFR Part 158, and the PFC Program has been administered by the FAA. PFCs are collected from qualified passengers to fund eligible airport projects. Since April 1, 2001, airport sponsors can impose a PFC of up to \$4.50 per qualified enplaned passenger.

PFC revenues may be used on a “pay-as-you-go” (paygo) basis or leveraged to pay debt service on bonds or other debt issued for PFC-eligible projects. Because airport sponsors may use PFC revenues for the local matching share of AIP grants, PFCs can help airport sponsors implement AIP-financed projects sooner than they would be able to otherwise. Although the FAA approves the collection of a PFC and the use of PFC revenues, the PFC Program permits local collection of PFC revenues through the airlines operating at an airport and provides more flexibility to airport sponsors than AIP funding. PFC revenues may be used for any AIP-eligible project, although PFC eligibility is generally broader than AIP eligibility, particularly for terminal building projects.

The Authority currently collects a \$4.50 PFC as reimbursement for prior eligible capital expenditures, as included in the Authority’s approved PFC applications. It is assumed that the Authority will continue to apply for, collect, and use PFC revenues at a level of \$4.50 per eligible enplaned passenger at the Airport throughout FY 2026 on a cash reimbursement basis. No PFC paygo expenditures are assumed as a CIP funding source, but the annual collected PFC revenues are recognized by the Authority from a cash flow perspective. **Table 4-13** presents projected PFC revenues based on the enplaned passenger forecast presented on Table 4-8.

Table 4-13: Projected Airline Revenues and Rates and Charges

	Budget	Projected			
	FY 2022	FY 2023	FY 2024	FY 2025	FY 2026
Enplaned Passengers	98,000	102,000	104,000	106,100	108,200
PFC Level	\$4.50	\$4.50	\$4.50	\$4.50	\$4.50
Less: Airline Collection Fee	(0.11)	(0.11)	(0.11)	(0.11)	(0.11)
Net PFC Level	\$4.39	\$4.39	\$4.39	\$4.39	\$4.39
Percent of Passengers Paying a PFC	90%	90%	90%	90%	90%
Enplaned Passenger Paying a PFC	88,200	91,800	93,600	95,490	97,380
PFC Collections From Airlines	\$387,198	\$403,002	\$410,904	\$419,201	\$427,498

Notes:

Fiscal Year (FY) ending September 30.

PFC – Passenger Facility Charge.

Sources: Friedman Memorial Airport Authority, 2022 and Ricondo & Associates, Inc., 2022.

Cash Flow Analysis

A cash flow analysis was conducted to estimate the annual ending cash position for the Authority to assess whether implementation of the TAP and overall CIP results in a positive cash flow. **Table 4-14** presents a projection of annual funds remaining after deducting operating and capital expenditures from all revenue sources through FY 2026.

Financial Implementation Analysis

Table 4-14: Net Revenue and Cash Flow

Revenue/Expense Type		Budget	Projected			
		FY 2022	FY 2023	FY 2024	FY 2025	FY 2026
Income						
Airline Revenue		\$497,500	\$734,364	\$762,367	\$1,128,081	\$1,173,422
Nonairline Revenue		3,638,910	3,895,596	3,982,480	4,071,614	4,163,062
PFC Revenue		387,198	403,002	410,904	419,201	427,498
Total Income	[A]	\$4,523,608	\$5,032,961	\$5,155,750	\$5,618,896	\$5,763,981
Federal Grant Revenue						
AIP Entitlement/Discretionary		\$6,751,875	\$0	\$18,902,250	\$0	\$769,031
CARES Act Reimbursement		9,153,096	4,502,090	2,484,986	0	0
CRRSAA Reimbursement		0	1,219,239	0	0	0
ARPA Reimbursement		0	80,761	1,548,350	0	0
Infrastructure Act		0	1,248,000	1,248,000	1,248,000	1,171,875
Total Federal Grants	[B]	\$15,904,971	\$7,050,090	\$24,183,586	\$1,248,000	\$1,940,906
Total Revenue	[C]=[A]+[B]	\$20,428,579	\$12,083,051	\$29,339,336	\$6,866,896	\$7,704,888
Expenses						
Employee Wages/Benefits		\$1,989,564	\$2,089,043	\$2,193,495	\$2,303,169	\$2,418,328
Admin. and Operational Expenses		2,252,235	2,227,196	2,285,183	2,464,208	2,529,804
Total Operating Expenses	[D]	\$4,241,799	\$4,316,238	\$4,478,677	\$4,767,377	\$4,948,132
Capital Expenditures	[E]	\$14,355,096	\$2,776,652	\$24,750,000	\$4,090,989	\$2,151,500
Total Expenses	[F]=[D]+[E]	\$18,596,895	\$7,092,890	\$29,228,677	\$8,858,366	\$7,099,632
Net Revenue	[G]=[C]-[F]	\$1,831,684	\$4,990,161	\$110,659	-\$1,991,471	\$605,256
Cash Flow						
Beginning Balance	[H]	\$9,143,585	\$10,975,269	\$15,965,430	\$16,076,089	\$14,084,619
Net Revenue	[G]	\$1,831,684	\$4,990,161	\$110,659	-\$1,991,471	\$605,256
Ending Balance	[H]+[G]	\$10,975,269	\$15,965,430	\$16,076,089	\$14,084,619	\$14,689,875

Notes: Fiscal Year (FY) ending September 30.

AIP – Airport Improvement Program; PFC – Passenger Facility Charge.

Sources: Friedman Memorial Airport, 2022 and Ricondo & Associates, Inc., 2022.

Income includes all revenue remitted to the Authority from all Airport tenants and users. Federal grant revenue is from AIP grants and federal relief funding. Besides the CARES Act, the Airport has been awarded additional federal aid in response to COVID-19.

- **Coronavirus Response and Relief Supplemental Appropriation Act (CRRSAA)** – The CRRSAA was signed into law December 27, 2020, with distribution of \$2 billion in federal grants to airports. A majority of the funds were distributed to primary airports based on AIP entitlement formulas. The Authority was allocated approximately \$1.2 million in CRRSAA grants in FY 2020. The Authority intends to use these funds to reimburse eligible operating expenses in FY 2023.
- **American Rescue Plan Act (ARPA)** – The ARPA was signed into law March 11, 2021, with distribution of \$8 billion in federal grants to airports. A majority of the funds are allocated to primary airports with funds distributed based on AIP entitlement formulas. The Authority was allocated approximately \$1.6 million in ARPA grants in FY 2021. The Authority intends to use these funds to reimburse eligible operating expenses in FY 2023 and FY 2024.

As shown on Table 4-14, the resulting analysis shows positive cashflow for the Authority through FY 2026 suggesting the amount of Airport funds (cash) assumed to fund various projects in the CIP is reasonable and feasible in the context of projected revenues and expenses. The large remaining cash position allows the Authority some level of cushion in the event that some revenue sources do not materialize as projected, or if capital or operational expenses are higher than projected. Of primary consideration is the large AIP discretionary grant request for the TAP. If the FAA is unable to grant discretionary funds at the requested/projected level, local Airport funds may be able to cover the funding shortfall. The Authority may also seek discretionary grant funding for the terminal through the IJJA.

4.4. Conclusions and Recommendations

Based on the analyses documented in this Chapter, the implementation of the TAP, as incorporated into the Airport's overall five-year CIP, appears to be financially feasible given the funding sources anticipated to be available to the Authority through FY 2026. As implementation of the CIP progresses, the Authority should continually assess the financial feasibility of each project included in the CIP. Future considerations regarding the funding of the CIP include the following:

- **Enplaned passenger/traffic growth:** As applicable, the financial plan was developed and analyzed in consideration of the assumed aviation activity forecast presented in this chapter. Actual year-to-year enplaned passengers and aircraft operations will likely deviate from this forecast. Significant changes in enplaned passengers and aircraft operations may impact operating revenues and expenses, as well as the amount of PFC revenues, AIP entitlement grant awards, and IJJA grant awards.
- **Availability of AIP funds:** The potential funding plan for the CIP assumes the FAA will continue to authorize and appropriate AIP funds for eligible projects. Because the level of authorized and appropriated AIP funds may vary from year to year, alternative funding sources may need to be identified if grants cannot be obtained for certain eligible projects.
- **Potential increase in maximum PFC level:** Airport industry groups have requested that federal PFC regulations be changed to increase the PFC program's maximum PFC level from its current level of \$4.50 per eligible enplaned passenger. While the FAA Reauthorization Act of 2018 did not address the issue, PFC levels may change in the future but will require Congressional action to take effect. The financial projections and the funding plan reflected in this analysis assume the current \$4.50 maximum PFC level remains in place through FY 2026.

The Authority may consider the following recommendations to further enhance its financial position during the period FY 2022 – FY 2026:

- Conduct periodic assessments of operating and maintenance activities to determine if specific activities are being conducted as efficiently as possible and take advantage of opportunities to implement sustainable practices, development, and technologies which may result in decreased annual operating and maintenance expenses
- Take advantage of funding opportunities that may supplement or replace “typical” airport capital development funding sources. Examples may include public-private partnerships for third-party financing, TSA grants for security-related improvements within the terminal, economic development grants, and tax incentives for private facility development.
- As current leases expire, review terms/rates of current leases to determine the most appropriate lease terms and rates given market conditions, specific land/facility uses, and opportunity costs. In addition, periodic reviews of rates and charges imposed on Airport users should be undertaken.

Appendix A

Planning Activity Levels and Terminal Program

Note: Aviation demand is indicated by Planning Activity Levels (PALs)	Existing Facility	PAL 1 2018	PAL 2 TAF 2045	PAL 3 MP	PAL 4	PAL 5
Annual Enplaned Passengers		95,000	115,000	130,000	145,000	160,000
Peak Hour Enplaned Passengers		200	242	273	305	336
	GSF	Recommended Gross Square Footage				
Concourse						
Gates: Ground Boarding	0	4	4	4	4	5
Departures Lounge and Gate Area	3,920	6,389	7,313	8,006	8,699	9,892
Circulation	1,640	4,122	4,563	5,005	6,035	6,477
Restrooms	725	2,208	2,231	2,254	2,369	2,484
Concessions, Vending, Seating	380	998	1,208	1,365	1,523	1,680
Concourse Total	6,665	13,716	15,315	16,630	18,626	20,533
Security Checkpoint						
Number of CP Lanes	1	2	2	2	2	3
Passenger Screening	1,655	2,600	2,600	2,600	2,600	3,900
Checkpoint Queueing	540	800	800	800	800	1,200
Checkpoint Exit	275	400	400	400	400	600
Checkpoint Total	2,470	3,800	3,800	3,800	3,800	5,700
Terminal						
Baggage Carousels	1	1	1	2	2	2
Circulation and Queuing	8,235	8,238	9,013	9,889	11,650	12,529
Public Seating	2,275	899	1,025	1,119	1,214	1,308
Bag Claim and Seating	2,160	4,309	5,216	5,897	6,577	7,258
Public Restrooms	1,215	2,266	2,462	2,610	2,757	2,904
Concessions and Vending	180	171	207	234	261	288
Public Area Subtotal	14,065	15,883	17,923	19,749	22,459	24,287
(NP) Baggage Screening and Conveyors	340	1,500	1,500	1,500	1,500	1,500
(NP) Inbound/Outbound Baggage	1,700	2,100	2,500	2,800	3,200	3,500
(NP) Airline Areas	1,480	1,969	2,383	2,694	3,005	3,316
(NP) Car Rental Areas	675	660	660	660	660	660
(NP) Leased Space	1,490	1,335	1,335	1,335	1,335	1,335
(NP) Airport Offices and Support Areas	1,225	1,369	1,416	1,464	1,574	1,622
Nonpublic Area Subtotal	6,910	8,932	9,794	10,453	11,274	11,933
Building Utilities, Structure and Chases	2,795	4,032	4,464	4,896	5,904	6,336
Terminal Total	23,770	28,847	32,182	35,098	39,637	42,556
Terminal Facility Total	32,905	46,363	51,296	55,527	62,063	68,789

Peak Day Bank Structure

This schedule represents airline flight schedules for travel on 2 January 2021, used in the capacity analysis. It represents demand during a limited travel schedule and provides a perspective into the terminal's capacity to meet future schedules, including a summer version of the schedule under which airlines will operate more overnight operations departing early in the morning. A fourth carrier operating from SUN will place additional demand on the terminal's facilities, the amount dependent on when this carrier operates into and out of the airport.

There is no question about whether this terminal is capable of meeting current or future demand – it falls short in more categories than not, with future growth dependent upon renovation and expansion of a majority of components and supporting spaces within the terminal.

SUN WEEKLY BANK STRUCTURE FOR THE WINTER HOLIDAY PERIOD									Operations/Seats	
ARRIVALS				SUN Hub	DEPARTURES				Operating Period Dates	Departing Seats/ Seats/
Airline	Aircraft	Origin	Depart	Time	Arrive	Destination	Aircraft	Airline		
				6:55	8:04	SLC	E175	DL	11/8-4/30	76
AS	E175	SEA	8:05	10:55						
DL	E175	SLC	9:45	11:02						
				11:32	12:47	SLC	E175	DL	12/19-3/28	76
				11:35	12:35	SEA	E175	AS	12/17-3/22	76
UA	E175	SFO	8:30	11:38						
				12:08	13:28	SFO	E175	SFO	12/17-1/4	70
DL	E175	SLC	11:25	12:42						
				13:10	14:25	SLC	E175	DL	11/8-4/30	76
UA	E175	ORD	10:00	13:18						
DL	E175	LAX	10:30	13:50						
UA	E175	DEN	11:40	13:50						
				13:54	18:06	ORD	E175	UA	12/17-1/4	70
				14:20	15:43	LAX	E175	DL	12/19-1/10	70
				14:20	16:30	DEN	E175	UA	12/17-3/27	70
DL	E175	SLC	13:45	14:59						
				15:20	16:30	SLC	E175	DL	12/19-4/20	76
UA	E175	LAX	12:15	15:45						
				16:30	18:10	LAX	E175	UA	12/17-1/4	70
AS	E175	SEA	14:45	17:35						
				18:15	19:15	SEA	E175	AS	12/17-1/4	76
DL	E175	SLC	21:35	22:28					Total Seats	806
Passengers Boarded Estimate										740
Estimated Load Factor Percentage										0.92

Mead
& Hunt

